

RIPPLEFISHER LIKE NO OTHER

BIG TUNA

Aquila

OceanRidge

GTXpedition

Ultimo

OceanArrow

SELFISH

RunnerExceed

MonsterImpact

Avarice

SilverStream

RealCrescent

Ripple Fisher

<https://ripplefisher.com/>

Handcrafted in Japan / SINCE 1997



Dealer

RIPPLEFISHER

FOR PROFESSIONAL ANGLERS

2021

Hand Craft
Ripple Fisher

ENGLISH
Version

Greater heights

There is no fishing tackle in the world that can guarantee 100% catch of your target. No matter how strong your tackle may be, if you cannot get the fish to bite, there is not point. In other words, "fishing" as a hobby is only successful because of tackle balance with your target.

Fish live and survive in harsh environments. Tackle that are strong can be too obvious to the fish and they will not even take interest. What we require and seek in tackle is balance that will enable us to negotiate with nature and our targets.

Negotiating with nature and our targets is fishing and this can be the reason why people call some types of fishing a "game".

Anglers choose their tackle based on their experience, skill and obviously target. Our rods at RippleFisher need to be valuable for one to even consider it as one of the choices. We cannot decide whether our rods can be relied on, but our intentions have not changed since the founding of the company. And that is to continuously create outstanding tackle for anglers to utilize in the field with rods built in-house, in Japan and by our own craftsmen.

However, some of the targets and situations anglers face in the field easily exceed our expectations in rods and that is why we are aiming for even greater heights. The goal of "greater heights" are far far away. We are never satisfied with the rods we create and that's why we keep on going.



OCEAN

Boat Casting and Jigging

BIG TUNA
Aquila
OceanRidge +2021 New Model
GTXpedition
Ultimo
OceanArrow +2021 New Model
SELFISH
Snapper





Boat Casting "BIG TUNA" "Aquila" "OceanRidge" "GTXpedition" "Ultimo"

Tuna Boat Casting

OceanRidge

BIG TUNA

Blue fin Tuna / Yellow fin Tuna

Bluefin Tuna and Yellowfin Tuna are definitely the largest species anglers can target domestically. There are various aspects that attract us anglers to specific species and styles, but for Tuna game, the biggest factor before even starting to think about targeting the species is whether you can "withstand" its power.

Since the release of the BigTuna series in 2010, the developmental concept has been to create rods that allow anglers "withstand" the fight against monstrous size Tuna. With the evolution of tackle and the improvement of anglers techniques, the 100kg barrier has been easily broken and now anglers are aiming for Tuna weighing over 200kg. We have added and improved some of the models in the BigTuna series, however there is no clear answer to how to overcome these mammoth Tuna. The use of a powerful rod does not necessarily result in a catch and this challenge has kept us going.

They are targets that cannot be overcome by pure strength and require anglers to challenge the limits of tackle as a whole in order to win over these targets. The rods must continuously be loaded and bent to apply pressure on the Tuna. The BigTuna series have been developed to not only continuously and effectively apply pressure on the Tuna but also to enable anglers to have great casting distance.

Furthermore, Tuna are migratory species and will require different approaches depending on the season and the bait-fish they are feeding on. Anglers need to be flexible and alter their style. We hope our lineup of rods in the BigTuna series can cater for different situations around the world to open up new doors and lead to record breaking fish.



BIG TUNA 83 JAPAN Special

OCEANRIDGE **BIG TUNA** / TUNA CASTING

BIG TUNA 85F JAPAN Special / Light Class

This is a model capable of being high stucked while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small baits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

BIG TUNA 83 JAPAN Special / Middle Class

This model was developed with “lure control” and “fight” as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG-TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

BIG TUNA 85 JAPAN Special / Heavy Class

Remarkable characteristic of this model is sharpness without wobble when you cast. Comfortability for casting lure 50g to 100g and more without any stress and enough power are loaded on this 85. This can be recommended for blue fin tuna over 50kg on field as such as Tappi Aomori while taking advantage of sharpest feeling in this series. This is the power model that is well balanced while maintaining excellent casting feel.

BIG TUNA 710 JAPAN Special / Heavy Class

This rod is sharp when casting while possessing the tenacity and added lifting power. Although it is possible for anglers to high stick this rod to conserve energy, the lifting power will allow anglers to take initiative of the fight before it ends up becoming a long drawn-out battle. You could say that this rod will only show its true evolutionary characteristics to experienced anglers.

BIG TUNA 76 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

BIG TUNA 73 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi-mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna.




BIG TUNA 83 JAPAN Special

BIG TUNA Series / About power categories

In some areas, the size of what was once said to be large size fish has grown from 100kg to 200kg and the 200kg to 300kg, requiring added models catered for these larger fish. With the ever changing size of tuna and fishing conditions, it has become difficult to chose the most suited rod. We have set the power category as follows in order for a more comprehensive understanding.

The 85, 710, 73, 76 are all in the same line max category however the 73 and 76 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from the 85 and 710.

Power Category	Model	Line	Lure
Light Class / PE6 recommended	85F	PE3~6	18~120g
Middle Class / PE8 recommended	83	PE6~8	40~150g
Heavy Class / PE10 recommended	85	PE6~12	40~160g
	710	PE6~12	40~160g
Power Class / PE12 recommended	73	PE8~12	60~180g
	76	PE8~12	60~180g




The pin-thread color will be changed according to power category. The light class 85F will have silver, the middle class 83 will have blue, the heavy class 85 and 710 will have red and the power class 73 and 76 will have champagne gold color pin threads.



In addition, the name of the models will be imprinted in the butt spacer for easier identification for those anglers who take numerous models on a boat.

Rod Detail

Guide / 85F SIC-S Titanium frame K Guide+SIC Ocean Guide(Fuji) Rest of all SIC Ocean Guide(Fuji)
 Reel seat / DPS20(Fuji)
 BRC (made of rubber) is on the end of grip of 85F, 83, 85, 710 as a standard but you can select aluminum gimbal instead.
 If you are interested in it, please made inquiry to dealer in your region.
 Aluminum gimbal (※with rubber cap) is loaded on end of grip of 76 and 73 as a standard.
 ※Please refer to images of those 2 models on catalog.



OceanRidge
BIG TUNA 85F
JAPAN Special

Lure 18~120g
Line PE 3~6
Drag Max 10kg/45°
Length: 8R 5in
Closed Length: 1880mm
Weight: 370g

Price:

OceanRidge
BIG TUNA 83
JAPAN Special

Lure 40~150g
Line PE 6~8
Drag Max 15kg/45°
Length: 8R 3in
Closed Length: 1785mm
Weight: 409g

Price:

OceanRidge
BIG TUNA 85
JAPAN Special

Lure 40~160g
Line PE 6~12
Drag Max 15kg/45°
Length: 8R 5in
Closed Length: 1850mm
Weight: 434g

Price:

OceanRidge
BIG TUNA 710
JAPAN Special

Lure 40~160g
Line PE 6~12
Drag Max 15kg/45°
Length: 7R 10in
Closed Length: 1672mm
Weight: 393g

Price:

OceanRidge
BIG TUNA 76
JAPAN Special

Lure 60~180g
Line PE 8~12
Drag Max 18kg/45°
Length: 7R 6in
Closed Length: 1575mm
Weight: 398g

Price:


OceanRidge
BIG TUNA 73
JAPAN Special

Lure 60~180g
Line PE 8~12
Drag Max 18kg/45°
Length: 7R 3in
Closed Length: 1515mm
Weight: 406g

Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped
 ※Recently it has become possible to catch Blue-fin tuna in Japan, with weight exceeding 200kg. However, there are also dangers involved when targeting tuna exceeding 100kg in rough conditions. Although models such as the BIG TUNA 76 and 73 are designed to target "Blue-fin tuna over 200kg", the specifications have been set and explanations written down with the assumption that the angler has sufficient strength, training and experience in the field.

BIG TUNA Static load on rods set at different angles



Static load comparison of BIG TUNA 85F & BIG TUNA 83 (6kg load)
 Although, BIG TUNA 83 that have been set as middle class is recommended for PE8, if you are in situation that you have to cast light and small lure when your target is feeding on small sardines PE6 will be recommended to get more distance. A still weight of 6kg is loaded onto 85F and 83 supposing that you fish with PE6. Both models have moderate flexibility on belly section so even though those got length, you can maintain your position while fighting easily.

Static load comparison of BIG TUNA 85 & BIG TUNA 710 (10kg load)
 These two models are the core of the series capable of use with various size lures for different bait sizes. The 85 is an extended model of the 710 with a sharper tip section when casting. Although the long length blank may feel stiffer, the butt section of the 710 is predominantly stronger.

Static load comparison of BIG TUNA 76 and BIG TUNA 73 (10kg load)
 These models will assist anglers for situations where large lures are required due to the targets feeding on large baits such as dolphin fish. At a 45°angle, both the 73 and 76 can be seen to have the same power. However, once the rod is lifted even higher, the 76 will start bending closer to the body, reducing the load on the angler. The 73 has a sharp casting feel while able to fight the fish speedily.

※The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.

About RippleFisher Boat Casting Rod

BIG TUNA Aquila Ultimo OceanRidge GTXpedition

About the features of the series Boat Casting Series

BIG TUNA -Tuna rods

As Tuna do not directly run towards rocks like GT do and with the extreme load on the angler's body when fighting the mammoth Tuna, the rods can be characterized as being tenacious and bendy.

OceanRidge -GT rods


The tip section of these rods have been built stiff for easier use with large mouthed poppers when targeting GT. In addition, as GT run straight towards rocks to bust you off, the rods are built stiffer to efficiently lift and avoid rock formations by fully loading the rod with the angler's weight.

Ultimo -GT & Kingfish rods


With the flexible tip section, these models are especially designed to maneuver pencil baits and diving pencil type lures to target GT and Kingfish. They can be considered to be between the BigTuna and OceanRidge series, but the fight is more towards the GT fishing which requires a speedy response from the angler.

Aquila -Kingfish & Tuna rods

The Aquila series are further subdivided into smaller categories depending on style and fishing conditions. Please refer to the figure on the right for characteristics of each category in the Aquila lineup.



Angle of line and rod when fighting: (caution)



When you are fighting the fish and your target is far away with line on a diagonal angle, you can lift the rod to the angles shown in the figure on the left. However, when the fish is directly below the boat, be sure not to lift the rod too high. If the fish suddenly decides to dive down when your rod is lifted high, the load will focus on one point which may lead to the breakage of your rod. It is especially dangerous to high stick your rod when landing the fish. Please guide the fish into the net with your rod (grip) under your armpits.

MLT / MST is condition-specific model

MLT - these are models especially designed for utilizing small lures when your targets are feeding on micro bait.
MST - These models are especially designed for use with super large lures when your targets are feeding on large size baits such as dolphin fish.

ST is the standard model

The ST series are the most versatile models for boat casting to target Yellow-tails and Kingfish.

The 3 piece EX modes have a sharp feel


The EX models are 3 piece traveling models which are versatile, similar to the ST models. They are the stiffest models of the series.

TUNA GAME OTHER ITEM

2021 New Item RF MORI (RippleFisher original carbon harpoon shaft for Tuna)



The RF-MORI are harpoon shafts for landing super large size Tuna. The shaft is built up of carbon material with special highly durable coating to prevent any corrosion from rain, salt water, UV rays and infrared radiation. The interior is filled with buoyant material and the harpoon point is made up of SUS316L stainless steel. Furthermore, the metal attachment at the point has been made of SUS304 stainless steel for hard use in the field. *do not use this for other purposes as it may cause injury.



The tip of the harpoon Φ12mm

Length : 1800mm
Price:
 Overall length of the tip of the harpoon: 335mm
 ※The total length is the combined length of the tip and body.
 Weight : Undecided
 Harpoon tip material : Stainless SUS316L
 Attachment bracket material : SUS304
 Screw standard : W1/2 End Cup : BRC

Boat Casting

Aquila

King Fish / Yellow Tail / Yellow fin Tuna

We have various models to the Aquila series, which have already been popular for the boat casting game.

In recent years, the Kingfish and tuna games have become more subdivided.

In our lineup are 9 models. We have categorized them into four different series, ST, MLT, MST and EX. The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets.

The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX models have newly been introduced to the series, which are 3 piece pack rods for anglers traveling around the world.

The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish.

We don't simply make rods with "power", we make rods with "strength".



Aquila MLT 82-3/6



Aquila MST 711-8+

Aquila Series Line up
ST 78-3 **EX** 79-3 **MST** 85-7+ **MLT** 82-2/4
 80-4 83-6 711-8+ 82-3/6
 85-6

Aquila consists of four categories, ST / EX is introduced on this page, and MST / MLT is introduced on the next page.

Aquila ST & EX

/ BOAT CASTING

Aquila ST

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 3 power classes of PE #3, #4 and #6 to cater for various species and situations.

Aquila ST 78-3


The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.

Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting. (Previous name:85H)



Aquila EX

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

Aquila EX 79-3


The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

Aquila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.




Here are the comparisons of the Aquila series with a static load of 3kg. Aquila series have been categorized ST, MLT, MST and EX-ST which have versatility and well balanced, MLT which is loaded flexibility on tip and strength on butt, MST which is employed massive power to keep huge kingfish under control and EX which is multi piece rod for Aquila series. MLT have been built with specialized design to hunt big one with lighter line than notation on specification. Utilizing its flexible and sensitive tip section, you can cast wider range of weight of lure comfortably. Once fish is on, MLT series bend very well smoothly like seamless and parry an attack of monstrous blue runner and it can be held with higher angle than other models. It is designed to apply good amount of pressure on fish continuously. EX series have been achieved smoothness on bending curve like a seamless. Sharpness, lightness and well-balance that are hidden in blanks of EX series will make you forget that those are 3 pics casting rod.



Rod Detail

Guide / ST78-3 · EX79-3 SiC-S Titanium frame K Guide(Fuji)
 Rest of all SiC-S Titanium frame K Guide+SiC Ocean Guide(Fuji)
 Reel seat / ST78-3 · EX79-3 DPS18(Fuji) Rest of all DPS20(Fuji)



Aquila ST 78-3

Lure / Comfort Weight 30~50g
 Line MAX PE 3
 Drag Max 5kg/45°
 Length: 7ft 8in
 Closed Length: 1780mm
 Weight: 224g
 Price:

Aquila ST 80-4

Lure / Comfort Weight 40~80g
 Line MAX PE 4
 Drag Max 7kg/45°
 Length: 8ft
 Closed Length: 1782mm
 Weight: 300g
 Price:

Aquila ST 85-6

Lure / Comfort Weight 40~110g
 Line MAX PE 6
 Drag Max 12kg/45°
 Length: 8ft 5in
 Closed Length: 1925mm
 Weight: 338g
 Price:

Aquila EX 79-3

3pcs-Pack Rod
 Lure / Comfort Weight 40~60g
 Line MAX PE 3
 Drag Max 5kg/45°
 Length: 7ft 9in
 Closed Length: 847mm
 Weight: 263g
 Price:

Aquila EX 83-6

3pcs-Pack Rod
 Lure / Comfort Weight 60~120g
 Line MAX PE 6
 Drag Max 10kg/45°
 Length: 8ft 3in
 Closed Length: 905mm
 Weight: 353g
 Price:



The 3-piece model of Aquila EX comes with a set of exclusive rod backs for butty (Synthetic leather). With a moderate thickness and durable construction, it protects the rod from shocks during expedition.



Both Aquila ST and EX have a stiff feeling to it and is recommended for anglers who prefer a sharp casting feel. Although they are designed to target Yellow-tail and Kingfish, the PE 6 class rods are also great for the light GT game. The ST and EX are closer to the GT rod category with a sharp feel to it while the MST and MLT are more tenacious like the Tuna rods.

Aquila MST & MLT / BOAT CASTING

Aquila MST

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingies. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7-8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight. **The + symbol next to the power class indicates that the power and tenacity has been added to the usual power class.**



Aquila MLT 82-2/4

Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~ 120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.



Aquila MST 85-7+

Aquila MLT

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)

Aquila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small ~ super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.



Aquila MLT 82-3/6

Rod Detail
Guide / SiC-S Titanium frame K Guide+SiC Ocean Guide(Fuji)
Reel seat / DPS20

Aquila MST 85-7+

Lure / Comfort Weight
40~120g
Line
MAX PE 7
Drag Max
14kg/45°
Length: 8ft 5in
Closed Length: 1897mm
Weight: 382g
Price:

Aquila MST 711-8+

Lure / Comfort Weight
80~180g
Line
MAX PE 8
Drag Max
16kg/45°
Length: 7ft 11in
Closed Length: 1752mm
Weight: 369g
Price:

Aquila MLT 82-2/4

Lure / Comfort Weight
30~70g
Line
PE 2~4
Drag Max
7kg/45°
Length: 8ft 2in
Closed Length: 1782mm
Weight: 341g
Price:

Aquila MLT 82-3/6

Lure / Comfort Weight
40~90g
Line
PE 3~6
Drag Max
10kg/45°
Length: 8ft 2in
Closed Length: 1785mm
Weight: 348g
Price:

Aquila MLT UnderCast Handle
(Short Handle / Option Parts)


MLT optional part "Short handle for UnderCast"

MLT 82-2/4 UnderCast Handle
Price:

MLT 82-3/6 UnderCast Handle
Price:

For the Aquila MLT series, we have prepared a specially designed short handle for those anglers who need to utilize under-arm casting when boarding large charter boats. The total length of the rod is approximately 7ft 10inches with the short handle. The short handle is sold separately and does not come with the rod.

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Aquila MLT 82-2/4

Aquila MLT 82-2/4
Aquila MLT 82-3/6





OceanRidge FINAL SPIRIT GT78

GT Boat Casting



OceanRidge

Giant Trevally

The OceanRidge series are GT rods especially designed with Ripple Fishers' brand characteristics. The lineup built up for the needs of the expert anglers require manual maneuvering and will bring out the true skills in anglers. These are not your ordinary lineup and will not suit all anglers. But rest assure that these rods will feel like a part of your body once anglers have established their style and skill.

In 2021, we have brushed up and gone back to the drawing board to renew the most powerful rods of the FINAL SPIRIT GT 79 and 80 to release the new GT78. The GT game is becoming tougher and tougher each year and sometimes require the use of super size lures to induce a bite. The new GT78 is not simply an over powered rod but will become your biggest asset in specific situations and against monstrous GTs.

New OceanRidge FINAL SPIRIT GT 78

This is the most powerful and toughest GT rod Ripple Fisher has ever developed with stiff characteristics in the tip to belly section for easy use with large mouthed poppers and outstanding lifting power in the butt. The blank is highly responsive and once hardcore anglers put his/her full weight behind it, the repulsive force in the blank will efficiently lift the fish. It is an ideal rod for short popping of large mouthed poppers and controlling massive 300mm class pencil type lures when the GTs are feeding on super large baits. It is not a rod that you want to be using all day long, but a rod that you want to bring out in hairy situations with gushing currents and rugged terrain.

Angler's Weight : 80kg~(Recommendation)

OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx.60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

Angler's Weight : 65kg~(Recommendation)

OceanRidge LC GT 82 Nano


For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability.

Angler's Weight : 70kg~(Recommendation)

OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY® technology developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force.

Angler's Weight : 70kg~(Recommendation)



Rod Detail

Guide / SIC Ocean Guide(Fuji)
Reel seat / DPS20(Fuji)
Those with NANO notation, NANOALLOY® technology of TORAY is loaded.

2021 New Model OceanRidge FINAL SPIRIT GT 78

Lure
MAX 270g
Line
MAX PE 12
Drag Max
17kg/45°
Length: 7R 8in
Closed Length: 1645mm
Weight: 393g

Price:

OceanRidge Reversal GT 80 Nano

Lure
MAX 170g
Line
MAX PE 8
Drag Max
14kg/45°
Length: 8ft
Closed Length: 1737mm
Weight: 373g

Price:

OceanRidge LC GT 82 Nano

Lure
MAX 190g
Line
MAX PE 8
Drag Max
14kg/45°
Length: 8ft 2in
Closed Length: 1796mm
Weight: 378g

Price:


OceanRidge PF GT 711 Nano

Lure
MAX 210g
Line
MAX PE 10
Drag Max
15kg/45°
Length: 7R 11in
Closed Length: 1682mm
Weight: 375g

Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

OceanRidge FINAL SPIRIT GT78



OceanRidge FINAL SPIRIT GT78

OceanRidge LC GT82



OceanRidge LC GT82





GT & Kingfish Boat Casting



Ultimo

Giant Trevally / King Fish

The Ultimo Series are the core of Ripple Fisher's GT rods. The series are able to handle a variety of lures from pencil type to popping type lures while having a light, yet very responsive blank for anglers to cast throughout the day. Although the rod may seem simple with its easy castability and controllability, the butt power is outstanding and we have set an ideal loading point for anglers to be able to maintain their balance with a heavy load. The Ultimo series are a fusion of modern GT fishing combined with Ripple Fisher's long experience in rod building.



Ultimo 711ML

This is a lighter model ideal for anglers with a smaller build and female anglers who have never experienced our Ultimo series. It is also ideal for anglers targeting large Kingfish and Tuna up to 50kg with the use of lures around 100g. We believe that you will feel the sharpness, lightness and overall controllability of the rod once you fish with it. Anglers will be able to cast throughout the day stress free and apply high pressure on the fish with little effort during the fight.

Angler's Weight : 50kg~(Recommendation)

Ultimo 83ML

This rod is ideal for targeting not only GT, but also monstrous Kingfish and Tuna up to 50kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the NANOALLOY® technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential.

Angler's Weight : 55kg~(Recommendation)

Ultimo 79M Nano

The 79M Nano is a powerful and maneuverable short length rod. With its short length, it is ideal for anglers who prefer to fish from the stern or middle section of small, medium and large charter boats using the bend of the blank to your advantage. It's a perfect rod for experienced smaller built or female anglers. Although the butt section is a M class rod, the tip section is stiffer allowing anglers to have better command of their casting and control of their lures.

Angler's Weight : 55kg~(Recommendation)

Ultimo 83M Nano

This is a well-balanced rod to easily cast and handle from high footing in medium to large boats. This model basically enables any angler to easily cast and maximize its potential in unstable deck conditions. The flexible, yet sharp casting feel is unique to the Ultimo series. The sharpness and strength was realized by constructing the blank with the Nano material. The bending point gradually transfers towards the angler allowing for use in not only GT fishing but also great to target monstrous Kingfish and Tuna.

Angler's Weight : 60kg~(Recommendation)


Ultimo 80MH Nano

80MH is an almighty model with a combination of long length and power. It is a versatile rod able to utilize in any given boat or field with the use of pencil type lures to medium mouth poppers. However, with the somewhat stronger rod settings, the angler needs to be well built or strong. With strength and experience, this rod will respond to the anglers powerful lifting and fight giving you that advantage required for monstrous fish. It is a best matched rod for the GT game which require long casting in shallow waters where anglers are required to take initiative.

Angler's Weight : 60kg~(Recommendation)

Rod Detail

Guide / SIC Ocean Guide(Fuji)
Reel seat / DPS20(Fuji)
Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



Ultimo 711ML

Lure MAX 150g
Line MAX PE 6
Drag Max 12kg/45°
Length: 7ft 11in
Closed Length: 1780mm
Weight: 369g
Price:

Ultimo 83ML

Lure MAX 150g
Line MAX PE 6
Drag Max 12kg/45°
Length: 8ft 3in
Closed Length: 1815mm
Weight: 365g
Price:

Ultimo 79M Nano

Lure MAX 160g
Line MAX PE 7
Drag Max 13kg/45°
Length: 7ft 9in
Closed Length: 1740mm
Weight: 366g
Price:

Ultimo 83M Nano

Lure MAX 160g
Line MAX PE 7
Drag Max 13kg/45°
Length: 8ft 3in
Closed Length: 1835mm
Weight: 362g
Price:


Ultimo 80MH Nano

Lure MAX 170g
Line MAX PE 8
Drag Max 14kg/45°
Length: 8ft
Closed Length: 1740mm
Weight: 383g
Price:



Ultimo 83M

Ultimo 80MH



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



GT & Kingfish Boat Casting



Ocean Voyager GTXpedition

Giant Trevally / Kingfish

Ripplefisher's 3 piece pack rod, "GTXpedition" model has been reborn. When considering recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size.

By reviewing the bending of the new GTXpedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod.

We hope you can first handedly experience the ever improving technology at Ripplefisher.



GTXpedition 81M



GTXpedition 81MH

GTXpedition 81M

This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod.
Angler's Weight : 55kg~(Recommendation)

GTXpedition 81MH

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. In contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod.

Angler's Weight : 65kg~(Recommendation)



The 3-piece model of GTX and Aquila EX comes with a set of exclusive rod backs for bulky (Synthetic leather). With a moderate thickness and durable construction, it protects the rod from shocks during expedition.

Rod Detail

Guide / SiC Ocean Guide(Fuji)
Reel seat / DPS20(Fuji)



Ocean Voyager
GTXpedition 81M/3pcs

Lure
MAX 140g
Line
MAX PE 6
Drag Max
10kg/45°

Length: 8ft 1in
Closed Length: 887mm
Weight: 380g

Price:


Ocean Voyager
GTXpedition 81MH/3pcs

Lure
MAX 180g
Line
MAX PE 8
Drag Max
13kg/45°

Length: 8ft 1in
Closed Length: 887mm
Weight: 386g

Price:


OceanRidge Bending Curve / Load 6kg



The picture illustrates the differences in the bending curve of the OceanRidge series with a static load of 6kg. For reference, we have also included in the illustration the Ultimo80MH. The rods are displayed in different colors depending on model. The new model in 2021 FS78 is displayed in red. When looking at the bending curve of the FS78 and LC82, it looks similar but the feel of the rod is totally different. The LC82 is designed to hook up and fight GT from a distance. The bending point is set far from the body thus will feel stiff when fighting GT in close range. In contrast, the FS78 bending point is set closer to the butt section allowing for a more powerful and responsive fight against GTs in close range.


※ The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods true characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.

Ultimo Bending Curve / Load 6kg




Here is an illustration of the bending curve of the Ultimo series with a static load of 6kg. For reference, we have also displayed the OceanRidge Final Spirit GT78. The rods are displayed in different colors for easier distinction. The series is especially designed to have a flexible tip section to easily control pencil type lures and the lightness will allow anglers to easily cast and fish all day long. The ML and M class models are also ideal for large Kingfish with its speedy characteristics to efficiently lift the fish away from underwater rock formations.

GTXpedition Bending Curve / Load 6kg



Here is an illustration of the bending curve of the GT Expedition with a static weight of 6kg. For reference, we have also added the bending curve of the Ultimo 83ML and the OceanRidge Final Spirit 78. The rods are displayed in different colors for easier distinction. You can see that the tip section of the GT Expedition is stiffer compared to the Ultimo series, but as the whole rod bends nicely, it does not feel too stiff when casting or fighting the fish. The controllability of poppers and pencils type lures outstanding in addition to the overwhelming casting distance previously unthinkable from 3 piece rods.



Here is a chart displaying the power and stiffness in the different series for the GT game with a static load of 6kg. The OceanRidge series are designed to specifically target GT with large mouthed poppers and large pencil type lures which is a heavy burden on the rods. In 2021, the most powerful of the series, FS78 has been refined and will be ready for release. Although it is the most powerful rod of the series, we have rebalanced the bending curve in order to allow anglers to more efficiently lift the massive GT. The Ultimo series are designed for anglers to utilize diving pencil type lures with its flexible tip section. With the smooth bending curve, we can recommend this rod for anglers with a smaller build or female anglers. The GT Expedition series are 3 piece rods ideal for your exotic trips to tropical countries overseas. The blank is extremely sharp and will allow anglers to utilize a wide range of lures. Both the Ultimo and GT Expedition are also great to target massive Kingfish off-shore, especially for those anglers who prefer a sharp rod.



Jigging "SELFISH" "OceanArrow" "Snapper"



Jigging Game

OceanArrow **SELFISH**

Jigging / King Fish / Yellow Tail / Greater Amberjack

Ripplefisher's jigging rod series, the "SELFISH". There will be 3 spinning models and 2 overhead reel models, each developed with their own new concepts. The already existing 613S, 614S and 597S models are for the vertical jigging game and the 3 new models will specialize in a natural swimming (NS) diagonal jigging. The 2 new overhead reel models are categorized as sensitive bait (SEB) models.

These added models are developed to keep up with the demands from the ever changing jigging scene. To slide the jig, swim the jig, naturally maneuver the jig to induce that "bite". All models have the inherited characteristics of the SELFISH series with the slim, light and sharp feeling able to cut through the current, yet possessing a contradicting powerful butt section.

The NS (natural swim) type NS632, NS623, NS614 are designed to enable anglers to delicately adjust the line tension, perform particular rod action required for swimming type jigs with the tip, belly and butt section to "remain" in order to eliminate any unintentional "flicking" of the jig. These 3 models are ideal for anglers to directly transmit the natural action to the jig which leads to the bite.

The sensitive bait (SEB) models of SEB633 and SEB624 are versatile rods built with slim blanks designed to easily switch the tempo and pitch of the technical jig action. The evolution of the renewed SELFISH series has just begun. In order to answer the needs of the jiggers around the world who have their sights on the next stage, we are currently working on numerous models. Please stand by and keep your eye out for future developments of the SELFISH series.



SELFISH / JIGGING

NS Natural Swim

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.



SEB Sensitive Bait

These are highly responsive overhead reel models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the overhead reel tackle set up.

SELFISH SEB 633

The standard model of the SELFISH Overhead reel series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for overhead reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.

ST Standard & Specialized

This is a model able to easily control the jigs and quickly switch your jerking patterns from high pitch, one pitch, short to long jerks mainly from boats which are controlled for vertical jigging. It is a highly sensitive model able to transmit the slightest of change even at high speed jerks.

SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S Nano.

SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellowtail over 10kg, amberjack or kingfish around 7~8kg under control with 614S Nano.

SELFISH 597S Nano

This 597S Nano designed for vertical jigging to aim large size kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.

Rod Detail

Guide / SIC-S Titanium frame K Guide(Fuji)
Reel seat / Spinning model DPS18 597S DPS20 Overhead reel model TCS18

SELFISH Natural Swim NS 632	SELFISH Natural Swim NS 623	SELFISH Natural Swim NS 614	SELFISH Sensitive Bait SEB 633	SELFISH Sensitive Bait SEB 624	SELFISH 613S Nano	SELFISH 614S Nano	SELFISH Specialized Model 597S Nano
Lure / Comfort Weight 80~130g Line MAX PE 2 Drag Max 3kg/45° Length: 6ft 3in Closed Length: 1910mm Weight: 126g Price:	Lure / Comfort Weight 100~150g Line MAX PE 3 Drag Max 5kg/45° Length: 6ft 2in Closed Length: 1890mm Weight: 159g Price:	Lure / Comfort Weight 120~180g Line MAX PE 4 Drag Max 7kg/45° Length: 6ft 1in Closed Length: 1865mm Weight: 174g Price:	Lure / Comfort Weight 120~180g Line MAX PE 3 Drag Max 5kg/45° Length: 6ft 3in Closed Length: 1915mm Weight: 182g Price:	Lure / Comfort Weight 140~200g Line MAX PE 4 Drag Max 7kg/45° Length: 6ft 2in Closed Length: 1890mm Weight: 189g Price:	Lure / Comfort Weight 100~140g Line PE 2.5 Class Drag Max 4kg/45° Length: 6ft 1in Closed Length: 1860mm Weight: 170g Price:	Lure / Comfort Weight 130~170g Line PE 3 Class Drag Max 5kg/45° Length: 6ft 1in Closed Length: 1860mm Weight: 180g Price:	Lure / Comfort Weight 180~240g Line PE 5 Class Drag Max 8kg/45° Length: 5ft 9in Closed Length: 1756mm Weight: 250g Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped





OceanArrow 5930

Jigging for Monster



OceanArrow

Jigging / Blue fin Tuna / Yellow fin Tuna / Marlin / Grouper

As of 2021, the OceanArrow series will be restarted as jigging models to target large species around the world.

For jigging, it is not only vital for anglers to have the technique to induce bites but also be able to fight and efficiently surface the large predatory fish. The new OceanArrow series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

The new models of 5930 and 6615 are designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

With the ever changing environment and the evolution of tackle, we hope you can take hold of the big game jigging with our new OceanArrow series.

Both the 5930 and 6615 are set with a gimble butt end for an easier fight against the tough and heavy monsters at the other end of the line.

New OceanArrow 6615 / Spinning Model

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break-off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs.

New OceanArrow 5930 / Spinning Model

This is a one piece spinning model designed to jig for large size Tuna and Marlins around the world. The short length rod able to be high sticked will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits.

OceanArrow

Rod Detail

Guide / SIC Ocean Guide(Fuji)
Reel seat / DPS20



2021 New Model
OceanArrow 6615

Lure
JIG MAX 400g
Line
MAX PE 6
Drag Max
12kg/45°
Length: 6ft 6in
Closed Length: 1295mm
Weight: Undecided
Price:


2021 New Model
OceanArrow 5930

Lure
JIG MAX 800g
Line
MAX PE 8
Drag Max
15kg/45°
Length: 5ft 9in
Closed Length: 1775mm
Weight: Undecided
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



OceanArrow 5930



OceanArrow 5930



The new OceanArrow 5930 and 6615 are models designed to go after the super size species including the Bluefin Tuna, Yellowfin Tuna, standing Marlin game and Groupers in the deep. The rods have a more tenacious and bendy characteristics so it is not too suitable for high pitch jigging but they are ideal for one pitch and more slower jigging and falling actions.



OceanArrow 5930



OceanArrow 6615 (Armpit jerk)

OceanArrow 6615 (Gimbal jerk)



The 6615 and 5930 are both designed so anglers can high stick the rod during the long fight against the mammoth fish. Furthermore, the gimble settings at the butt end will help anglers jerk heavy weight jigs. The rod end gimble comes standard with these rods. You can choose whether to jerk the jig under your armpits or with the gimble on your fighting belt depending on style, depth and jig weight.

Tairubber and Light Jigging

OceanArrow Snapper

Light-Jigging/Red Seabream / Grouper

The OceanArrow Snapper series for light jigging, TaiRubber and the Inchiku game. Although the rods themselves are flexible, they possess a core strength for anglers to overcome their targets while having the sensitivity to sense the slightest changes in current or bites. Our goal was to improve the response of the blanks true potential. These rods are packed with the elements for anglers to enjoy the sensitive and subtle currents when fishing for snapper and rockfish.

OceanArrow 67UL Snapper

The concept of the 67UL is to possess absolute sensitivity capable of transmitting vital information through the blank despite depth nor current while being able to lift the sizable fish. The flexible tip section will easily bend in once there is a bite, yet having a distinct core in the blank to aggressively set the hook. Equipped with both delicate sensitivity and a powerful butt section capable of lifting and controlling the fish, this 67UL is true to Ripple Fisher's spirit of rod making. We would like for many anglers to take hold and experience this rod first handedly.

OceanArrow 65L Snapper

The 65L is a model which is able to conduct a smooth retrieval under heavy pressure against the TaiRubber in deep waters and strong currents. The highly sensitive blank will transmit the slightest changes in current pressure and chases from your target through the blank, giving anglers another element to consider when fishing. The blank itself possesses an ideal stiffness and flexibility to efficiently and effectively hookup the fish. To put it into perspective, if the 67UL is a rod with a sensitive tip with a powerful butt section, this 65L is a rod which exhibits its power and sensitivity through the smooth bend of the whole rod. Although the 65L is mainly developed for TaiRubber fishing, it is also equipped with the ideal settings for light jigging and the Inchiku game.

OceanArrow 66ML Snapper

The 66ML has a grip joint structure with an increased butt power compared to the previous two models. It is not only great for your TaiRubber game but an all-rounder rod for the Inchiku game, jigging and even soft plastics game to target the various species you may encounter when fishing from your boat. With its versatility, anglers can make good use of their light line to suit your own style of fishing to target any given species from your boat or even a kayak where you may be limited with the number of rods you can take. We are positive that this rod will be your next best friend for not only local waters but also fishing expeditions where you may have to deal with large snappers, groupers, hair-tail, blue-runners etc.



OceanArrow 67UL Snapper

Lure
MAX 100g
Line
MAX PE 1
Length: 6ft 7in
Closed Length: 2005mm
Weight: 131g
Price:

OceanArrow 65L Snapper

Lure
MAX 120g
Line
MAX PE 1.2
Length: 6ft 5in
Closed Length: 1960mm
Weight: 125g
Price:





OceanArrow 66ML Snapper

Lure
MAX 160g
Line
MAX PE 1.5
Length: 6ft 6in
Closed Length: 1475mm
Weight: 146g
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

Rod Detail

Guide / SiC-S Titanium frame K Guide(Fuji)
Reel seat / 67UL·65L TCS16(Fuji) 66ML TCS17(Fuji)




※ The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending of the rod. The Static load comparison is simply a reference.


Here is an illustration of the bending curves of the rods ranging from PE2 class to PE4 class of the Selfish series with a static load of 1kg. The illustration below displays the bending curve of rods above PE4 specifications with a static load of 3kg. The Selfish NS are flexible rods designed to naturally swim the jig with the belly section instead of flicking the jig with the tip section done with other types of jigger rods. The Selfish SEB are bait-casting models with stiffer tips that are not only able to rhythmically flick jigs with the tip but also able to naturally swim the jig with the belly section of the blank depending on the angle of your line. The ordinary models are equipped with the ability to conduct one pitch jerking to high pitch short jerking depending on your preference. It is designed for vertically jigging so once the angle of the line is too acute, it may cause the jig to lose the tension.




The new OceanArrow 6615 and 5930 models were designed with the focus on easing the fight against the heavy and continuous load of Tuna type species. Anglers will be able to endure the heavy load by high sticking the rod and continuously and efficiently pumping and lifting the fish. If you look at the bending curve, the 5930 seems to bend in more but this is due to the fact that the whole blank bends for one piece rods and that the 6615 is a grip jointed rod and the butt section has remained. As for power standards, the 5930 is superior. The picture below demonstrates the bending curve with a heavier load and you can see that the bending curve of the 6615 has become more acute. The 5930 is more suited for larger fish and will efficiently and easily lift the fish.



Here is a comparison of the OceanArrow series with a static weight of 8kg at an angle of 70°. The OceanArrow series are able to withstand a heavier load than the Selfish series.



Here are the comparisons of the Ocean Arrow, Snapper series with a static load of 1kg. The power of the butt sections are basically the same for the 67UL and 65L designed for use with the Tai-rubber. However, you will notice the difference when you start retrieving and once the rod is loaded with a fish. The 67UL is flexible at the tip section with a contrastingly strong butt while the 65L will absorb the impact with the whole rod. The 66ML is a totally different rod compared to the 67UL and the 65L designed for use with Inchiku and light jigging with a unique grip joint section. The following comparative diagram will give you an idea of the difference in power, however it is not indicating that the 67UL and 65L are weak. The designs of the blanks themselves differ between those rods that are designed to fight with a thin line than to rods to aggressively stop the fish.



LAND

Shore Casting and Light Game

Runner Exceed

FINAL STAND UP

MonsterImpact 2021 New Model

Avarice

SilverStream

RealCrescent

Shore Casting "RunnerExceed" "MonsterImpact" "Avarice" "SilverStream" "RealCrescent"



Rock Shore Casting

RunnerExceed

Shore Casting / King Fish / Yellow Tail / Greater Amberjack

The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to "catch" your dream fish in the harshest environments.

Recently, the number of anglers targeting 20kg class kingfish have increased and are seeking not only the power in a rod, but also the least amount of strain on the angler. No matter how strong a rod may be, if the angler does not have the power to bend it, s/he will be in the disadvantage when fighting off the rocks.

You can bend the rod and lift, stop the thrashing fish with its power, or technically fight the fish with the use of the long-leader system utilizing the overhead reel tackle setup. Each and every angler will have their own style but there is one thing in common and that is the "strength" the RunnerExceed series have.

We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controlability, resilience and strength of the series when most needed during the fight.



RunnerExceed 103H



RunnerExceed 107BH



RUNNEREXCEED / ROCK SHORE CASTING



RunnerExceed 102M Nano PlugModel

This is the lighter plugging model of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencil and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg. The Nano blank will allow for a speedy and efficient fight using the repulsive force of the rod.

RunnerExceed 104H Nano PlugModel

This land-based blue-runner rod was built with the purpose of practicality and power. The flexibility was the most important aspect for the development of the rod. While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section, allowing for anglers to lift the rod higher to withstand the final thrust of the fish in close range.

RunnerExceed 110H Nano PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Firstly, it eliminates any handling error of the lure in rough seas. Secondly, it will improve the hookup rate as the flexible tip section will follow through the bite. Finally, the flexible tip will allow for a wider range of lure selection and easier control of the lures by the angler. The blank is designed to support the balance of the angler during high pressure battles against large fish off the rocks by adequately bending in while possessing ample resilience in the butt section to lift the fish. The power of the butt section will help anglers when landing the fish by guiding the fish through rock formations and tide pools. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from 10~15kg in shallow waters.

RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift 3~4kg fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next right arm.

RunnerExceed 103H

This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action.


RunnerExceed 107BH Nano / Overhead reel Model

The blank itself is extremely flexible and tenacious yet possessing a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long-leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller 3kg~6kg fish, yet possessing underling power for those monstrous fish.



Rod Detail

Guide / 102M SIC-S Titanium frame K Guide(Fuji)
 911MH·103H·110H SIC-S Titanium frame K Guide+SIC Ocean Guide(Fuji)
 104H·107BH SIC Ocean Guide(Fuji)
 Reel seat / Spinning model DPS20(Fuji) Overhead reel model T-DPS22(Fuji)
 Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



RunnerExceed 102M / Nano Plug Model

Lure
Plug 20~70g
 Line
PE 1.5~3
 Drag Max
5kg/45°
 Length: 10ft 2in
 Closed Length: 1590mm
 Weight: 290g
 Price:

RunnerExceed 104H / Nano Plug Model

Lure
Plug 40~120g
 Line
PE 4~6
 Drag Max
8kg/45°
 Length: 10ft 4in
 Closed Length: 1615mm
 Weight: 327g
 Price:

RunnerExceed 110H / Nano Plug Model

Lure
Plug 40~130g
 Line
PE 4~7
 Drag Max
9kg/45°
 Length: 11ft
 Closed Length: 1720mm
 Weight: 341g
 Price:

RunnerExceed 911MH / Nano

Lure
MAX Jig 100g
MAX Plug 80g
 Line
MAX PE 4
 Drag Max
6kg/45°
 Length: 9ft 11in
 Closed Length: 1560mm
 Weight: 306g
 Price:

RunnerExceed 103H

Lure
MAX Jig 130g
MAX Plug 90g
 Line
MAX PE 5
 Drag Max
8kg/45°
 Length: 10ft 3in
 Closed Length: 1615mm
 Weight: 327g
 Price:

RunnerExceed 107BH / Nano Overhead reel Model

Lure
50~130g
 Line
MAX PE 6
 Drag Max
8kg/45°
 Length: 10ft 7in
 Closed Length: 1650mm
 Weight: 374g
 Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Shore Big Game

RunnerExceed FINAL STAND UP

Shore Casting /GT / Dogtooth Tuna / King Fish / Greater Amberjack

For anglers who like the challenge of fishing from rocks or piers, this is the perfect rod when going after monsters such as GT, Dogtooth tuna, Amberjacks, Kingfish etc. Proper balance is essential and fishes often take advantage to bust your line should you fail to maintain tension on the line. This rod is good qualities of balance, bending and taper to maintain the lifting position.

Both models of spinning and overhead are breakthroughs in blank design with superior characteristics.

To our dear customers,

Big game fishing from shores is a high risk activity. Avoid fishing alone and always adopt a safety first attitude. The fish that you hook up may be beyond your capabilities. As the fish is literally fighting for its life, bear in mind accidents can happen and always use the best fishing equipment and never overestimate your own strength and abilities.



RunnerExceed 100SHH Limited

RunnerExceed FINAL STAND UP 100SXH

We created this rod for beginners but it will also satisfy the experts due to its ability of casting large lures ranging from 80gm – 150gm. With careful guide settings, it can handle long leaders. A carefully placed grip ensures a nice bend when loaded.

RunnerExceed FINAL STAND UP 105BXH / Overhead reel Model

This is an overhead reel rod created especially for the hardcore anglers who have mastered the art of casting and fighting at the highest level. This rod consistently delivers accurate and stress free casting, handling an array of lures from pencil type to poppers and fighting fishes over 40kg and yet having enough power in its blank for more.



RunnerExceed FINAL STAND UP 100SXH

RunnerExceed 100SHH LIMITED

Shore Casting /GT / Dogtooth Tuna / King Fish / Greater Amberjack

RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. Compared to the Final Standup SXH, this 100SHH/LIMITED is milder on the anglers' body, bending more near the butt section for a more H class feeling of a rod. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as an entry level land-based GT rod.

RunnerExceed

Rod Detail

Guide / SIC Ocean Guide(Fuji)
Reel seat / Spinning model DPS22(Fuji) Overhead reel model T-DPS22(Fuji)



RunnerExceed FINAL STAND UP 100SXH Spinning Model

Lure
MAX 160g
Line
MAX PE 10
Drag Max
10kg/45°
Length: 10ft
Closed Length: 1570mm
Weight: 439g
Price:

RunnerExceed FINAL STAND UP 105BXH Overhead reel Model

Lure
MAX 180g
Line
MAX PE 10
Drag Max
10kg/45°
Length: 10ft 5in
Closed Length: 1626mm
Weight: 429g
Price:

RunnerExceed 100SHH LIMITED Spinning Model

Lure
MAX 150g
Line
MAX PE 8
Drag Max
10kg/45°
Length: 10ft
Closed Length: 1579mm
Weight: 405g
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

For Rock Shore / Landing Shaft

RF Multi Shaft M / 2pcs & L / 3pcs

The Multi Shaft is not only able to attach a landing net on the end, but also able to secure a large gaff at the end to help anglers land that dream fish. It is tough, light and able to protract when you are fishing from high ground.

The light yet strong shaft is built up of carbon blank able to accurately gaff the fish from uneven footing. While you are able to protract the shaft when needed, you can still use it while it is stowed with the gaff still attached to the end. This will help anglers when walking along the rocks.

Furthermore, the top cap and end cap can be removed for maintenance purposes after heavy usage. The rope attachment also comes standard for anglers who wish to use it as a fling-gaff. You can also purchase an "extension shaft" and screw it on to further extend the shaft when required.



Multi Shaft "M" 2pcs

Expanded length
2640mm
Closed Length
1435mm
Weight: 612g
Tip diameter: 25mm
(Measured top of metal part)
Butt diameter: 30.5mm
(Measured top of end rubber part)
Price:

Multi Shaft "L" 3pcs

Expanded length
3900mm
Closed Length
1435mm
Weight: 765g
Tip diameter: 22mm
(Measured top of metal part)
Butt diameter: 30.5mm
(Measured top of end rubber part)
Price:

Extension Shaft

Length
1360mm
(Excluding the screw)
Weight: 217g
Price:

Precautions when using

When using the landing shaft, the protruding shafts joint section may sometimes get stuck and difficult to stow away. We have designed and treated the joint section so it will detach easily. Place the bottom end on the ground and push down to retract. Do not slam the bottom end on hard rocky surfaces as it will cause breakages.

Metal fittings Detail

Bracket specifications
Screw standard: W1/2
Bracket part: Stainless SUS 316L
(Excluding the rope attachment ring)



You can detach the top cap and end cap section from the shaft to clean the insides to avoid any corrosion. Please make sure to clean and dry in the shade after usage. (If you lose or break the top or end cap, please make an order from our parts list.)




Rope fittings for flying gaff are standard equipment




RunnerExceed FINAL STAND UP 100SXH

RunnerExceed Bending Curve / Load 3kg




Here is the bending curve of the RunnerExceed series loaded with a static weight of 3kg. 110H is although it is the same H class rod along with the 104H, it is more powerful and anglers will be able to comfortably cast 120g (max 130g) lures whereas the 104H cast weight is 80g (max 120g). If the 104H is a rod to bend and fight the fish, the 110H possesses the power to aggressively surface 15kg class Kingfish, yet having the light feeling similar to the 104H. This 110H can be said to be the new standard of power rods with its outstanding castability, lightness and power fused together.


The 103H is a model with a totally different concept, equipped with a powerful butt section ideal for use with both pencil type and popper type lures.



RunnerExceed FINAL STAND UP Bending Curve / Load 5kg



Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.



Shore Casting for Monster

MonsterImpact

Shore Casting / Blackfin-Seabass / BlueRunner / Red Eye / Seabass

The MonsterImpact series are developed to go after unsized targets and specific situations. We have eliminated any aspect of versatility, but have given it specialized power and taper to assist the anglers who are challenging their limits.

Both the 101HH and 110HH are powered series designed to target Blackfin seabass of the rugged rocks but is not the easiest rod to swing around.

Anglers are usually placed at a disadvantage in rough sea conditions and terrain, but we have given the rods ample strength to not only target monstrous Blackfin but also withstand the brunt of unexpected Blue runners. You will be able to utilize various size seabass minnows and lures but the overwhelming power will not be suitable for anglers who have yet to establish their Blackfin fishing skills. However, once you are experienced and ready, we are positive that this rod will be a great asset to those anglers who have their sights on lunker size fish.

In the 2021 season, we have not only added the 90H spinning model for Seabass and Akame (Japanese Barramundis) utilizing heavy weight big-bait lures, but also the long-awaited power overhead reel model of 91BH. The rods are exceptionally light for its power class and are easily capable of landing meter plus Akame and super-size seabass feeding on large size baitfish.

In addition, we have also produced a 4 piece 113HH model, giving a big advantage for anglers in the initial approach to the rocks or even travelling around the world.

The world for the MonsterImpact series has expanded with the addition of these new power models.



MonsterImpact 91BH

MONSTERIMPACT / SHORE CASTING FOR MONSTER

NEW MonsterImpact 91BH / Overhead reel Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big-bait game.

NEW MonsterImpact 113HH / 4pcs / Spinning Model

The 113HH is a powerful pack-rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and by freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land-based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both power in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.



The MonsterImpact 113HH/4pcs rod comes with a special rod bag as well as a neoprene rod cover useful when trekking through bushes to get to your fishing grounds. It also fits perfectly on the rod holder of our RippleFisher waterproof backpack.



MonsterImpact 113HH / 4pcs



MonsterImpact 91BH



MonsterImpact 90H



MonsterImpact 91BH

MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

MonsterImpact 101HH Nano / Spinning Model

Like the 110HH, this rod is also designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft 1inch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

MonsterImpact 110HH / Spinning Model

This model has been designed with the power to overcome both the blue-runners and the black-fin seabass. It is not simply a harder and stiffer rod, but will bend tenaciously with the sudden run of the Kingfish. It is also ideal for fishing in heavy seas and strong head winds to target the monster class black-fin. Although it is a powerful rod, the tip section has been build with some flexibility for anglers to punch out those smaller lures. The belly to butt section of the rod is a HH class and has the strongest power of the lineup.

MonsterImpact 110HH HIRA / Overhead reel Model

This is the highly responsive overhead reel Hirasuzuki (Black-fin seabass) model with great casting capabilities. This HIRA overhead reel model is composed with light weight grip and guides to improve its balance, casting accuracy, lure and fish controllability, while being delicate and powerful at the same time. We present the holy grail of fishing rods to the hard-core anglers who strive to pursue the overhead reel style for their Hirasuzuki game.

Rod Detail

Guide / 110HH • 101HH SIC-S Titanium frame K Guide(Fuji)
 90H SIC-S Titanium frame K Guide + SIC Titanium frame RV Guide(Fuji)
 Reel seat / 90H DPS18 / 113H • 110HH • 101HH DPS20
 91BH • 110HH Overhead reel model TCS18
 Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



2021 New Model
MonsterImpact 91BH
 Overhead reel Model

Lure
 20-130g
 Line
 MAX PE 5
 Length: 9ft 1in
 Closed Length: 1428mm
 Weight: 212g

Price:

2021 New Model
MonsterImpact 113HH / 4pcs
 Spinning Model

Lure
 MAX 70g
 Line
 MAX PE 3
 Length: 11ft 3in
 Closed Length: 900mm
 Weight: 320g

Price:

MonsterImpact 90H
 Spinning Model

Lure
 18-70g
 Line
 MAX PE 3
 Length: 9ft
 Closed Length: 1410mm
 Weight: 193g

Price:

MonsterImpact 101HH / Nano
 Spinning Model

Lure
 MAX 60g
 Line
 MAX PE 3
 Length: 10ft 1in
 Closed Length: 1585mm
 Weight: 270g

Price:

MonsterImpact 110HH
 Spinning Model

Lure
 MAX 60g
 Line
 MAX PE 3
 Length: 11ft
 Closed Length: 1735mm
 Weight: 274g

Price:

MonsterImpact 110HH
 HIRA / Overhead reel Model

Lure
 MAX 70g
 Line
 BEST PE 2.5
 Length: 11ft
 Closed Length: 1735mm
 Weight: 270g

Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Avarice 110M Nano

Black fin Seabass Game



Avarice

Shore Casting /Black fin Seabass

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation.

We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots. Each model in the lineup has its own developmental concept. Starting with the controllability and lightness of the 103, the 110M is the standard model focusing on its outstanding rod balance. The 106MH is ideal for more technical and powerful approach while the 110H is for anglers who seek absolute power and sharpness.

Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.



Avarice 110M Nano

Avarice 110M Nano

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.

Rod Detail

Guide / SIC-S Titanium frame K Guide(Fuji)
 Reel seat / 103M DPS18(Fuji) 106MH-110H DPS20(Fuji)
 NANOALLOY® technology of TORAY is loaded.



Avarice 103M / Nano

Lure
MAX 40g
 Line
MAX PE 1.5
 Length: 10ft 3in
 Closed Length: 1600mm
 Weight: 198g
Price:

Avarice 110M / Nano

Lure
MAX 40g
 Line
MAX PE 2
 Length: 11ft
 Closed Length: 1726mm
 Weight: 213g
Price:

Avarice 106MH / Nano

Lure
MAX 50g
 Line
MAX PE 2
 Length: 10ft 6in
 Closed Length: 1640mm
 Weight: 219g
Price:

Avarice 110H / Nano

Lure
MAX 60g
 Line
MAX PE 2.5
 Length: 11ft
 Closed Length: 1730mm
 Weight: 253g
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped




Avarice 110H Nano

The Avarice series are specially designed models for Blackfin seabass fishing but all models have exceptional butt power to go head-to-head with the unexpected Blue-runners or massive snappers that may take an interest in your lure off the rocks. The major difference from the MonsterImpact series is the ability of the Avarice series to appropriately follow through the bite when reeling through strong currents and the ability of the MonsterImpact is to efficiently respond to the anglers maneuvering of larger Blue-runner lures.




Avarice 110M Nano



Avarice 103M Nano




MonsterImpact 91BH



MonsterImpact 113HH/4pcs

Avarice 110M

MonsterImpact Bending Curve / Load 2kg




Load 2kg

- MonsterImpact 91BH
- MonsterImpact 113HH/4pcs
- MonsterImpact 90H · 101HH · 110HH
- MonsterImpact 110HH/B
- RunnerExceed 102M

Here is an illustration of the 6 models in the MonsterImpact series with a static weight of 2kg. The two new models in 2021 of 91BH and 90H are designed for big-bait lures for lunker size seabass and Akame but have a light feeling like a seabass class rod. The 4 piece model of the 113HH is the most powerful of the lot with added strength and sharpness for Blackfin seabass and Blue-runners as its main targets. The other 101HH, 110HH and 110HH/B models are also developed to target both Blackfin seabass and Blue-runners. The 110HH and 110HH/B have the sharpest feel while possessing both power and tenacity. The 101HH is a similar power class to the above mentioned rods yet being more tenacious and bendy.



Avarice Bending Curve / Load 2kg




Load 2kg

- Avarice103M · 106MH · 110H
- Avarice 110M
- MonsterImpact 101HH=MI101HH

※ The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.

Here are the bending curves of the Avarice series designed for blackfin seabass, loaded with a static weight of 2kg. As a reference, we have also included the MonsterImpact 101HH. The 110M is the long length power up version of the 103M. If you consider the 106MH and the 110H as having sharp casting for pinpoint shooting and being power models, you can say that the 110M is more flexible yet possessing the sharpness. The 103M is the most flexible and bendy of the series ideal for fishing around flat rocks. The 106MH is your standard blackfin model, with an extremely strong butt. The 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the 110H and the MonsterImpact 101HH, the butt power of the 110H is evidently stronger but the tip section is delicate for use with smaller minnows.



Seabass and more

SilverStream

Shore Casting / Seabass / Flat Fish / Cherry Salmon / Others

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon. 3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (Japanese barramundis) and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SilverStream lineup. There is no power class in the series, and all have unique characteristics for the different species but there is one thing in common. That is the absolute butt power to deal with the lunker size targets. The SilverStream series are models which will perform to its limits depending on the anglers' needs and usage.



SilverStream 96 Flows



SilverStream 810 Flows



SilverStream 106 Northern

SILVERSTREAM / SEABASS AND MORE



SilverStream 81 Stiletto

The SilverStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be your best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notice its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, whereas the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.

SilverStream 87 RED EYE Nano

The 87 Red-Eye is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eyes, but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pull away the monstrous fish off the structures have been finely honed through the use of Nano material in the blank.



SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures. ※For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.

SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed. ※For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.



Rod Detail

Guide / Flows - Stiletto Series TZ Titanium frame K Guide(Fuji)
 Rest of all SiC-S Titanium frame K Guide(Fuji)
 Reel seat / Stiletto Series DPS17 Northern Series DPS20 Rest of all DPS18(Fuji)
 Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



SilverStream 81 Stiletto	SilverStream 810 Flows / Nano	SilverStream 96 Flows / Nano	SilverStream 103 Flows / Nano	SilverStream 87 RED EYE / Nano	SilverStream 97 RED EYE / Nano	SilverStream 106 Northern / Nano	SilverStream 112 Northern
Lure 7~28g	Lure MAX 32g	Lure MAX 38g	Lure MAX 42g	Lure MAX 40g	Lure MAX 45g	Lure 30~50g	Lure 30~60g
Line PE 0.6~1.2	Line MAX PE 1.5	Line MAX PE 1.5	Line MAX PE 1.5	Line MAX PE 2	Line MAX PE 2.5	Line MAX PE 1.5	Line MAX PE 1.5
Length: 8ft 3in Closed Length: 1275mm Weight: 126g	Length: 8ft 10in Closed Length: 1400mm Weight: 160g	Length: 9ft 6in Closed Length: 1490mm Weight: 166g	Length: 10ft 3in Closed Length: 1605mm Weight: 196g	Length: 8ft 7in Closed Length: 1350mm Weight: 158g	Length: 9ft 7in Closed Length: 1505mm Weight: 193g	Length: 10ft 6in Closed Length: 1640mm Weight: 220g	Length: 11ft 2in Closed Length: 1754mm Weight: 255g
Price:	Price:	Price:	Price:	Price:	Price:	Price:	Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped




SilverStream 81 Stiletto




SilverStream 81 Stiletto



SilverStream 103 Flows



Here are bending curves of the SilverStream series loaded with a static weight of 1kg. The 81 Stiletto is a high speed model to hookup the shortest bites through the super sensitive and super resilient characteristics built up with all 40t carbon. The 2 models of the Northern series are stiff rods built to cast heavy weight jigs and jig minnows, yet possessing sufficient flex to hookup the sea trout. The 3 models of the Flows series are all built to target seabass. The 810 is a regular to fast tapered highly sensitive model. The 96 is a stiff model suited for long range casting and the 103 is the long length model also able to target Flounders. The Redeye is a power model, designed to target both the seabass and Akame (Japanese barramundis) with a resilient and bendy characteristics. For your reference, we have also displayed the highly powerful MonsterImpact 90H suited for use with big lures. To cast with the Redeye, you can load the blank with the weight of the lure, whereas for the MI90H, you can cast by increasing you swing speed and utilizing the blanks stiffness/power.




Light Game

RealCrescent

Shore Casting / Horse-mackerel / Rock Fish / Seabream

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing. They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses. The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods. We have carefully selected 4 models in the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



RealCrescent RC-55

REALCRESCENT / LIGHT GAME



RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines.

RealCrescent RC-65 / Spinning Model


This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques.

RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.

RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Carolina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.



RealCrescent RC-57 / Overhead reel Model

Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

RealCrescent RC-67 / Overhead reel Model


This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

RealCrescent RC-77 / Overhead reel Model

This is the middle class overhead reel model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.




On the left, you can see a comparative diagram of the bend curve of the Real Crescent series with a static load of 250g. The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with flexibility of the whole rod. As for the overhead reel models, the RC-57 is designed for use with singular body jig-heads and the RC-67 is ideal for both the jig-head and small lures. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream game. In the diagram, you may notice that the RC-81 and RC-77 have a similar bending curve and power, however they have a totally different characteristics with the 77 being much stiffer while the 81 being more flexible.



Rod Detail

Guide / Spinning model TZ Titanium frame K Guide(Fuji)
Overhead reel model TZ Titanium frame K Guide+TZ Titanium frame RV Guide on bottom guide(Fuji)
Reel seat / Spinning model VSS16 Overhead reel model PMTS17
NANOALLOY® technology of TORAY is loaded.



RealCrescent RC-55	RealCrescent RC-65	RealCrescent RC-75	RealCrescent RC-81	RealCrescent RC-57	RealCrescent RC-67	RealCrescent RC-77
Spinning Model	Spinning Model	Spinning Model	Spinning Model	Overhead reel Model	Overhead reel Model	Overhead reel Model
Lure JH 0.2~3g	Lure JH 0.3~6g	Lure Rig 2~14g	Lure 2~17g	Lure 0.5~5g	Lure 0.8~8g	Lure 2~15g
Line PE 0.2~0.4	Line Plug 1.8~4.5g	Line Plug 2.5~11g	Line PE 0.4~0.8	Line PE 0.2~0.5	Line PE 0.3~0.6	Line PE 0.4~0.8
FC · NY ~3lb	PE 0.2~0.4	PE 0.3~0.8	Length: 8ft 1in	Length: 5ft 7in	Length: 6ft 7in	Length: 7ft 7in
Length: 5ft 5in	Length: 6ft 5in	Length: 7ft 5in	Closed Length: 1265mm	Closed Length: 876mm	Closed Length: 1025mm	Closed Length: 1190mm
Weight: 54g	Weight: 61g	Weight: 79g	Weight: 86g	Weight: 69g	Weight: 78g	Weight: 92g
Price:	Price:	Price:	Price:	Price:	Price:	Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

To a world you have never experienced.



Others / Color Custom & Goods

RippleFisher Color Custom

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options below for you custom color.

***Please note that we do not accept custom request to change grip or guide options.**

Blank Color

You can order color customization either whole blanks (from butt to top guide) or butt section only (range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08) to the "Maziora" color (09~11).

※ You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.
 ※ If you choose the 08 (silver color), the logo print will be black.

Custom Charge

Blank Color Custom		
• 1pc model Full Paint	Color : 01~08	10,000Yen
	Color : 09~11	15,000Yen
※ The grip joint model also same price as 1pc model		
• 2pc model Full Paint	Color : 01~08	12,000Yen
	Color : 09~11	18,000Yen
• 3pc model Full Paint	Color : 01~08	13,000Yen
	Color : 09~11	19,000Yen
• Only Butt section Paint	Color : 01~08	6,000Yen
	Color : 09~11	9,000Yen
• Multi Shaft	Color : 01~07	15,000Yen
	Color : 09~11	20,000Yen

※ Silver color orders are not accepted for Multi shaft

※ Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.



- 01. Metal Smoke
- 02. Metal Ice Blue
- 03. Metal Blue
- 05. Metal Pink
- 06. Metal Red
- 07. Metal Orange
- 08. Silver
- 09. MAZIORA ANDROMEDA (Green base)
- 10. MAZIORA PLRADESII (Blue base)
- 11. NEW MAZIORA TRAPEZIUM (Orange base)

※ 04. Metal emerald blue is out of print and is a missing number. 11. Maziora Trapezium is a new color.

Blank Color • About coating range

● Blank Color • Full paint (1pc model and Grip joint model)




● Blank Color • Full paint (2pcs&3pcs model)



● Blank Color • Only Butt section Paint (Please refer to images below about available range)



Blank Color • Butt parts paint range for each model



※ The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

Thread Pin-Color



● The "thread pin color custom" designs will comply with the original product's position.
 ※ If two colors are used in the standard product, a single color will be used for the custom color.

※ If you order a "thread pin color custom", the whole rod will be customized with the color you ordered.
 ※ The thread color of the multi shaft cannot be changed.

Custom Charge

Thread Pin color custom
 Color : 01~07 2,000Yen
 Color : 08 (No pin thread) 1,000Yen


How to order for color customization



- 01. Silver
- 02. Champagne Gold
- 03. Metallic Red
- 04. Metallic Copper
- 05. Metallic Pink
- 06. Metallic Blue
- 07. Metallic Gray
- 08. Black

Thread Set Color

Thread/01.Red Set Custom as an example ※ Main color • Red/Sub color • Black



● For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

※ Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread. Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

※ We do not accept requests to change or alter the color of the pin thread.
 ※ The thread color of the multi shaft cannot be changed.

Custom Charge

Thread set color custom
 Color : 01~10 5,000Yen

Delivery date


With regards to your custom order delivery date, it will take roughly 10~14 months depending on our production schedule. (As a rule of thumb, we will set an order closing day on the 20th of every month, so it's about 10~14 months for delivery date from the order month.)

Changes and cancellation of custom order

Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.




01.Red Set (Main • Red/Sub • Black)




06.Purple Set (Main • Purple/Sub • Black)




02.Pink Set (Main • Pink/Sub • Black)



07.Emerald Set (Main • Emerald/Sub • Black)




03.Gold Set (Main • Gold/Sub • Black)



08.Lime Set (Main • Lime/Sub • Black)




04.Blue Set (Main • Blue/Sub • Black)



09.Light Gray Set (Main • Light Gray/Sub • Dark Gray)



05.Light Blue Set (Main • Light Blue/Sub • Navy)



10.Sky Blue Set (Main • Sky Blue/Sub • Dark Blue)

NEW RF Land based Fishing rod bag



This is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3-4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.



NEW RF Shell Jacket (ON-YO-NE)

The ON-YO-NE Breathtech (3 layer) is a material specially bound together by 3 different layers of material for the outer, moisture permeable waterproof film and the lining. You will be able to comfortably fish in the harsh wet, wind while the moisture permeable material will help release the heat and moisture built up inside the jacket. We have also arranged our jackets to have durable material under the armpits to reduce any wear and tear from fishing with the grip-end under your armpits.

- Water pressure resistance : Over 294kps (30,000mm)
- Moisture permeability : Over 16,000g/m² 24H (B-1)
- Color : Navy · Khaki · Orange
- Size : M · L · O (XL) · XO (XXL)



NEW RF Waterproof Backpack
StreamTrailxRippleFisher Collaboration model

Model : Stream Trail / DRY TANK 60L D2
Size : W39xD34xH62.5cm Capacity : 60L
Material : Tarpaulin, polyester (bag body) Color: Black



RF Knot tightener (2pcs/Set)

This is RippleFishers original Knot tightener to put the final touches for your line system. The small and large size comes as a set and once you open the cap on the large size, you can stow away the small one inside. Both large and small have a rubber line stopper at the end to secure your line. It not only functions as a knot tightener but also comes handy as a line breaker in an event of a snag.

Size : L Size Length 174mm · Diameter 25mm
S Size Length 147mm · Diameter 21mm

※If rubber material on main body have been worn out please get in touch with retailer or agents in your region.



Small one can be stored inside of large one.



NEW RF Flat visor cap

Snap back for adjustment is chosen and reverse of visor is standardized in green. 2 of Ripple Fisher original sticker for visor will come with each cap.

Material : Acrylic 80% · Wool 20%
Size : Free
Color : Black · Dark heather · Navy

RF Self-inflating Life Jacket

Pouch type B5J-4320RSE
Color:Black
Size:Free

Neck over type YB-2520RS
Color:Black
Size:Free



RF Original Dry polo shirts

RippleFisher original polo shirts made of dry fabric. Excellent sweat absorption and fast-drying thanks to material of dry fabric which is 100% polyester. It have also UV protection effect and keep you nice and dry even if you get sweat. We recommend you to layer on under wear.

Size : M · L · LL · 3L
Color : Navy · White · Black



RF Rod belt



L 345mm (2pcs/Set)

S 220mm (2pcs/Set)

NEW RF Original Heavy weight Long sleeve T-shirt

It is a long sleeve T-shirt with a strong and rough texture thanks to the Open-end material used. It's a thick 7.1oz material and will wear-in nicely as you use it more.

Material: Cotton 100% Open-end yarn 7.1OZ
Size : M · L · XL · XXL
Color: Black / Mixed Gray



Black · Back

Left cuff print

NEW RF Original T-shirt 2021

The new 2021 T-shirts have been made by what is called a "semi-combed yarn" and is the category between the "card yarn" normally used for T-shirts and the "combed yarn" which is a higher grade glossy material. The 3 major characteristics of this material is "back of twist", "non-transparent" and "long lasting".

Material: Cotton 100% Semi-combed yarn 5.6OZ
Size : M · L · LL · 3L
Color: Khaki · Charcoal · White



Khaki · Back

Charcoal · Back

White · Back

Khaki · Front

←The front has a ripple tag sewn on the bottom right without printing

RF Embroidery Emblem

Iron ons type
2 kind of round style.
2 colors for each size of Square style.

Round 2 types : Diameter 70mm
Square L Size : Navy · Black (40x120mm)
Square S Size : Navy · Black (22x80mm)



Round type · RunnerExceed/KingFish

Round type · Final Stand Up/GT

RF Cutting sticker



←17cm 8Colors

- NEW Neon orange
- NEW Neon pink
- White
- Blue
- Pearl White
- Illusion
- Silver
- NEW Gold

30cm→
8Colors

- NEW Neon orange
- NEW Neon pink
- Blue
- White
- NEW Gold
- Silver
- Pink
- Copper

60cm 5Colors

- Blue
- White
- Pink
- Copper
- Silver

80cm 2Colors
• White · Blue

2021 RippleFisher Rod Line-Up Spec Details

--2021 New Model

	Series	Price	JAN CODE	Sec	Reel	Lt [feet]	CL-Lt [mm]	Wt [g]	Lure	Line	Drag Max	Guides	Reel Seat	Lock	Joint	Grip End	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size
BIG TUNA P7	85F JAPAN Special		4580397945147	2	S	8ft 5in	1880	370	18 ~ 120g	Pe 3 ~ 6	10kg/45°	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	95.5	2.5	14.3	867	S-D:8000~14000 / D:4500~6500
	83 JAPAN Special		4580397948087	2	S	8ft 3in	1785	409	40 ~ 150g	Pe 6 ~ 8	15kg/45°	OC	DPS20	D	GJ	BRC	93.2	3.3	14.6	915	S-D:14000~18000 / D:5500~6500
	85 JAPAN Special		4580397945130	2	S	8ft 5in	1850	434	40 ~ 160g	Pe 6 ~ 12	15kg/45°	OC	DPS20	D	GJ	BRC	94.4	3.7	16.5	895	S-D:14000~20000 / D:6500~7000
	710 JAPAN Special		4580397945116	2	S	7ft 10in	1672	393	40 ~ 160g	Pe 6 ~ 12	15kg/45°	OC	DPS20	D	GJ	BRC	92.9	3.4	16.0	910	S-D:14000~20000 / D:6500~7000
	76 JAPAN Special		4580397945215	2	S	7ft 6in	1575	398	60 ~ 180g	Pe 8 ~ 12	18kg/45°	OC	DPS20	D	GJ	Gimbal	91.3	3.0	15.3	900	S-D:18000~30000 / D:6500~8000
Aquila P11	73 JAPAN Special		4580397945161	2	S	7ft 3in	1515	406	60 ~ 180g	Pe 8 ~ 12	18kg/45°	OC	DPS20	D	GJ	Gimbal	91.6	3.6	15.1	915	S-D:18000~30000 / D:6500~8000
	ST 78-3		4580397940081	2	S	7ft 6in	1780	224	Com.W 30~50g	MAX Pe 3	5kg/45°	SIC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S:5000~6000 / D:3500~4000
	ST 80-4		4580397940098	2	S	8ft	1782	300	Com.W 40~80g	MAX Pe 4	7kg/45°	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S-D:8000 / D:4500
	ST 85-6		4580397945093	2	S	8ft 5in	1925	338	Com.W 40~110g	MAX Pe 6	12kg/45°	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S-D:8000~18000 / D:5000~6500
	EX 79-3		4580397940050	3	S	7ft 9in	847	263	Com.W 40~60g	MAX Pe 3	5kg/45°	SIC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S:5000~6000 / D:3500~4000
	EX 83-6		4580397940074	3	S	8ft 3in	905	353	Com.W 60~120g	MAX Pe 6	10kg/45°	SIC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S-D:14000 / D:5500
	MST 85-7+		4580397945048	2	S	8ft 5in	1897	382	Com.W 40~120g	MAX Pe 7	14kg/45°	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	2.8	14.9	840	S-D:14000~18000 / D:5500~6500
	MST 711-8+		4580397945055	2	S	7ft 11in	1752	369	Com.W 80~180g	MAX Pe 8	16kg/45°	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S-D:14000~18000 / D:5500~6500
	MLT 82-2/4		4580397940104	2	S	8ft 2in	1782	341	Com.W 30~70g	Pe 2 ~ 4	7kg/45°	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S:6000~8000 / D:4500~5000
	MLT 82-3/6		4580397940111	2	S	8ft 2in	1785	348	Com.W 40~90g	Pe 3 ~ 6	10kg/45°	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S-D:8000~14000 / D:4500~5500
OceanRidge P16	FINAL SPIRIT G78		4580397948926	2	S	7ft 8in	1645	393	MAX 270g	MAX Pe 12	17kg/45°	OC	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S-D:18000~20000 / D:6500
	Reversal GT 80 Nano		4580397944096	2	S	8ft	1737	373	MAX 170g	MAX Pe 8	14kg/45°	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S-D:14000~18000 / D:5500~6500
	LC GT 82 Nano		4580397944089	2	S	8ft 2in	1796	378	MAX 190g	MAX Pe 8	14kg/45°	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S-D:14000~18000 / D:5500~6500
	PF GT 711 Nano		4580397944102	2	S	7ft 11in	1682	375	MAX 210g	MAX Pe 10	15kg/45°	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S-D:18000 / D:6500
Ultimo P18	711ML		4580397944027	2	S	7ft 11in	1780	369	MAX 150g	MAX Pe 6	12kg/45°	OC	DPS20	U	GJ	BRC	96.5	3.0	14.8	860	S-D:10000~14000 / D:5000~5500
	83ML		4580397944058	2	S	8ft 3in	1815	365	MAX 150g	MAX Pe 6	12kg/45°	OC	DPS20	U	GJ	BRC	95.5	2.6	13.9	870	S-D:10000~14000 / D:5000~5500
	79M Nano		4580397944041	2	S	7ft 9in	1740	366	MAX 160g	MAX Pe 7	13kg/45°	OC	DPS20	U	GJ	BRC	99.5	2.8	14.0	835	S-D:10000~14000 / D:5000~5500
	83M Nano		4580397944065	2	S	8ft 3in	1835	362	MAX 160g	MAX Pe 7	13kg/45°	OC	DPS20	U	GJ	BRC	99.5	2.7	14.5	860	S-D:10000~18000 / D:5000~6500
GT Expedition P20	80MH Nano		4580397944034	2	S	8ft	1740	383	MAX 170g	MAX Pe 8	14kg/45°	OC	DPS20	U	GJ	BRC	99.8	2.9	14.5	870	S-D:14000~18000 / D:5500~6500
	81M		4580397948094	3	S	8ft 1in	887	380	MAX 140g	MAX Pe 6	10kg/45°	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S-D:14000 / D:5500
SELFISH P23	81MH		4580397948100	3	S	8ft 1in	887	386	MAX 180g	MAX Pe 8	13kg/45°	OC	DPS20	U	Spigot+GJ	BRC	93.3	3.9	15.2	920	S-D:14000~18000 / D:5500~6500
	NS 632		4580397948117	1	S	6ft 3in	1910	126	Com.W 80~130g	MAX Pe 2	3kg/45°	SIC-S/Ti/K	DPS18	U	--	EVA	73.5	2.0	8.0	615	S:5000 / D:3500
	NS 623		4580397948124	1	S	6ft 2in	1890	159	Com.W 100~150g	MAX Pe 3	5kg/45°	SIC-S/Ti/K	DPS18	U	--	EVA	89.4	2.2	8.6	625	S:5000~8000 / D:3500~4500
	NS 614		4580397948131	1	S	6ft 1in	1865	174	Com.W 120~180g	MAX Pe 4	7kg/45°	SIC-S/Ti/K	DPS18	U	--	EVA	82.7	2.1	9.2	645	S:6000~8000 / D:4000~4500
	SEB 633		4580397948148	1	B	6ft 3in	1915	182	Com.W 120~180g	MAX Pe 3	5kg/45°	SIC-S/Ti/K	TCS18	D	--	EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~20
	SEB 624		4580397948155	1	B	6ft 2in	1890	189	Com.W 140~200g	MAX Pe 4	7kg/45°	SIC-S/Ti/K	TCS18	D	--	EVA	94.7	2.4	8.7	680	S:2000 / D:30~35
OceanArrow P26	613S Nano		4580397941026	1	S	6ft 1in	1860	170	Com.W 100~140g	Pe 2.5 Class	4kg/45°	SIC-S/Ti/K	DPS18	U	--	EVA	92.5	2.4	8.7	615	S:5000~6000 / D:3500~4000
	614S Nano		4580397941033	1	S	6ft 1in	1860	180	Com.W 130~170g	Pe 3 Class	5kg/45°	SIC-S/Ti/K	DPS18	U	--	EVA	92.1	2.5	9.2	635	S:5000~8000 / D:3500~4500
	597S Nano		4580397941064	1	S	5ft 9in	1756	250	Com.W 180~240g	Pe 5 Class	8kg/45°	SIC-S/Ti/K	DPS20	U	--	BRC	99.8	3.1	9.2	735	S-D:8000~10000 / D:4500~5000
	6615		4580397948964	2	S	6ft 6in	1295	未定	MAX 400g	MAX Pe 6	12kg/45°	OC	DPS20	D	GJ	Gimbal	91.6	3.2	12.0	885	S-D:10000~14000
Snapper P28	5930		4580397948957	1	S	5ft 9in	1775	未定	MAX 800g	MAX Pe 8	15kg/45°	OC	DPS20	D	--	Gimbal	82.6	3.8	11.9	815	S-D:10000~20000
	67UL		4580397941125	1	B	6ft 7in	2005	131	MAX 100g	MAX Pe 1	--	SIC-S/Ti/K	TCS16	D	--	EVA	89.0	1.8	7.8	640	S:100~200 / D:100~200
	65L		4580397941132	1	B	6ft 5in	1960	125	MAX 120g	MAX Pe 1.2	--	SIC-S/Ti/K	TCS16	D	--	EVA	89.8	1.7	8.3	625	S:100~200 / D:100~200
RunnerExceed P33	66ML		4580397941149	2	B	6ft 6in	1475	146	MAX 160g	MAX Pe 1.5	--	SIC-S/Ti/K	TCS17	D	GJ	EVA	94.7	1.6	9.8	635	S:100~200 / D:100~200
	102M Nano PlugModel		4580397942030	2	S	10ft 2in	1590	290	Plug 20 ~ 70g	Pe 1.5 ~ 3	5kg/45°	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S:5000~6000 / D:3500~4000
	104H Nano PlugModel		4580397942047	2	S	10ft 4in	1615	327	Plug 40 ~ 120g	Pe 4 ~ 6	8kg/45°	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S-D:8000~14000 / D:4500~5500
	110H Nano PlugModel		4580397948179	2	S	11ft	1720	341	Plug 40 ~ 130g	Pe 4 ~ 7	9kg/45°	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S-D:8000~14000 / D:4500~5500
	911MH Nano		4580397942016	2	S	9ft 11in	1560	306	MAX Jig 100g/MAX Plug 80g	MAX Pe 4	6kg/45°	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S:6000~8000 / D:4000~4500
	103H		4580397942023	2	S	10ft 3in	1615	327	MAX Jig 130g/MAX Plug 90g	MAX Pe 5	8kg/45°	SIC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S-D:8000~14000 / D:4500~5500
	107BH Nano		4580397940012	2	B	10ft 7in	1650	374	50 ~ 130g	MAX Pe 6	8kg/45°	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	S:L:D8-10 / D:L:D20-30 / S:OM:50
	100SHH LIMITED		4580397948292	2	S	10ft	1579	405	MAX 150g	MAX Pe 8	10kg/45°	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S-D:14000~18000 / D:5500~6500
	FINAL STAND UP 100SHH		4580397942061	2	S	10ft	1570	439	MAX 160g	MAX Pe 10	10kg/45°	OC	DPS22	D	Spigot	BRC	99.8	3.2	18.0	875	S:14000~20000 / D:5500~6500
	FINAL STAND UP 105SHH		4580397942078	2	B	10ft 5in	1626	429	MAX 180g	MAX Pe 10	10kg/45°	OC	T-DPS22	D	Spigot	BRC	99.8	3.2	19.1	830	S:L:D30-50 / AV:MLX6 / S:OM:50-80
MonsterImpact P39	113HH-4pcs		4580397948940	4	S	11ft 3in	900	320	MAX 70g	MAX Pe 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.9	675	S:5000~6000 / D:3500~4000
	91BH		4580397948933	2	B	9ft 11in	1428	212	20 ~ 130g	MAX Pe 5	--	SIC-S/Ti/K	TCS18	D	Spigot	EVA	99.8	2.5	13.8	670	S:200~400 / D:1500~4000
	90H		4580397948018	2	S	9ft	1410	193	18 ~ 70g	MAX Pe 3	--	SIC-S/Ti/K	DPS18	U	Spigot	EVA	99.8	2.3	14.1	575	S:4000~5000 / D:L:4000C~6000
	101HH Nano		4580397942122	2	S	10ft 1in	1585	270	MAX 60g	MAX Pe 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.7	660	S:5000~6000 / D:3500~4000
Avarice P42	110HH / S		4580397942115	2	S	11ft	1735	274	MAX 60g	MAX											