



Shore Casting / Blackfin-Seabass

Avarice

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation.

We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots.

After long testing in the field, we are finally ready to release in 2020 the new standard blackfin rod, the 110M Nano. Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.



New Avarice 110M Nano

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a highly sensitive characteristics required to transmit the short bite of the blackfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.

Rod Detail

Guide / SiC-S Titanium frame K Guide(Fuji)
 Reel seat / 103M · 110M DPS18(Fuji) 106MH · 110H DPS20(Fuji)
 NANOALLOY® technology of TORAY is loaded.



Avarice 103M / Nano

Lure MAX 40g
 Line MAX PE 1.5
 Length: 10ft 3in
 Closed Length: 1600mm
 Weight: 198g
 Price:

2020 New Model

Avarice 110M / Nano

Lure MAX 40g
 Line MAX PE 2
 Length: 11ft
 Closed Length: 1726mm
 Weight: 213g
 Price:

Avarice 106MH / Nano

Lure MAX 50g
 Line MAX PE 2
 Length: 10ft 6in
 Closed Length: 1640mm
 Weight: 219g
 Price:

Avarice 110H / Nano

Lure MAX 60g
 Line MAX PE 2.5
 Length: 11ft
 Closed Length: 1730mm
 Weight: 253g
 Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

Avarice





Shore Casting / Seabass and more

SilverStream

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon. 3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (barramundi) and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SilverStream lineup. There is no power class in the series, and all have unique characteristics for the different species but there is one thing in common. That is the absolute butt power to deal with the lunker size targets. The SilverStream series are models which will perform to its limits depending on the anglers' needs and usage.

New SilverStream 81 Stiletto

The SilverStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be your best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures. ※For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.

SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed. ※For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.



SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notice its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.

SilverStream 87 RED EYE Nano

The 87 Red-Eye is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eyes, but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pull away the monstrous fish off the structures have been finely honed through the use of Nano material in the blank.

Rod Detail

Guide / Flows / Stiletto Series TZ Titanium frame K Guide(Fuji)
 Rest of all SIC-S Titanium frame K Guide(Fuji)
 Reel seat / Stiletto Series DPS17 Northern Series DPS20 Rest of all DPS18(Fuji)
 Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



Model	Lure Weight	Line	Length	Closed Length	Weight	Price
SilverStream 81 Stiletto	7~28g	PE 0.6~1.2	Length: 8ft 3in	Closed Length: 1275mm	Weight: 126g	
SilverStream 106 Northern / Nano	30~50g	MAX PE 1.5	Length: 10ft 6in	Closed Length: 1640mm	Weight: 220g	
SilverStream 112 Northern	30~60g	MAX PE 1.5	Length: 11ft 2in	Closed Length: 1754mm	Weight: 255g	
SilverStream 810 Flows / Nano	MAX 32g	MAX PE 1.5	Length: 8ft 10in	Closed Length: 1400mm	Weight: 160g	
SilverStream 96 Flows / Nano	MAX 38g	MAX PE 1.5	Length: 9ft 6in	Closed Length: 1490mm	Weight: 166g	
SilverStream 103 Flows / Nano	MAX 42g	MAX PE 1.5	Length: 10ft 3in	Closed Length: 1605mm	Weight: 196g	
SilverStream 87 RED EYE / Nano	MAX 40g	MAX PE 2	Length: 8ft 7in	Closed Length: 1350mm	Weight: 158g	
SilverStream 97 RED EYE / Nano	MAX 45g	MAX PE 2.5	Length: 9ft 7in	Closed Length: 1505mm	Weight: 193g	

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



RealCrescent



Shore Casting / Light-Game

RealCrescent

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing. They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses. The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods. We have carefully selected 4 models in the spinning and 3 models for the bait casting tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



RealCrescent RC-55 / Spinning Model
This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines.

RealCrescent RC-65 / Spinning Model
This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques.

RealCrescent RC-75 / Spinning Model
It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.

RealCrescent RC-81 / Spinning Model
This is a long length model designed mainly for use with Carolina rigs and floating rigs, but is also great with 3-5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.


RealCrescent RC-57 / Bait Model
Despite the stiff characteristics of the blank to exhibit the nature of a bait-casting model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

RealCrescent RC-67 / Bait Model
This is the most basic model for the light game bait casting-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the bait-casting reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

RealCrescent RC-77 / Bait Model
This is the middle class bait-casting model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.

Rod Detail


Guide / Spinning model TZ Titanium frame K Guide(Fuji)
Bait casting model TZ Titanium frame K Guide+TZ Titanium frame RV Guide on bottom guide(Fuji)
Reel seat / Spinning model VSS16 Bait casting model PMTS17
NANOALLOY® technology of TORAY is loaded.




<p>RealCrescent RC-55 Spinning Model Lure JH 0.2~3g Line PE 0.2~0.4 FC • NY ~3lb Length: 5ft 5in Closed Length: 853mm Weight: 54g Price:</p>	<p>RealCrescent RC-65 Spinning Model Lure JH 0.3~6g Plug 1.8~4.5g Line PE 0.2~0.4 FC • NY ~3lb Length: 6ft 5in Closed Length: 1004mm Weight: 61g Price:</p>	<p>RealCrescent RC-75 Spinning Model Lure Rig 2~14g Plug 2.5~11g Line PE 0.3~0.8 Length: 7ft 5in Closed Length: 1157mm Weight: 79g Price:</p>	<p>RealCrescent RC-81 Spinning Model Lure 2~17g Line PE 0.4~0.8 Length: 8ft 1in Closed Length: 1265mm Weight: 86g Price:</p>	<p>RealCrescent RC-57 Bait Model Lure 0.5~5g Line PE 0.2~0.5 Length: 5ft 7in Closed Length: 876mm Weight: 69g Price:</p>	<p>RealCrescent RC-67 Bait Model Lure 0.8~8g Line PE 0.3~0.6 Length: 6ft 7in Closed Length: 1025mm Weight: 78g Price:</p>	<p>RealCrescent RC-77 Bait Model Lure 2~15g Line PE 0.4~0.8 Length: 7ft 7in Closed Length: 1190mm Weight: 92g Price:</p>
---	--	--	---	---	--	---

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped


RunnerExceed Static load comparison of RunnerExceed (3kg load)




Here is the bending curve of the RunnerExceed series loaded with a static weight of 3kg. In 2020, the 110H will be added to the lineup. Although it is the same H class rod along with the 104H, it is more powerful and anglers will be able to comfortably cast 120g (max 130g) lures whereas the 104H cast weight is 80g (max 120g). If the 104H is a rod to bend and fight the fish, the 110H possesses the power to aggressively surface 15kg class Kingfish, yet having the light feeling similar to the 104H. This 110H can be said to be the new standard of power rods with its outstanding castability, lightness and power fused together. The 103H is a model with a totally different concept, equipped with a powerful butt section ideal for use with both pencil type and popper type lures.




Avarice Static load comparison of Avarice (2kg load)




Here are the bending curves of the Avarice series designed for blackfin seabass, loaded with a static weight of 2kg. As a reference, we have also included the MonsterImpact 101HH. The 110M to be released in 2020 is the long length power version of the 103M. If you consider the 106MH and the 110H as having sharp casting for pinpoint shooting and being power models, you can say that the 110M is more flexible yet possessing the sharpness. The 103M is the most flexible and bendy of the series ideal for fishing around flat rocks. The 106MH is your standard blackfin model, with an extremely strong butt. The 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the 110H and the MonsterImpact 101HH, the butt power of the 110H is evidently stronger but the tip section is delicate for use with smaller minnows.




RunnerExceed FINAL STAND UP Static load comparison of FINAL STAND UP (5kg load)




Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.




SilverStream Static load comparison of SilverStream (1kg load)




Here are bending curves of the SilverStream series loaded with a static weight of 1kg. The 81 Stiletto released in 2019 is a high speed model to hookup the shortest bites through the super sensitive and super resilient characteristics built up with all 40t carbon. The 2 models of the Northern series are stiff rods built to cast heavy weight jigs and jig minnows, yet possessing sufficient flex to hookup the sea trout. The 3 models of the Flows series are all built to target seabass. The 810 is a regular to fast tapered highly sensitive model. The 96 is a stiff model suited for long range casting and the 103 is the long length model also able to target Flounders. The Redeye is a power model, designed to target both the seabass and Akame (Japanese barramundi) with a resilient and bendy characteristics. For your reference, we have also displayed the highly powerful MonsterImpact 90H suited for use with big lures. To cast with the Redeye, you can load the blank with the weight of the lure, whereas for the MI90H, you can cast by increasing your swing speed and utilizing the blanks stiffness/power.




MonsterImpact Static load comparison of MonsterImpact (2kg load)




Here are the bending curves of the 4 MonsterImpact series to target large seabass, Akame, blackfin seabass and blue-runners, loaded with a static weight of 2kg. The 90H released in 2019 is the spinning model for targeting seabass and Akame (Japanese barramundi) with the use of large lures up to 70g. The castability of large lures is especially noteworthy. Furthermore, the powerful blank is one rank above the SilverStream Redeye model and enables angles to go head to head with seabass exceeding 90cm and Akame over 100cm. The power of the 110H spinning model and bait-caster model is similar with the only difference being the stiffness and bend. Both the 101HH and 110H have a strong tip section able to cast large bluerunner plugs. Overall, the 110H both spinning and bait-caster are the stiffest model of the series yet possessing a resilient blank. The 101HH has a similar power but the tip section is a little more flexible and is able to bend in.



RealCrescent Static load comparison of RealCrescent (250g load)



On the left, you can see a comparative diagram of the bend curve of the Real Crescent series with a static load of 250g. The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with flexibility of the whole rod. As for the bait-casting models, the RC-57 is designed for use with singular body jig-heads and the RC-67 is ideal for both the jig-head and small lures. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream game. In the diagram, you may notice that the RC-81 and RC-77 have a similar bending curve and power, however they have a totally different characteristics with the 77 being much stiffer while the 81 being more flexible.



※The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.



Exceed the limit



OTHERS
Custom & Goods

RippleFisher Color Custom

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options below for you custom color.

***Please note that we do not accept custom request to change grip or guide options.**

Blank Color

You can order color customization either whole blanks (from butt to top guide) or butt section only (range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08) to the "Maziora" color (09 and 10).

You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors. If you choose the 08 (silver color), the logo print will be black.

Custom Charge

Blank Color Custom

• 1pc model Full Paint	Color : 01~08	10,000Yen
	Color : 09 • 10	15,000Yen
※The grip joint model also same price as 1pc model		
• 2pc model Full Paint	Color : 01~08	12,000Yen
	Color : 09 • 10	18,000Yen
• 3pc model Full Paint	Color : 01~08	13,000Yen
	Color : 09 • 10	19,000Yen
• Only Butt section Paint	Color : 01~08	6,000Yen
	Color : 09 • 10	9,000Yen
• Multi Shaft	Color : 01~07	15,000Yen
	Color : 09 • 10	20,000Yen

※Silver color orders are not accepted for Multi shaft

Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.



- 01. Metal Smoke
- 02. Metal Ice Blue
- 03. Metal Blue
- 04. Metal Emerald Blue
- 05. Metal Pink
- 06. Metal Red
- 07. Metal Orange
- 08. Silver
- 09. MAZIORA ANDROMEDA (Green base)
- 10. MAZIORA PLREADES II (Blue base)

Blank Color • About coating range

Blank Color • Full paint (1pc model and Grip joint model)




Blank Color • Full paint (2pcs&3pcs model)



Blank Color • Only Butt section Paint (Please refer to images below about available range)



Blank Color • Butt parts paint range for each model



※The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

Thread Pin-Color


The "thread pin color custom" designs will comply with the original product's position. If two colors are used in the standard product, a single color will be used for the custom color.

If you order a "thread pin color custom", the whole rod will be customized with the color you ordered. The thread color of the multi shaft cannot be changed.

Custom Charge


Thread Pin color custom
Color : 01~07 2,000Yen
Color : 08 (No pin thread) 1,000Yen

How to order for color customization



Thread Set Color

Thread/01.Red Set Custom as an example ※Main color • Red/Sub color • Black



For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread. Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

We do not accept requests to change or alter the color of the pin thread. The thread color of the multi shaft cannot be changed.

Custom Charge


Thread set color custom
Color : 01~10 5,000Yen

Delivery date

With regards to your custom order delivery date, it will take roughly 5 – 8 months depending on our production schedule. (As a rule of thumb, we will set an order closing day on the 20th of every month, so it's about 5 – 8 months for delivery date from the order month.)

Changes and cancellation of custom order

Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.



- 01. Silver
- 02. Champagne Gold
- 03. Metallic Red
- 04. Metallic Copper
- 05. Metallic Pink
- 06. Metallic Blue
- 07. Metallic Gray
- 08. Black




01.Red Set (Main • Red/Sub • Black)



06.Purple Set (Main • Purple/Sub • Black)




02.Pink Set (Main • Pink/Sub • Black)



07.Emerald Set (Main • Emerald/Sub • Black)




03.Gold Set (Main • Gold/Sub • Black)




08.Lime Set (Main • Lime/Sub • Black)




04.Blue Set (Main • Blue/Sub • Black)



09.Light Gray Set (Main • Light Gray/Sub • Dark Gray)



05.Light Blue Set (Main • Light Blue/Sub • Navy)



10.Sky Blue Set (Main • Sky Blue/Sub • Dark Blue)

New RF Original T Shirts 2020

It features a soft touch by using a "semi-combed yarn" that is in the middle between a carded yarn used for general T-shirts and a beautiful glossy high-grade combed yarn. In addition, it has all three major elements: "Does not lose shape", "invisible", "long-lasting".




Material: Cotton 100%
Semi-combed yarn 5.6OZ
Size : M · L · LL · 3L
Color: White · Indigo Blue · Sand Khaki
Tropical pink · Black · Bright green



RF Original Dry polo shirts

RippleFisher original polo shirts made of dry fabric. Excellent sweat absorption and fast-drying thanks to material of dry fabric which is 100% polyester. It has also UV protection effect and keep you nice and dry even if you get sweat. We recommend you to layer on under wear.

Size : M · L · LL · 3L
Color: Navy · White · Black



New RF Original Dry zip hoodie

It is a good zip hoodie that dries quickly with a thick brushed back and dry material.

Material: Polyester85% Cotton15%
(Rib:Polyester97% Polyurethane3%)
10OZ
Color : Black · Gray
Size : M/L/XL/XXL



RF Shell Jacket (ON-YO-NE)

Breathtech from ON-YO-NE which have been bonded 3 layer of fabric (outer fabric / breathable & waterproof film / liner) is chosen for RF Shell Jacket. The waterproof property and windbreak performance will keep you warm, moisture permeability of breathable fabric will supply you comfort.

• Water pressure resistance : Over 294kps (30,000mm)
• Moisture permeability : Over 16,000g/m² 24H (B-1)
Color : Black · Red · Emerald
Size : M · L · O (XL) · XO (XXL)

New RF Embroidery Emblem

Iron ons type
2 kind of round style.
2 colors for each size of Square style.


Round 2 types : Diameter 70mm
Square L Size : Navy · Black (40x120mm)
Square S Size : Navy · Black (22x80mm)



NEW RF Mesh cap

Narrowing twill cotton (water repellent fabric) is chosen for front panel and visor. (100% cotton)
Mesh fabric is chosen for back side to keep your head cool and comfortable. Visor is little longer to reduce sunlight. You can wear this mesh cap from spring to autumn.

Color : Blue · Army Khaki · Navy
Size : Free



RF Cutting sticker

- 17cm 5 Colors
Blue · Silver · White
Illusion · Pearl White
- 30cm 5 Colors
Blue · Silver · White · Pink · Copper · Silver
- 60cm 5 Colors
Blue · Silver · White · Pink · Copper · Silver
- 80cm 2 Colors
White · Blue



RF Flat visor cap

Snap back for adjustment is chosen and reverse of visor is standardized in green. 2 of Ripple Fisher original sticker for visor will comes with each cap.

Material : Acrylic80% · Wool20%
Size : Free
Color : Gray&Black · Navy · Black



RF Rod belt

L 345mm (2pcs/Set)
S 220mm (2pcs/Set)

Items to be released in 2020

RF Land based Fishing rod bag



This is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3-4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips. *The picture is a prototype and may be subject to alterations.

2020 RippleFisher Rod Line-Up Spec Details

P	Series	Item	Price	JAN CODE	Sec	Reel	Lt [mm]	Cl-Lt [mm]	Wt [g]	Lure	Line	Drag Max	Guides	Reel Seat	Lock	Joint	Grip End	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size
6	BIG TUNA	85F JAPAN Special		4580397945147	2	S	8ft 5in	1880	370	18 ~ 120g	Pe 3 ~ 6	10kg / 45'	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	95.5	2.5	14.3	867	S:8000~14000 / D:4500~6500
6	New BIG TUNA	83 JAPAN Special		4580397948087	2	S	8ft 3in	1785	412	40 ~ 150g	Pe 6 ~ 8	15kg / 45'	OC	DPS20	D	GJ	BRC	93.2	3.3	14.6	915	S:14000~18000 / D:5500~6500
6	BIG TUNA	85 JAPAN Special		4580397945130	2	S	8ft 5in	1850	434	40 ~ 160g	Pe 6 ~ 12	15kg / 45'	OC	DPS20	D	GJ	BRC	94.4	3.7	16.5	895	S:14000~20000 / D:6500~7000
6	BIG TUNA	710 JAPAN Special		4580397945116	2	S	7ft 10in	1672	393	40 ~ 160g	Pe 6 ~ 12	15kg / 45'	OC	DPS20	D	GJ	BRC	92.9	3.4	16.0	910	S:14000~20000 / D:6500~7000
6	BIG TUNA	76 JAPAN Special		4580397945215	2	S	7ft 6in	1575	398	60 ~ 180g	Pe 8 ~ 12	18kg / 45'	OC	DPS20	D	GJ	Gimbal	91.3	3.0	15.3	900	S:18000~30000 / D:6500~8000
6	BIG TUNA	73 JAPAN Special		4580397945161	2	S	7ft 3in	1515	406	60 ~ 180g	Pe 8 ~ 12	18kg / 45'	OC	DPS20	D	GJ	Gimbal	91.6	3.6	15.1	915	S:18000~30000 / D:6500~8000
9	Aquila	ST 78-3		4580397940081	2	S	7ft 8in	1780	224	Com-Wt 30 ~ 50g	MAX Pe 3	5kg / 45'	SIC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S:5000~6000 / D:3500~4000
9	Aquila	ST 80-4		4580397940098	2	S	8ft	1782	300	Com-Wt 40 ~ 80g	MAX Pe 4	7kg / 45'	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S:8000 / D:4500
9	Aquila	ST 85-6		4580397945093	2	S	8ft 5in	1925	338	Com-Wt 40 ~ 110g	MAX Pe 6	12kg / 45'	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S:8000~18000 / D:5000~6500
9	Aquila	MLT 82-2/4		4580397940104	2	S	8ft 2in	1782	341	Com-Wt 30 ~ 70g	Pe 2 ~ 4	7kg / 45'	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S:6000~8000 / D:4000~5000
9	Aquila	MLT 82-3/6		4580397940111	2	S	8ft 2in	1785	348	Com-Wt 40 ~ 90g	Pe 3 ~ 6	10kg / 45'	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S:8000~14000 / D:4500~5500
9	Aquila	MST 85-7+		4580397945048	2	S	8ft 5in	1897	382	Com-Wt 40 ~ 120g	MAX Pe 7	14kg / 45'	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	2.8	14.9	840	S:14000~18000 / D:5500~6500
9	Aquila	MST 711-8+		4580397945055	2	S	7ft 11in	1752	369	Com-Wt 80 ~ 180g	MAX Pe 8	16kg / 45'	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S:14000~18000 / D:5500~6500
9	Aquila	EX 79-3		4580397940050	3	S	7ft 9in	847	263	Com-Wt 40 ~ 60g	MAX Pe 3	5kg / 45'	SIC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S:5000~6000 / D:3500~4000
9	Aquila	EX 83-6		4580397940074	3	S	8ft 3in	905	353	Com-Wt 60 ~ 120g	MAX Pe 6	10kg / 45'	SIC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S:14000 / D:5500
12	New GTXpedition	81M		4580393948094	3	S	8ft11in	887	380	Max 140g	MAX Pe 6	10kg / 45'	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S:14000 / D:5500
12	New GTXpedition	81MH		4580393948100	3	S	8ft11in	887	386	Max 180g	MAX Pe 8	13kg / 45'	OC	DPS20	U	Spigot+GJ	BRC	93.3	3.9	15.2	920	S:14000~18000 / D:5500~6500
14	Ultimo	711ML		4580397944027	2	S	7ft 11in	1780	369	MAX 150g	MAX Pe 6	12kg / 45'	OC	DPS20	U	GJ	BRC	96.5	3.0	14.8	860	S:10000~14000 / D:5000~5500
14	Ultimo	83ML		4580397944058	2	S	8ft 3in	1815	365	MAX 150g	MAX Pe 6	12kg / 45'	OC	DPS20	U	GJ	BRC	95.5	2.6	13.9	870	S:10000~14000 / D:5000~5500
14	Ultimo	79M Nano		4580397944041	2	S	7ft 9in	1740	366	MAX 160g	MAX Pe 7	13kg / 45'	OC	DPS20	U	GJ	BRC	99.5	2.8	14.0	835	S:10000~14000 / D:5000~5500
14	Ultimo	83M Nano		4580397944065	2	S	8ft 3in	1835	362	MAX 160g	MAX Pe 7	13kg / 45'	OC	DPS20	U	GJ	BRC	99.5	2.7	14.5	860	S:10000~18000 / D:5000~6500
14	Ultimo	80MH Nano		4580397944034	2	S	8ft	1740	383	MAX 170g	MAX Pe 8	14kg / 45'	OC	DPS20	U	GJ	BRC	99.8	2.9	14.5	870	S:10000~18000 / D:5000~6500
16	OceanRidge	Reversal GT 80 Nano		4580397944096	2	S	8ft	1737	373	MAX 170g	MAX Pe 8	14kg / 45'	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S:10000~18000 / D:5000~6500
16	OceanRidge	LC GT 82 Nano		4580397944089	2	S	8ft 2in	1796	378	MAX 190g	MAX Pe 8	14kg / 45'	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S:10000~18000 / D:5000~6500
16	OceanRidge	PF GT 711 Nano		4580397944102	2	S	7ft 11in	1682	375	MAX 210g	MAX Pe 10	15kg / 45'	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S:18000 / D:6500
16	OceanRidge	FS GT 79 Nano		4580397944126	2	S	7ft 9in	1685	384	MAX 220g	MAX Pe 10	15kg / 45'	OC	DPS20	U	GJ	BRC	99.3	3.4	15.1	835	S:18000 / D:6500
16	OceanRidge	FS GT 80 Nano		4580397944133	2	S	8ft	1736	385	MAX 270g	MAX Pe 12	17kg / 45'	OC	DPS20	U	GJ	BRC	99.2	3.7	15.8	880	S:18000 / D:6500
19	New SELFISH	NS 632		4580393948117	1	S	6ft13in	1910	126	Com-Wt 80 ~ 130g	MAX Pe 2	3kg / 45'	SIC-S/Ti/K	DPS18	U	--	EVA	73.5	2.0	8.0	615	S:5000 / D:3500
19	New SELFISH	NS 623		4580393948124	1	S	6ft2in	1890	159	Com-Wt 100 ~ 150g	MAX Pe 3	5kg / 45'	SIC-S/Ti/K	DPS18	U	--	EVA	89.4	2.2	8.6	625	S:5000~8000 / D:3500~4500
19	New SELFISH	NS 614		4580393948131	1	S	6ft11in	1865	174	Com-Wt 120 ~ 180g	MAX Pe 4	7kg / 45'	SIC-S/Ti/K	DPS18	U	--	EVA	82.7	2.1	9.2	645	S:6000~8000 / D:4000~4500
19	New SELFISH	SEB 633		4580393948148	1	B	6ft3in	1915	180	Com-Wt 120 ~ 180g	MAX Pe 3	5kg / 45'	SIC-S/Ti/K	TCS18	D	--	EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~20
19	New SELFISH	SEB 624		4580393948155	1	B	6ft2in	1890	190	Com-Wt 140 ~ 200g	MAX Pe 4	7kg / 45'	SIC-S/Ti/K	TCS18	D	--	EVA	94.7	2.4	8.7	680	S:2000 / D:30~35
19	SELFISH	613S Nano		4580397941026	1	S	6ft 1in	1860	170	Com-Wt 100 ~ 140g	Pe 2.5 Class	4kg / 45'	SIC-S/Ti/K	DPS18	U	--	EVA	92.5	2.4	8.7	615	S:5000~6000 / D:3500~4000
19	SELFISH	614S Nano		4580397941033	1	S	6ft 1in	1860	180	Com-Wt 130 ~ 170g	Pe 3 Class	5kg / 45'	SIC-S/Ti/K	DPS18	U	--	EVA	92.1	2.5	9.2	635	S:5000~8000 / D:3500~4500
19	SELFISH	597S Nano		4580397941064	1	S	5ft 9in	1756	250	Com-Wt 180 ~ 240g	Pe 5 Class	8kg / 45'	SIC-S/SIC/Ti/K	DPS20	U	--	BRC	99.8	3.1	9.2	735	S:8000~10000 / D:4500~5000
22	OceanArrow	5210 / Bait		4580397941101	1	B	5ft 2in	1579	295	JIG MAX 370g	MAX Pe 6	12kg / 45'	OC	T-DPS22	D	--	BRC	83.0	3.6	10.5	740	S:4000~5000 / SOM:120
22	OceanArrow	5015 / Bait		4580397941118	1	B	5ft	1535	325	JIG MAX 400g	MAX Pe 6	13kg / 45'	OC	T-DPS22	D	--	BRC	87.4	4.2	11.0	740	S:4000~5000 / SOM:120
22	OceanArrow	67UL Snapper		4580397941125	1	B	6ft 7in	2005	131	MAX 100g	MAX Pe 1	--	SIC-S/Ti/K	TCS16	D	--	EVA	89.0	1.8	7.8	640	S:100~200 / D:100~200
22	OceanArrow	65L Snapper		4580397941132	1	B	6ft 5in	1960	125	MAX 120g	MAX Pe 1.2	--	SIC-S/Ti/K	TCS16	D	--	EVA	89.8	1.7	8.3	625	S:100~200 / D:100~200
22	OceanArrow	66ML Snapper		4580397941149	2	B	6ft 6in	1475	146	MAX 160g	MAX Pe 1.5	--	SIC-S/Ti/K	TCS17	D	GJ	EVA	94.7	1.6	9.8	635	S:100~200 / D:100~200
30	RunnerExceed	102M Nano PlugModel		4580397942030	2	S	10ft 2in	1590	290	Plug 20 ~ 70g	Pe 1.5 ~ 3	5kg / 45'	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S:5000~6000 / D:3500~4500
30	RunnerExceed	104H Nano PlugModel		4580397942047	2	S	10ft 4in	1615	327	Plug 40 ~ 120g	Pe 4 ~ 6	8kg / 45'	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S:8000~14000 / D:4500~5500
30	New RunnerExceed	110H Nano PlugModel		4580397948179	2	S	11ft	1720	341	Plug 40 ~ 130g	Pe 4 ~ 7	9kg / 45'	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S:8000~14000 / D:4500~5500
30	RunnerExceed	911MH Nano		4580397942016	2	S	9ft 11in	1560	306	MAX Jig 100g / MAX Plug 80g	MAX Pe 4	6kg / 45'	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S:6000~8000 / D:4000~4500
30	RunnerExceed	103H		4580397942023	2	S	10ft 3in	1615	327	MAX Jig 130g / MAX Plug 90g	MAX Pe 5	8kg / 45'	SIC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S:8000~14000 / D:4500~6500
30	RunnerExceed	107BH Nano		4580397940012	2	B	10ft 7in	1650	374	50 ~ 130g	MAX Pe 6	8kg / 45'	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	S:LD8-10 / D:LD20~30
30	RunnerExceed	105BHH Nano		4580397942054	2	B	10ft 5in	1630	394	MAX 160g	MAX Pe 8	10kg / 45'	OC	T-DPS22	D	Spigot	BRC	99.8	3.1	19.0	835	D:LD30~50 / AV:MCLX6
32	RunnerExceed	100SHH LIMITED		4580397948292	2	S	10ft	1579	405	MAX 150g	MAX Pe 8	10kg / 45'	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S:14000~18000 / D:5500~6500
32	RunnerExceed	RNAL STAND UP 100SXH		4580397942061	2	S	10ft	1570	439	MAX 160g	MAX Pe 10	10kg / 45'	OC	DPS22	D	Spigot	BRC	99.8	3.2	18.0	875	S:14000~20000 / D:5500~6500
32	RunnerExceed	RNAL STAND UP 105SXH		4580397942078	2	B	10ft 5in	1626	429	MAX 180g	MAX Pe 10	10kg / 45'	OC	T-DPS22	D	Spigot	BRC	9				