

GT Fishing
GT
TUNA
BlueRunner

Ultimo

We are forever evolving.
To capture the "current" GT with Ripple Fisher.

The Ultimo Series are the core of Ripple Fisher's GT rods. The series are able to handle a variety of lures from pencil type to popping type lures while having a light, yet very responsive blank for anglers to cast throughout the day. Although the rod may seem simple with its easy castability and controllability, the butt power is outstanding and we have set an ideal loading point for anglers to be able to maintain their balance with a heavy load.

In addition, we re-examined our lineup and made some adjustments to the labeling of the power class, blank adjustment and added a few new models. These adjustments are not to renounce the previous models or settings but to keep up with the ever changing and evolving GT fishing scene, not only as a single model but as a series.

The Ultimo series are a fusion of modern GT fishing combined with Ripple Fisher's long experience in rod building.



2017 Renewal Ultimo 711ML

This is a lighter model ideal for anglers with a smaller build and female anglers who have never experienced our Ultimo series. It is also ideal for anglers targeting large Kingfish and Tuna's up to 50kg with the use of lures around 100g. The blanks for the 2017 model have been renewed by improving the sharpness, lightness and overall controllability of the rod. Anglers will be able to cast throughout the day stress free and apply high pressure on the fish with little effort during the fight.

◎Suitable reel size · SHIMANO: 10000~14000 / DAIWA: 5000~5500

Length: 7ft 11in Close Length: 1780mm Weight: Undecided Section: 2pcs (Grip-Joint)
Action: RF Lure: MAX 150g Line: MAX PE 6 Angler's Weight: 50kg~ Price:

Ultimo 83ML

This rod is ideal for targeting not only GTs, but also monstrous Kingfish and Tuna up to 50kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the new Nanoalloy technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential.

◎Suitable reel size · SHIMANO: 10000~14000 / DAIWA: 5000~5500

Length: 8ft 3in Close Length: 1815mm Weight: 365g Section: 2pcs (Grip-Joint)
Action: RF Lure: MAX 150g Line: MAX PE 6 Angler's Weight: 55kg~ Price:

2017 New Model Ultimo 79M Nano

The 79M Nano is a powerful and maneuverable short length rod which is a newly added model for the 2017 season. With its short length, it is ideal for anglers who prefer to fish from the stern or middle section of small, medium and large charter boats using the bend of the blank to your advantage. It's a perfect rod for experienced smaller built or female anglers. Although the butt section is a M class rod, the tip section is stiffer allowing anglers to have better command of their casting and control of their lures.

◎Suitable reel size · SHIMANO: 10000~14000 / DAIWA: 5000~5500

Length: 7ft 9in Close Length: 1740mm Weight: Undecided Section: 2pcs (Grip-Joint)
Action: RF Lure: MAX 160g Line: MAX PE 7 Angler's Weight: 55kg~ Price:

Ultimo 83M Nano

This rod is ideal for targeting not only GTs, but also monstrous Kingfish and Tuna up to 50kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the new Nanoalloy technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential.

◎Suitable reel size · SHIMANO: 10000~18000 / DAIWA: 5000~6500

Length: 8ft 3in Close Length: 1835mm Weight: 362g Section: 2pcs (Grip-Joint)
Action: RF Lure: MAX 160g Line: MAX PE 7 Angler's Weight: 60kg~ Price:

2017 New Model Ultimo 80MH Nano

This newly added 80MH is an almighty model with a combination of long length and power. It is a versatile rod able to utilize in any given boat or field with the use of pencil type lures to medium mouth poppers. However, with the somewhat stronger rod settings, the angler needs to be well built or strong. With strength and experience, this rod will respond to the anglers powerful lifting and fight giving you that advantage required for monstrous fish. It is a best matched rod for the GT game which require long casting in shallow waters where anglers are required to take initiative.

◎Suitable reel size · SHIMANO: 10000~18000 / DAIWA: 5500~6500

Length: 8ft Close Length: 1740mm Weight: Undecided Section: 2pcs (Grip-Joint)
Action: RF Lure: MAX 170g Line: MAX PE 8 Angler's Weight: 60kg~ Price:



Rod Detail
Guide: SiC Titanium frame K Guide(Fuji) for all models
Reel Seat: DPS 20 LD UP LOCK
Grip: Original shape for short fight which is considered by Ripple Fisher for long time

Ultimo 82H Nano

The original 82MH Nano has changed its power class naming to 82H Nano. This model is a power up version of the 83M which is able to cast even further with the right technique and swing through. In addition, the sharper rod will allow anglers to cut through strong head winds when casting and utilize body weight transfer to lift the fish during the fight. This rod will become your next best friend for those anglers who prefer or require a speedy/powerful fight in rough underwater terrain.

◎Suitable reel size · SHIMANO: 10000~18000 / DAIWA: 5500~6500


Length: 8ft 2in Close Length: 1785mm Weight: 390g Section: 2pcs (Grip-Joint)
Action: F Lure: MAX 180g Line: MAX PE 8 Angler's Weight: 65kg~ Price:

Ultimo 710H Nano

The short length 7ft 10inch was set for maneuverability and easy handling for use in small to medium size boats. You will be pleasantly surprised with its long casting ability despite its short length. Anglers will be able to utilize 80g pencil poppers, diving poppers to those heavier large mouthed poppers. The short length allows for a powerful fight and the newly added Nanoalloy material has added unique tenacity and stability to the blank. With the combined traits of castability, controllability and power, you could consider this the extreme model of the Ultimo series ready to go head to head with monstrous GTs exceeding the 50kg mark.

◎Suitable reel size · SHIMANO: 14000~18000 / DAIWA: 5500 · 6500

Length: 7ft 10in Close Length: 1740mm Weight: 367g Section: 2pcs (Grip-Joint)
Action: F Lure: MAX 220g Line: MAX PE 10 Angler's Weight: 65kg~ Price:



OceanVoyager GTXpedition

Its cast feel, controllability and power will forever change the notion of a 3 piece rod.

2017 Renewal OceanVoyager GTXpedition 803M

Target /GT·King Fish·Tuna up to 50kg

The OceanVoyager GTXpedition designed as a 3 piece rod for easy traveling for exotic fishing expeditions has been renewed as of 2017. The new blank is more versatile allowing anglers to utilize various types of lures. The power class has been reduced to an M class from MH for easier handling by average built anglers and to enjoy targeting a more diversified array of species. It is a versatile rod which allows anglers to utilize various types of lures while possessing enough power to surface massive fish. We focused our attention on the development of its smooth bending transition during the cast, control and fighting of the fish. We are proud to announce that this 3 piece structure blank favorably compares with the other GT rods in our lineup.

◎Suitable reel size · SHIMANO: 10000~18000 / DAIWA: 5000~6500
Length: 8ft Close Length: 870mm Weight: Undecided Section: 3pcs (#1+#2 Spigot Ferrule / #2+#3 Grip-Joint)
Action: R Lure: MAX 160g Line: MAX PE 6 Angler's Weight: 60kg~ Price:

Rod Detail
Guide: SiC Ocean Guide(Fuji) Reel Seat: DPS20LD UP LOCK



pecial rod bag made of artificial leather comes with it. Moderate thickness of it will protect your rod.

OceanRidge

We present these GT rods for those who seek a challenge to the limits.

As of 2017, we have combined the F-STICK series and the FINAL SPIRIT series as the OceanRidge series. This unified OceanRidge series comprise of GT rods packed with Ripple Fisher's pride and joy. The lineup which have been designed with the ultimate manual settings are dedicated for the experienced anglers around the world. Although these rods are not for the fainthearted, we are positive that the rods will become a part of you for those skilled enough to recognize their strengths and style of fishing.

All six models in the OceanRidge series are especially designed to target large GTs which inhabit the waters in various parts of the world. We have not classified the rods depending on power, but have carefully selected and developed the lineup depending on the unique characteristics of the rods. All blanks in the series have been built with the use of the new Nanoalloy® technology™ developed by Toray industries, Inc. and have gone through countless hours of testing in the field.

We are proud to present the series for those anglers who seek to master the GT game further and for those who are willing to challenge the limits.

Rod Detail

Guide : SIC Ocean Guide(Fuji) for all models
Reel Seat : DP520LD UP Lock

OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GTs. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx. 60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

☉Suitable reel size · SHIMANO : 10000~18000 / DAIWA : 5000~6500

Length : 8ft Close Length : 1737mm Weight : 373g Section : 2pcs (Grip-Joint)

Action : R Lure : MAX 170g Line : MAX PE 8 Angler's Weight : 65kg~ Price :

OceanRidge LongCast GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability.

☉Suitable reel size · SHIMANO : 10000~18000 / DAIWA : 5000~6500

Length : 8ft 2in Close Length : 1796mm Weight : 378g Section : 2pcs (Grip-Joint)

Action : R Lure : MAX 190g Line : MAX PE 8 Angler's Weight : 70kg~ Price :

2017 New Model

OceanRidge Flex GT 77 Nano

This model was developed with the countless requests from international anglers who fish from smaller charter boats. With its short length and hard tip section, anglers will be able to enjoy maneuvering the large mouthed poppers to induce that bite. It goes without saying that the short length rod is also useful when fishing from the central section or stern of the small to medium size boats with the use of various types of lures including poppers/diving poppers, medium to large size pencil poppers and other diving pencils which require a more manual reeling type action. This short length also helps to cast out large lures with the repulsive force of the blank while holding up to massive loads during the fight. To give you an idea of the rod power, it is classed between the Reversal 80 and the Powerfight 711.

☉Suitable reel size · SHIMANO : 10000~18000 / DAIWA : 5000~6500

Length : 7ft 7in Close Length : 1630mm Weight : Undecided Section : 2pcs (Grip-Joint)

Action : R Lure : MAX 200g Line : MAX PE 8 Angler's Weight : 65kg~ Price :

About "recommended angler's weight" on section of specification of GT rod.

As long as GT model, we have noted recommended angler's weight on section of specification. Skill of anglers is important factor to land fish quickly of course but we think that most significant factor is angler's weight and lifting with that weight shift. Numerical value on this catalog is to take full potential of rod out when you try to make GT float. Even if angler who have less weight than our recommended weight, of course will be able to pull enough potential of rod to catch GT if angler have skill of lifting with weight shift while adjusting position and movement of fish. Please use this numerical value as indication.

OceanRidge PowerFight GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The Nano blank developed by Toray Industries. Co has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GTs exceeding 50kg simply by loading up the rod and using its repulsive force.

☉Suitable reel size · SHIMANO : 18000 / DAIWA : 6500

Length : 7ft 11in Close Length : 1682mm Weight : 375g Section : 2pcs (Grip-Joint)

Action : R Lure : MAX 210g Line : MAX PE 10 Angler's Weight : 70kg~ Price :

OceanRidge FINAL SPIRIT GT 79 Nano

As you can imagine from the naming of the FINAL SPIRIT series, the two models stand out from the rest of the GT lineup as it possesses outstanding power. While it maintains the controllability of the lures, lightness for handling and sensitivity, the lifting power is vicious. The FINAL SPIRIT GT79 has the stiffest tip section of all our GT rods allowing for easy use and control of large mouthed poppers and more manual maneuvering of diving pencil/popper type lures. With skill and knowledge of various lure maneuvering techniques, anglers will be able to utilize various types of lures depending on the field conditions. The bend curve is smooth with an extremely efficient lifting power.

☉Suitable reel size · SHIMANO : 18000 / DAIWA : 6500

Length : 7ft 9in Close Length : 1685mm Weight : 384g Section : 2pcs (Grip-Joint)

Action : R Lure : MAX 220g Line : MAX PE 10 Angler's Weight : 70kg~ Price :

OceanRidge FINAL SPIRIT GT 80 Nano

This is the most powerful model in Ripple Fisher's lineup. The somewhat lightish tip section will allow anglers to utilize pencil type lures to various shapes of poppers with a more manual feeling. The Nano blank characteristics will be exhibited to the fullest with more body weight of the angler applied to the rod, creating a violently strong lifting capacity. For average size and strength anglers to be able to maximize the rods potential strength, we recommend you practice lifting with the rod on a daily basis to get an in-depth understanding of the rods bend and "sweet spot" with a still weight of 10kg (at a 45 degree angle).

☉Suitable reel size · SHIMANO : 18000 / DAIWA : 6500

Length : 8ft Close Length : 1736mm Weight : 385g Section : 2pcs (Grip-Joint)


Action : R Lure : MAX 270g Line : MAX PE 12 Angler's Weight : 75kg~ Price :

Type of popper for GT Rods		
Large Face Cup	Medium Face Cup	Small Face Cup
OR FSGT79	OR FSGT79	OR FSGT79
OR FSGT80	OR FSGT80	OR FSGT80
OR PF GT711	OR PF GT711	OR PF GT711
OR LC GT82	OR LC GT82	OR LC GT82
OR Flex GT77	OR Flex GT77	OR Flex GT77
	OR R GT80	OR R GT80
	Ultimo710H	Ultimo710H
	Ultimo82H	Ultimo82H
	Ultimo80MH	Ultimo80MH
	Ultimo79M	Ultimo79M
	GTX803M	Ultimo83M
		Ultimo711ML
		Ultimo83ML
		GTX803M

※These are poppers which has been used as reference
Large Face Cup · HAMMMER HEAD / G-cup: I-cu ·
Medium Face Cup · HAMMMER HEAD / D-cup: E-cup · SHAKURE
Small Face Cup · HAMMMER HEAD / C-cup · DUEL / BIG BLUE BULL POPPER

※Although, all of these models can handle diving poppers or pencil type lures, please pay attention to the tipping strength of the rod when you pull lures as such as poppers with large face cup forcefully. Especially in the appeal which makes the large splash with it, we recommend you to follow the reference on chart above when you choose proper lure. Otherwise, it may result in damage or breakage of tip section of your rod.


Ultimo · OceanRidge Comparison Table



Ultimo & OceanRidge Load 6kg

For reference
BIG TUNA 710 JAPAN SP
Aquila 85H Nano Extreme

OceanRidge Series +Ultimo 80MH Nano



Comparison between the Ultimo and OceanRidge with a still weight of 6kg. For reference, we have also compared the BIG TUNA 710JAPAN SP and Aquila 85H Nano Extreme. We have compared the bend curve of our GT series of Ultimo and the OceanRidge series with a still weight of 6kg. As there are many overlaying each other, we have displayed the Ultimo series in different color depending on power and the OceanRidge series depending on model. We have also displayed the BIG TUNA 710 and Aquila 85H with the same weight in gray for reference.

The Ultimo series are designed for use with diving pencil/diving popper type lures and some models are also great for use with Tuna and Kingfish. Also, a few models are not suited for use with large mouthed poppers so please refer to the lure usage. The OceanRidge series is especially designed for GT fishing with a stiffer tip section for anglers to utilize various lure maneuvering techniques. All models are equipped with the power to go head to head with the monstrous GT and the line up caters for fight style and usage of individual anglers.

This still weight comparison is conducted with the reel set to the rod and the line placed through each guides to give you a more true comparison. The rods are also secured at the grip end and a section a little higher from the reel foot. These bend curves do not represent all of the rods true characteristics so please take these comparisons just to give you an idea of our lineup.

Jigging
BlueRunner
TUNA

OceanArrow SELFISH

While reading the tide, operate the jig freely.

The blank on this rod is very strong but it doesn't feel stiff. At a certain bend, the flexing force of the rod will 'kick up' the jig. It is also a very sensitive rod transmitting the movement of the current, action from the jig and response from the fish throughout the blank. The rear grip has been extended to cater for various styles of jerking. (Rear grip is 390mm with an up-locking reel seat)

Words alone cannot describe the all qualities of this rod. Right from the hookup to landing the fish, the rod bends nicely with lots of lifting power and feels at home in your hands. Ripple Fisher proudly present the "SELFISH" series. This is the next generation of jigging rods capable of handling various jigging techniques and more.

With the original developmental concept of the SELFISH series, we have applied Nanoalloy blank for selected models and also fine tuned the "sensitivity" which is its true value, while extending the breaking point. The stiffness the angler feels while controlling the lure will change into a tenacious blank once the fish is on, improving the lifting speed. We have reflected the unique characteristics of the Nano material into the blank.



SELFISH 5710S
Rod Detail
 Guide : 622S~597S • SIC Titanium frame K Guide(Fuji)
 5710 • SIC Titanium frame K Guide & Ocean Guide(Fuji)
 5Series • SIC Ocean Guide(Fuji)
 Reel Seat : 622~615 • 607 : 18UP LOCK
 597 • 5710 : 20UP LOCK / 5Series : T-DPS 22LD

SELFISH Standard Model

OceanArrow SELFISH 622S Nano
 Length : 6ft 2in Close Length : 1893mm Weight : 160g Section : 1pc Action : R
 Lure : ComfortWeight 80~110g Line : PE 2 Class Price :
 ◎Suitable reel size • SHIMANO : 4000 • 5000 / DAIWA : 3500

OceanArrow SELFISH 613S Nano
 Length : 6ft 1in Close Length : 1860mm Weight : 170g Section : 1pc Action : R
 Lure : ComfortWeight 100~140g Line : PE 2.5 Class Price :
 ◎Suitable Reel Size • SHIMANO : 5000 • 6000 / DAIWA : 3500 • 4000

OceanArrow SELFISH 614S Nano
 Length : 6ft 1in Close Length : 1860mm Weight : 180g Section : 1pc Action : R
 Lure : ComfortWeight 130~170g Line : PE 3 Class Price :
 ◎Suitable Reel Size • SHIMANO : 5000~8000 / DAIWA : 3500~4500

OceanArrow SELFISH 615S Nano
 Length : 6ft 1in Close Length : 1860mm Weight : 195g Section : 1pc Action : R
 Lure : ComfortWeight 160~220g Line : PE 4 Class Price :
 ◎Suitable Reel Size • SHIMANO : 6000~8000 / DAIWA : 4000~4500

This is the standard model of the Selfish series. They are mainly designed for a vertical jigging style but the lighter models are also equipped to handle jigging with a more acute angle of the line. The rod is somewhat sharp for anglers to enjoy the manual control and maneuvering of the jig.

※ComfortWeight is stood for the weight of jigs that you will be able to jerk comfortably. It has not meant to be a value of maximum.

SELFISH Shallow Model

OceanArrow SELFISH 654S Nano
 Length : 6ft 5in Close Length : 1965mm Weight : 180g Section : 1pc Action : RF
 Lure : ComfortWeight 70~160g Line : PE 3 Class Price :
 ◎Suitable reel size • SHIMANO : 8000 / DAIWA : 4500

OceanArrow SELFISH 655S Nano
 Length : 6ft 5in Close Length : 1965mm Weight : 200g Section : 1pc Action : RF
 Lure : ComfortWeight 100~180g Line : PE 4 Class Price :
 ◎Suitable reel size • SHIMANO : 10000 / DAIWA : 5000

It is a model designed for use in depths between 50~70m while jerking the jig with an acute line angle. The action of the jig will be more toned down and is ideal for anglers to maintain the line tension while maneuvering the jig with a swimming based action. The two most important factors we sought after in this blank were the outstanding butt power and a sensitive while flexible tip section for that extended feeling of manual operation towards the lure. Through countless trial and error processes, we finally set the length as a 6ft 5inch one piece model (longest of the SELFISH series). In contrast to the base models of the SELFISH 622 and 615s where anglers could enjoy the maneuvering of the jig, this rod is able to eliminate the unwanted movement of the jig, allowing for a more natural movement. With the use of the Nano material, it has improved the sensitivity and lift speed while maintaining a tenacious bend. It is also suited for casting jigs in shallow areas.

SELFISH Specialize Model

OceanArrow SELFISH 597S Nano Vertical Model
 Length : 5ft 9in Close Length : 1756mm Weight : 250g Section : 1pc Action : R
 Lure : ComfortWeight 180~240g Line : PE 5 Class Price :
 ◎Suitable reel size • SHIMANO : 8000 • 10000 / DAIWA : 4500 • 5000

OceanArrow SELFISH 5710S Nano Vertical Model
 Length : 5ft 7in Close Length : 1708mm Weight : 280g Section : 1pc Action : R
 Lure : ComfortWeight 250~350g Line : PE 6 Class Price :
 ◎Suitable reel size • SHIMANO : 10000~20000 / DAIWA : 5000~6500

OceanArrow SELFISH 607S Dotera Model
 Length : 6ft Close Length : 1835mm Weight : 232g Section : 1pc Action : F
 Lure : ComfortWeight 150~220g Line : 50lb Class Price :
 ◎Suitable reel size • SHIMANO : 8000 • 10000 / DAIWA : 4500 • 5000

These Specialize Models are especially designed for select situations for targeting large size Kingfish and Amberjacks. Although they are not too versatile, they will outperform any other rod when faced with supersize fish on the other end of the line. The "607S" designed for the horizontal jigging in 60~100m depths and the "597S" and "5710S" that are specialized for the vertical jigging targeting the amberjacks. One common feed back we get with regards to the whole "SELFISH" series is that fact that it feels "stiff" in the stores, but bends nicely when in use in the field. It is a strange blank with the stiff/sharp feeling when operating the jig, but appropriately bends in during the fight. As it is more of a versatile model, it doesn't have the specialized traits seen in the other models.



NANOALLOY® technology of TORAY was loaded to blank of rod that "NANO" is on following the model name. ※NANOALLOY® is a registered trademark of TORAY

OceanArrow 5 series

They are select overhead bait-casting reel models to vertically approach the massive fish lurking in the deep.

The "5" series are the long sellers of Ripple Fisher's jigging rods. They are models which aim to take advantage when fighting massive fish. The 5210 and 5015 are bait-reel models to especially target supersize fish in exotic locations such as Tokara and Ogasawara. The short length design helps anglers manually maneuver the jig in the deep waters while the torqueful blank will easily take the brunt from supersize Dogtooth Tuna in the deep.

OceanArrow 5210 Bait model


This is the overhead model, designed for vertical jigging in the slow currents. While it is not the mainstream of jigging we designed this rod as a personal desire to fight the huge Kingfish or massive Dogtooth Tuna. This rod is a little more flexible than the Ocean Arrow 5015 and good for areas where the current is slow with average depths.
 ◎Suitable reel size • SHIMANO : 4000 • 5000 / Studio Ocean Mark : 120

Length : 5ft 2in Close Length : 1579mm Weight : 295g Section : 1pc Action : R
 Lure : JIG MAX 370g Line : MAX PE 6 Price :

OceanArrow 5015 Bait model

To go head to head with huge fishes in depths of 120m ~ 200m, we designed this bait casting jigging model for easy usage on the jigs as well as an easy fight once a hookup is achieved. We have successfully designed this specialized blank and currently testing out a 5ft 2in/10oz model.
 ◎Suitable reel size • SHIMANO : 4000 • 5000 / Studio Ocean Mark : 120

Length : 5ft Close Length : 1535mm Weight : 325g Section : 1pc Action : R
 Lure : JIG MAX 400g Line : MAX PE 6 Price :



OceanArrow Series for Jigging Characteristic Table			
Light Model Snapper	Tairubber 67UL	65L	Inchiku • Light Jigging 66ML
Standard Model Higher Varsatility	622S 613S 614S 615S		Specialize Model For Limited Situations 597S • 5710S For Vertical Jigging 607S for the horizontal jigging
Shallow Model for the horizontal jigging	654S 655S		5 Series (Overhead Model) Monster Hunter(around 200m depth) 5210 5015

Tai Rubber



OceanArrow Snapper

Ripple Fisher's "TaiRubber" rod is equipped with sensitivity and a softness with a true spine.

As of 2017, we have renewed the light boat game rods of the OceanArrow Snapper series for light jigging, TaiRubber and the Inchiku game. Although the rods themselves are flexible, they possess a core strength for anglers to overcome their targets while having the sensitivity to sense the slightest changes in current or bites. Our goal was to improve the response of the blank's true potential. These rods are packed with the elements for anglers to enjoy the sensitive and subtle currents when fishing for snapper and rockfish.

Rod Detail Guide : T-KWSG · T-KTSG Grip : 67UL · 65L/TCS16 66ML/TCS17

2017 New Model

OceanArrow 67UL Snapper

The OceanArrow 67UL Snapper has been modified from its original 69UL irregular two piece design to a one piece rod by maintaining its original flexible and resilient nature, while increasing the power in the butt section. By doing so, we were able to maintain its unique characteristics of the whole rod taking on the brunt of the large snappers yet improving the lifting power. The concept for our renewal was to design a true TaiRubber rod with the lifting power and sensitivity that disregards depth or strength of current. This 67UL is a representation of the unique characteristics of Ripple Fisher's rods with its delicate sensitivity while possessing the butt power able to control the overwhelming strength of the fish.

● Suitable Reel Size · SHIMANO : 100~200 / DAIWA : 100~200

Length : 6ft 7in Close Length : 2005mm Weight : Undecided Section : 1pc Action : R
Lure : MAX 100g Line : MAX PE 1 Price :

2017 New Model

OceanArrow 65L Snapper

The 65L is a model which is able to conduct a smooth retrieval under heavy pressure against the TaiRubber in deep waters and strong currents. The highly sensitive blank will transmit the slightest changes in current pressure and chases from your target through the blank, giving anglers another element to consider when fishing. The blank itself possesses an ideal stiffness and flexibility to efficiently and effectively hookup the fish. To put it into perspective, if the 67UL is a rod with a sensitive tip with a powerful butt section, this 65L is a rod which exhibits its power and sensitivity through the smooth bend of the whole rod. Although the 65L is mainly developed for TaiRubber fishing, it is also equipped with the ideal settings for light jigging and the Inchiku game.

● Suitable Reel Size · SHIMANO : 100~200 / DAIWA : 100~200

Length : 6ft 5in Close Length : 1960mm Weight : Undecided Section : 1pc Action : R
Lure : MAX 120g Line : MAX PE 1.2 Price :


2017 New Model

OceanArrow 66ML Snapper

The 66ML has a grip joint structure with an increased butt power compared to the previous two models. It is not only great for your TaiRubber game but an all-rounder rod for the Inchiku game, jigging and even soft plastics game to target the various species you may encounter when fishing from your boat. With its versatility, anglers can make good use of their light line to suit your own style of fishing to target any given species from your boat or even a kayak where you may be limited with the number of rods you can take. We are positive that this rod will be your next best friend for not only local waters but also fishing expeditions where you may have to deal with large snappers, groupers, hair-tail, blue-runners etc.

● Suitable Reel Size · SHIMANO : 100~200 / DAIWA : 100~200

Length : 6ft 6in Close Length : 1475mm Weight : Undecided Section : 2pcs (Grip-Joint) Action : F
Lure : MAX 160g Line : MAX PE 1.5 Price :



Precautions for use

- Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.
- If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.
- Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.
- If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

About joint section of rod

- The joint section of rod of Ripple Fisher has been adjusted with high precision. If ferrule wax have been put on or connect rods without wiping salt water off, might cause of fixation. Please make sure that fouling or moistures are wiped off when you connect.
- If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.
- If you use the rod while the joint section is still loose, this may cause breakage.
- If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

Maintenance and storage

- Wash rod with running water to rid of any filth and salt. Then wipe off any excess water.
- If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high temperature.
- Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog


- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Prices and specifications listed on this catalog maybe altered without warning.
- The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

- Please be ware that personally modified rods will not be covered by warranty (even if it is within the warranty period).
- If you are requesting for repair, please send in the whole rod (not just the section of the breakage).



Ripple Co.,LTD (Ripple Fisher)
945 Obaru, Yamaga City, Kumamoto Pref.
861-0543 JAPAN
E-mail : info@ripplefisher.com



Ripple Fisher's homepage will be renewed.
We at RF would like to apologies for not updating our homepage but from spring this year, we will be revamping and introducing more line ups, plus explanatory charts of our rod range, fishing reports, new product introduction, video links, agents information.
Stay tune and look out for website!

www.ripplefisher.com/

※Please take note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our website news feed or production news.