

Ultimo

GT game series

The Ultimo Series are the core of Ripple Fisher's GT rods. The series are able to handle a variety of lures from pencil type to popping type lures while having a light, yet very responsive blank for anglers to cast throughout the day.

Although the rod may seem simple with its easy castability and controllability, the butt power is outstanding and we have set an ideal loading point for anglers to be able to maintain their balance with a heavy load.

In addition, we re-examined our lineup and made some adjustments to the labeling of the power class and blank adjustment. These adjustments are not to renounce the previous models or settings but to keep up with the ever changing and evolving GT fishing scene, not only as a single model but as a series. The Ultimo series are a fusion of modern GT fishing combined with Ripple Fisher's long experience in rod building.



Ultimo 711ML

This is a lighter model ideal for anglers with a smaller build and female anglers who have never experienced our Ultimo series. It is also ideal for anglers targeting large Kingfish and Tuna's up to 50kg with the use of lures around 100g. We believe that you will feel the sharpness, lightness and overall controllability of the rod once you fish with it. Anglers will be able to cast throughout the day stress free and apply high pressure on the fish with little effort during the fight.

Ultimo 83ML

This rod is ideal for targeting not only GTs, but also monstrous Kingfish and Tuna up to 50kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the NANOALLOY® technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential.

Ultimo 79M Nano

The 79M Nano is a powerful and maneuverable short length rod. With its short length, it is ideal for anglers who prefer to fish from the stern or middle section of small, medium and large charter boats using the bend of the blank to your advantage. It's a perfect rod for experienced smaller built or female anglers. Although the butt section is a M class rod, the tip section is stiffer allowing anglers to have better command of their casting and control of their lures.

Ultimo 83M Nano

This rod is ideal for targeting not only GTs, but also monstrous Kingfish and Tuna up to 50kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the NANOALLOY® technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential.

Ultimo 80MH Nano

80MH is an almighty model with a combination of long length and power. It is a versatile rod able to utilize in any given boat or field with the use of pencil type lures to medium mouth poppers. However, with the somewhat stronger rod settings, the angler needs to be well built or strong. With strength and experience, this rod will respond to the anglers powerful lifting and fight giving you that advantage required for monstrous fish. It is a best matched rod for the GT game which require long casting in shallow waters where anglers are required to take initiative.

Ultimo 82H Nano

82H Nano is a power up version of the 83M which is able to cast even further with the right technique and swing through. In addition, the sharper rod will allow anglers to cut through strong head winds when casting and utilize body weight transfer to lift the fish during the fight. This rod will become your next best friend for those anglers who prefer or require a speedy/powerful fight in rough underwater terrain.


Ultimo 710H Nano

The short length 7ft 10inch was set for maneuverability and easy handling for use in small to medium size boats. You will be pleasantly surprised with its long casting ability despite its short length. Anglers will be able to utilize 80g pencil poppers, diving poppers to those heavier large mouthed poppers. The short length allows for a powerful fight and the NANOALLOY® material has added unique tenacity and stability to the blank. With the combined traits of castability, controllability and power, you could consider this the extreme model of the Ultimo series ready to go head to head with monstrous GTs exceeding the 50kg mark.

Rod Detail

Reel seat / DPS20(Fuji)-Up lock
Grip end / BRC

NANOALLOY® technology of TORAY is loaded



Ultimo	Ultimo	Ultimo	Ultimo	Ultimo	Ultimo	Ultimo
711ML	83ML	79M Nano	83M Nano	80MH Nano	82H Nano	710H Nano
Lure MAX 150g	Lure MAX 150g	Lure MAX 160g	Lure MAX 160g	Lure MAX 170g	Lure MAX 180g	Lure MAX 220g
Line MAX Pe 6	Line MAX Pe 6	Line MAX Pe 7	Line MAX Pe 7	Line MAX Pe 8	Line MAX Pe 8	Line MAX Pe 10
Price	Price	Price	Price	Price	Price	Price
Lt: 7ft 11in CL-Lt: 1780mm Grip-Lt: 769mm End-Lt: 504mm Wt: 369g Tip: 2.7mm / Butt: 16.1mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 50kg~(Recommended)	Lt: 8ft 3in CL-Lt: 1815mm Grip-Lt: 794mm End-Lt: 504mm Wt: 365g Tip: 2.4mm / Butt: 14.9mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 55kg~(Recommended)	Lt: 7ft 9in CL-Lt: 1740mm Grip-Lt: 769mm End-Lt: 504mm Wt: 362g Tip: 2.5mm / Butt: 14.9mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 55kg~(Recommended)	Lt: 8ft 3in CL-Lt: 1835mm Grip-Lt: 779mm End-Lt: 504mm Wt: 362g Tip: 2.4mm / Butt: 15.6mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 60kg~(Recommended)	Lt: 8ft CL-Lt: 1740mm Grip-Lt: 794mm End-Lt: 504mm Wt: 383g Tip: 2.5mm / Butt: 15.8mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 60kg~(Recommended)	Lt: 8ft 2in CL-Lt: 1785mm Grip-Lt: 794mm End-Lt: 504mm Wt: 397g Tip: 2.6mm / Butt: 16.3mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 65kg~(Recommended)	Lt: 7ft 10in CL-Lt: 1740mm Grip-Lt: 779mm End-Lt: 504mm Wt: 367g Tip: 2.4mm / Butt: 16mm Sec: 2pcs / Grip-Joint SIC Ocean guide(Fuji) Anglers Weight: 65kg~(Recommended)

OceanRidge

GT game series

This unified OceanRidge series comprise of GT rods packed with Ripple Fisher's pride and joy. The lineup which have been designed with the ultimate manual settings are dedicated for the experienced anglers around the world. Although these rods are not for the fainthearted, we are positive that the rods will become a part of you for those skilled enough to recognize their strengths and style of fishing. All six models in the OceanRidge series are especially designed to target large GTs which inhabit the waters in various parts of the world. We have not classified the rods depending on power, but have carefully selected and developed the lineup depending on the unique characteristics of the rods. All blanks in the series have been built with the use of the NANOALLOY® technology™ developed by Toray industries, Inc. and have gone through countless hours of testing in the field. We are proud to present the series for those anglers who seek to master the GT game further and for those who are willing to challenge the limits.

OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GTs. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx. 60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

OceanRidge LC GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability.

OceanRidge Flex GT 77 Nano

This model was developed with the countless requests from international anglers who fish from smaller charter boats. With its short length and hard tip section, anglers will be able to enjoy maneuvering the large mouthed poppers to induce that bite. It goes without saying that the short length rod is also useful when fishing from the central section or stern of the small to medium size boats with the use of various types of lures including poppers/diving poppers, medium to large size pencil poppers and other diving pencils which require a more manual reeling type action. This short length also helps to cast out large lures with the repulsive force of the blank while holding up to massive loads during the fight. To give you an idea of the rod power, it is classed between the Reversal 80 and the Powerfight 711.

OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The Nano blank developed by Toray Industries. Co has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GTs exceeding 50kg simply by loading up the rod and using its repulsive force.

OceanRidge FINAL SPIRIT GT 79 Nano

As you can imagine from the naming of the FINAL SPIRIT series, the two models stand out from the rest of the GT lineup as it possesses outstanding power. While it maintains the controllability of the lures, lightness for handling and sensitivity, the lifting power is vicious. The FINAL SPIRIT GT79 has the stiffest tip section of all our GT rods allowing for easy use and control of large mouthed poppers and more manual maneuvering of diving pencil/popper type lures. With skill and knowledge of various lure maneuvering techniques, anglers will be able to utilize various types of lures depending on the field conditions. The bend curve is smooth with an extremely efficient lifting power.

OceanRidge FINAL SPIRIT GT 80 Nano

This is the most powerful model in Ripple Fisher's lineup. The somewhat lightish tip section will allow anglers to utilize pencil type lures to various shapes of poppers with a more manual feeling. The Nano blank characteristics will be exhibited to the fullest with more body weight of the angler applied to the rod, creating a violently strong lifting capacity. For average size and strength anglers to be able to maximize the rods potential strength, we recommend you practice lifting with the rod on a daily basis to get an in-depth understanding of the rods bend and "sweet spot" with a still weight of 10kg (at a 45 degree angle).


3pcs Pack-Rod for GT

OceanVoyager GTXpedition

GT game series

OceanVoyager GTXpedition 803M

The OceanVoyager GTXpedition designed as a 3 piece rod for easy traveling for exotic fishing expeditions. The new blank is more versatile allowing anglers to utilize various types of lures. The power class has been reduced to an M class from MH for easier handling by average built anglers and to enjoy targeting a more diversified array of species. It is a versatile rod which allows anglers to utilize various types of lures while possessing enough power to surface massive fish. We focused our attention on the development of its smooth bending transition during the cast, control and fighting of the fish. We are proud to announce that this 3 piece structure blank favorably compares with the other GT rods in our lineup.



Rod Detail

Reel seat/ DPS20(Fuji)-Up lock Grip end / BRC

NANOALLOY® technology of TORAY is loaded



®NANOALLOY® is a registered trademark of TORAY

OceanRidge	OceanRidge	OceanRidge	OceanRidge	OceanRidge	OceanRidge	OceanVoyager GTXpedition
Reversal GT 80 Nano	LC GT 82 Nano	Flex GT 77 Nano	PF GT 711 Nano	FINAL SPIRIT GT 79 Nano	FINAL SPIRIT GT 80 Nano	GTX 803M
Lure MAX 170g	Lure MAX 190g	Lure MAX 200g	Lure MAX 210g	Lure MAX 220g	Lure MAX 270g	Lure MAX 160g
Line MAX Pe 8	Line MAX Pe 8	Line MAX Pe 8	Line MAX Pe 10	Line MAX Pe 10	Line MAX Pe 12	Line MAX Pe 6
Price	Price	Price	Price	Price	Price	Price
Lt: 8ft CL-Lt: 1737mm Grip-Lt: 814mm End-Lt: 504mm Wt: 373g	Lt: 8ft 2in CL-Lt: 1796mm Grip-Lt: 814mm End-Lt: 504mm Wt: 378g	Lt: 7ft 7in CL-Lt: 1630mm Grip-Lt: 804mm End-Lt: 504mm Wt: 376g	Lt: 7ft 11in CL-Lt: 1682mm Grip-Lt: 814mm End-Lt: 504mm Wt: 375g	Lt: 7ft 9in CL-Lt: 1685mm Grip-Lt: 789mm End-Lt: 504mm Wt: 384g	Lt: 8ft CL-Lt: 1736mm Grip-Lt: 814mm End-Lt: 504mm Wt: 383g	Lt: 8ft CL-Lt: 1722mm Grip-Lt: 854mm End-Lt: 504mm Wt: 383g
Tip:3.6mm / Butt:16mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3.5mm / Butt:16.9mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3.8mm / Butt:16mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3.6mm / Butt:16mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3mm / Butt:15.9mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3.7mm / Butt:16.5mm Sec: 2pcs / Grip-Joint S/C Ocean guide(Fuji)	Tip:3.3mm / Butt:14.2mm Sec: 3pcs / Spigot Ferrule+Grip-Joint S/C Ocean guide(Fuji)
Anglers Weight: 65kg~(Recommended)	Anglers Weight: 70kg~(Recommended)	Anglers Weight: 65kg~(Recommended)	Anglers Weight: 70kg~(Recommended)	Anglers Weight: 70kg~(Recommended)	Anglers Weight: 70kg~(Recommended)	Anglers Weight: 60kg~(Recommended)

OceanArrow SELFISH

Jigging game series

The blank on this rod is very strong but it doesn't feel stiff. At a certain bend, the flexing force of the rod will 'kick up' the jig. It is also a very sensitive rod transmitting the movement of the current, action from the jig and response from the fish throughout the blank. The rear grip has been extended to cater for various styles of jerking.

Words alone cannot describe the all qualities of this rod. Right from the hookup to landing the fish, the rod bends nicely with lots of lifting power and feels at home in your hands. Ripple Fisher proudly present the "SELFISH" series.

Most remarkable characteristics of SELFISH series is operability with sharpness and lifting power hidden in fine and light stick.

We present you 4 type of standard model, 2 type of shallow model for horizontal jigging and 3 type of specialized model for large kingfish or great amberjack.



OceanArrow SELFISH 622S Nano

This is employed versatility to adjust variety of situation, way of jerk and type of jigs. It transmits many signals and vital information when you jerk on 40~50m vertically or on 30~40m horizontally. You do not have to worry if fish on such as around 7kg of yellowtail kind or around 3kg of amberjack and kingfish.

OceanArrow SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S.

OceanArrow SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellow tail over 10kg, amberjack or kingfish around 7~8kg under control with 614S Nano.

OceanArrow SELFISH 615S Nano

Although you will handle this 615S Nano as same feeling as 622S and 613S, it will cover from shallow to 100m depth of water. Of course it is employed enough power to keep unexpected big target under control. When you fish shallower than 40m depth, you will be required manual control and maneuvering of the jig because of its stiffness.

OceanArrow SELFISH 654S Nano

The two most important factors we sought after in this blank were the outstanding butt power and a sensitive while flexible tip section for that extended feeling of manual operation towards the lure. Through countless trial and error processes, we finally set the length as a 6ft 5inch one piece model. In contrast to the base models of the SELFISH 622 and 615s where anglers could enjoy the maneuvering of the jig, this rod is able to eliminate the unwanted movement of the jig, allowing for a more natural movement. With the use of the Nano material, it has improved the sensitivity and lift speed while maintaining a tenacious bend.

OceanArrow SELFISH 655S Nano

655S which got more power than 654S have been given faster lifting speed while maintaining a tenacious bend. If you are going to aim kingfish or great amberjack over 10kg, this 655S Nano is recommended. This have been designed for horizontal jerking so the action of the jig will be more toned down and is ideal for anglers to maintain the line tension while maneuvering the jig horizontally. Of course you can jerk jig vertically when you try not to move jig too much. The potential of 655S Nano will be derive depend how you fish with it.

OceanArrow SELFISH 597S Nano / Vertical Model

This 597S Nano designed for vertical jigging to aim large size Kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.

OceanArrow SELFISH 5710S Nano / Vertical Model

This is specialized model for jigging vertically in 100~150m depth of the sea. 5710S will let you manipulate various type of jig such as long one or spiral short one. Of course bend well when fish is on as same as 597S. If you use it deeper than 130m depth of water, it will be recommended to fish where the current runs slowly.

OceanArrow SELFISH 607S / Dotera Model

This 607S designed for the horizontal jigging in deeper than 70m to aim kingfish. It will reduce physical burden of angles while giving you comfortable manipulation feelings and you will not lose initiative on fighting. We believe that you will be impressed that you can give the action to metal jig when you jerk horizontally without any stress. We are sure that you will be re-recognized pleasure of jigging with this 607S.



SELFISH	SELFISH	SELFISH	SELFISH	SELFISH Shallow Model	SELFISH Shallow Model	SELFISH Specialized Model	SELFISH Specialized Model	SELFISH Specialized Model
622S Nano Lure/Comfort Wt 80~110g Line Pe 2 Class Price	613S Nano Lure/Comfort Wt 100~140g Line Pe 2.5 Class Price	614S Nano Lure/Comfort Wt 130~170g Line Pe 3 Class Price	615S Nano Lure/Comfort Wt 160~220g Line Pe 4 Class Price	654S Nano Lure/Comfort Wt 70~160g Line Pe 3 Class Price	655S Nano Lure/Comfort Wt 100~180g Line Pe 4 Class Price	597S Nano / Vertical Lure/Comfort Wt 180~240g Line Pe 5 Class Price	5710S Nano / Vertical Lure/Comfort Wt 250~350g Line Pe 6 Class Price	607S / Dotera Lure/Comfort Wt 150~220g Line 50 lb Class Price
Lt: 6ft 2in CL-Lt: 1893mm Glip-Lt: 584mm End-Lt: 479mm Wt: 160g Tip: 9mm / Butt: 7.6mm Sec: 1pc SIC Titanium frame K Guide	Lt: 6ft 1in CL-Lt: 1860mm Glip-Lt: 584mm End-Lt: 479mm Wt: 170g Tip: 2.1mm / Butt: 8.3mm Sec: 1pc SIC Titanium frame K Guide	Lt: 6ft 1in CL-Lt: 1860mm Glip-Lt: 604mm End-Lt: 479mm Wt: 180g Tip: 2.2mm / Butt: 8.7mm Sec: 1pc SIC Titanium frame K Guide	Lt: 6ft 1in CL-Lt: 1860mm Glip-Lt: 604mm End-Lt: 479mm Wt: 195g Tip: 2.2mm / Butt: 9.2mm Sec: 1pc SIC Titanium frame K Guide	Lt: 6ft 5in CL-Lt: 1965mm Glip-Lt: 604mm End-Lt: 479mm Wt: 180g Tip: 2.2mm / Butt: 9.1mm Sec: 1pc SIC Titanium frame K Guide	Lt: 6ft 5in CL-Lt: 1965mm Glip-Lt: 604mm End-Lt: 479mm Wt: 200g Tip: 2.2mm / Butt: 9.8mm Sec: 1pc SIC Titanium frame K Guide	Lt: 5ft 7in CL-Lt: 1756mm Glip-Lt: 699mm End-Lt: 494mm Wt: 250g Tip: 2.8mm / Butt: 9.1mm Sec: 1pc SIC Titanium frame K Guide	Lt: 5ft 11in CL-Lt: 1708mm Glip-Lt: 719mm End-Lt: 494mm Wt: 280g Tip: 3.1mm / Butt: 9mm Sec: 1pc SIC Titanium frame K Guide +SIC Ocean guide	Lt: 6ft CL-Lt: 1835mm Glip-Lt: 684mm End-Lt: 489mm Wt: 232g Tip: 2.2mm / Butt: 10.6mm Sec: 1pc SIC Titanium frame K Guide

Rod Detail

Reel seat / 597S · 5710S-DPS20 Rest of All DPS18(Fuji)-All up lock
Grip end / 597S · 5710S-BRC Rest of All EVA

NANOALLOY® technology of TORAY is loaded



®NANOALLOY® is a registered trademark of TORAY



OceanArrow⁵

Jigging game series

The "5" series are the long sellers of Ripple Fisher's jigging rods. They are models which aim to take advantage when fighting massive fish. The 5210 and 5015 are bait-reel models to especially target supersize fish in exotic locations such as Tokara and Ogasawara. The short length design helps anglers manually maneuver the jig in the deep waters while the torqueful blank will easily take the brunt from supersize Dogtooth Tuna in the deep.

OceanArrow 5210 / Over Head Model
This is the overhead model, designed for vertical jigging in the slow currents. While it is not the mainstream of jigging we designed this rod as a personal desire to fight the huge Kingfish or massive Dogtooth Tuna. This rod is a little more flexible than the Ocean Arrow 5015 and good for areas where the current is slow with average depths.

OceanArrow 5015 / Over Head Model
To go head to head with huge fishes in depths of 120m - 200m, we designed this bait casting jigging model for easy usage on the jigs as well as an easy fight once a hookup is achieved. We have successfully designed this specialized blank and currently testing out a 5ft 2in/PE6 model.

OceanArrow Snapper

Tairubber & Inchiku game series

The OceanArrow Snapper series for light jigging, TaiRubber and the Inchiku game. Although the rods themselves are flexible, they possess a core strength for anglers to overcome their targets while having the sensitivity to sense the slightest changes in current or bites. Our goal was to improve the response of the blanks true potential. These rods are packed with the elements for anglers to enjoy the sensitive and subtle currents when fishing for snapper and rockfish.



OceanArrow 67UL Snapper
The OceanArrow 67UL Snapper has been modified from its original 69UL irregular two piece design to a one piece rod by maintaining its original flexible and resilient nature, while increasing the power in the butt section. By doing so, we were able to maintain its unique characteristics of the whole rod taking on the brunt of the large snappers yet improving the lifting power. The concept for our renewal was to design a true TaiRubber rod with the lifting power and sensitivity that disregards depth or strength of current. This 67UL is a representation of the unique characteristics of Ripple Fisher's rods with its delicate sensitivity while possessing the butt power able to control the overwhelming strength of the fish.

OceanArrow 65L Snapper
The 65L is a model which is able to conduct a smooth retrieval under heavy pressure against the TaiRubber in deep waters and strong currents. The highly sensitive blank will transmit the slightest changes in current pressure and chases from your target through the blank, giving anglers another element to consider when fishing. The blank itself possesses an ideal stiffness and flexibility to efficiently and effectively hookup the fish. To put it into perspective, if the 67UL is a rod with a sensitive tip with a powerful butt section, this 65L is a rod which exhibits its power and sensitivity through the smooth bend of the whole rod. Although the 65L is mainly developed for TaiRubber fishing, it is also equipped with the ideal settings for light jigging and the Inchiku game.

OceanArrow 66ML Snapper
The 66ML has a grip joint structure with an increased butt power compared to the previous two models. It is not only great for your TaiRubber game but an all-rounder rod for the Inchiku game, jigging and even soft plastics game to target the various species you may encounter when fishing from your boat. With its versatility, anglers can make good use of their light line to suit your own style of fishing to target any given species from your boat or even a kayak where you may be limited with the number of rods you can take. We are positive that this rod will be your next best friend for not only local waters but also fishing expeditions where you may have to deal with large snappers, groupers, hair-tail, blue-runners etc.

Rod Detail

Reel Seat / T-DPS22(Fuji)-Down lock
Grip end / BRC



OceanArrow 5210 / Over Head
Lure
JIG MAX 370g
Line
MAX Pe 6
Price

Lt: 5ft 2in
CL-Lt: 1579mm
Grip-Lt: 697mm
End Lt: 430mm
Wt: 295g
Tip:3.1mm / Butt:10.2mm
Sec: 1pc
SIC Ocean guide

OceanArrow 5015 / Over Head
Lure
JIG MAX 400g
Line
MAX Pe 6
Price

Lt: 5ft
CL-Lt: 1535mm
Grip-Lt: 697mm
End Lt: 430mm
Wt: 325g
Tip:3.7mm / Butt:10.2mm
Sec: 1pc
SIC Ocean guide

Rod Detail

Reel Seat/
67UL- 65L TCS16
66ML TCS17(Fuji)-Down lock
Grip end / EVA



OceanArrow Snapper 67UL
Lure
MAX 100g
Line
MAX Pe 1
Price

Lt: 6ft 7in
CL-Lt: 2005mm
Grip-Lt: 581mm
End Lt: 437mm
Wt: 131g
Tip:1.9mm / Butt:7.9mm
Sec: 1pc
SIC Titanium frame K Guide

OceanArrow Snapper 65L
Lure
MAX 120g
Line
MAX Pe 1.2
Price

Lt: 6ft 5in
CL-Lt: 1960mm
Grip-Lt: 581mm
End Lt: 437mm
Wt: 125g
Tip:1.9mm / Butt:7.9mm
Sec: 1pc
SIC Titanium frame K Guide

OceanArrow Snapper 66ML
Lure
MAX 160g
Line
MAX Pe 1.5
Price


Lt: 6ft 6in
CL-Lt: 1475mm
Grip-Lt: 587mm
End Lt: 435mm
Wt: 146g
Tip:1.5mm / Butt:10mm
Sec: 2pcs / Grip-Joint
SIC Titanium frame K Guide

Ripple Fisher · Suitable spinning reel size	
Model	Suitable reel size
RealCrescent 55	S: 1000~2000 / D: 1000~2000
RealCrescent 65	S: 1000~2000 / D: 1000~2000
RealCrescent 75	S: 2000~2500 / D: 2000~2500
RealCrescent 81	S: 2000~2500 / D: 2000~2500
SilverStream 810 Flows Nano	S: 3000~4000 / D: 2500~3000
SilverStream 96 Flows Nano	S: 3000~4000 / D: 3000
SilverStream 103 Flows Nano	S: 3000~4000 / D: 3000
SilverStream 96 Tradition	S: 3000~4000 / D: 2500~3000
SilverStream 87 RED EYE Nano	S: 4000~5000 / D: 3000~3500
SilverStream 97 RED EYE Nano	S: 4000~5000 / D: 3000~3500
Avarice 103M Nano	S: 4000~5000 / D: 3000~3500
Avarice 106MH Nano	S: 4000~5000 / D: 3000~3500
Avarice 110H Nano	S: 4000~6000 / D: 3000~3500
MonsterImpact 101HH Nano	S: 5000~6000 / D: 3500~4000
MonsterImpact 110HH	S: 5000~6000 / D: 3500~4000
RunnerExceed 102M Nano Plug	S: 5000~6000 / D: 3500~4500
RunnerExceed 104H Plug	S: 8000~14000 / D: 4500~6500
RunnerExceed 911MH Nano	S: 6000~8000 / D: 4000~4500
RunnerExceed 103H-Jig&Plug	S: 8000~14000 / D: 4500~6500
RunnerExceed FS 100SXH	S: 14000~20000 / D: 5500~6500
RunnerExceed 100SHH LTD	S: 14000~18000 / D: 5500~6500
BrownTrust 72	S: 3000 / D: 2500
BIG TUNA 85F	S: 8000~14000 / D: 4500~6500
BIG TUNA 87	S: 14000~20000 / D: 6500~7000
BIG TUNA 85	S: 14000~20000 / D: 6500~7000
BIG TUNA 710	S: 14000~20000 / D: 6500~7000
BIG TUNA 76	S: 18000~30000 / D: 6500~8000
BIG TUNA 73	S: 18000~30000 / D: 6500~8000
Aquila 74M	S: 4000~6000 / D: 3500~4000
Aquila 81M	S: 4000~8000 / D: 3500~4500
Aquila 87MH	S: 8000~14000 / D: 4500~5500
Aquila 74MH Nano	S: 8000~14000 / D: 4500~5500
Aquila 82H	S: 8000~14000 / D: 5000~6500
Aquila 78MH Nano	S: 8000~14000 / D: 5000~5500
Aquila 85H Nano	S: 8000~18000 / D: 5000~6500
Aquila 81H Nano	S: 8000~14000 / D: 5000~5500
Aquila 85H+	S: 14000~18000 / D: 5500~6500
Aquila 711HH+	S: 14000~18000 / D: 5500~6500
Ultimo 711ML	S: 10000~14000 / D: 5000~5500
Ultimo 83ML	S: 10000~14000 / D: 5000~5500
Ultimo 79M Nano	S: 10000~14000 / D: 5000~5500
Ultimo 83M Nano	S: 10000~18000 / D: 5000~6500
Ultimo 80MH Nano	S: 10000~18000 / D: 5500~6500
Ultimo 82H Nano	S: 10000~18000 / D: 5500~6500
Ultimo 710H Nano	S: 10000~18000 / D: 5500~6500
OceanRidge Reversal GT80 Nano	S: 10000~18000 / D: 5000~6500
OceanRidge LC GT82 Nano	S: 10000~18000 / D: 5000~6500
OceanRidge Flex GT77 Nano	S: 10000~18000 / D: 5000~6500
OceanRidge PF GT711 Nano	S: 18000 / D: 6500
OceanRidge FINAL SPIRIT GT79 Nano	S: 18000 / D: 6500
OceanRidge FINAL SPIRIT GT80 Nano	S: 18000 / D: 6500
GTXpedition GTX803M	S: 10000~18000 / D: 5000~6500
SELFISH 622S Nano	S: 4000~5000 / D: 3500
SELFISH 613S Nano	S: 5000~6000 / D: 3500~4000
SELFISH 614S Nano	S: 5000~8000 / D: 3500~4500
SELFISH 615S Nano	S: 6000~8000 / D: 4000~4500
SELFISH 654S Nano	S: 8000 / D: 4500
SELFISH 655S Nano	S: 10000 / D: 5000
SELFISH 597S Nano	S: 8000~10000 / D: 4500~5000
SELFISH 5710S Nano	S: 10000~20000 / D: 5000~6500
SELFISH 607S	S: 8000~10000 / D: 4500~5000


※Suitable reel size and weight that are mentioned on this catalog is based on reel which have been used at proto test. It does not mean that only these reels are useable.

BIG TUNA


Static load on rods set at different angles



Static load comparison of BIG TUNA 85F & BIG TUNA 87 (6kg load)
These two models are ideal for situations where your targets are feeding on small Sardines and require you to cast small lures. A still weight of 6kg is loaded onto the rods designed for use with PE6. Although both models are suitable for PE6, the lifting power of the 87 is more superior to the 85F, capable of targeting larger fish.



Static load comparison of BIG TUNA 85 & BIG TUNA 710 (10kg load)
These two models are the core of the series capable of use with various size lures for different bait sizes. The 85 is an extended model of the 710 with a sharper tip section compared to the 87 when casting. Although the long length blank may feel stiffer, the butt section of the 710 is predominantly stronger.




Static load comparison of BIG TUNA 76 and BIG TUNA 73 (10kg load)
These models will assist anglers for situations where large lures are required due to the targets feeding on large baits such as dolphin fish. At a 45° angle, both the 73 and 76 can be seen to have the same power. However, once the rod is lifted even higher, the 76 will start bending closer to the body, reducing the load on the angler. The 73 has a sharp casting feel while able to fight the fish speedily.

※The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.

OceanRidge

Static load comparison of Ocean Ridge series (6kg load)



The Ocean Ridge series have been designed specifically to target GTs. The stiff tip section has enabled use with various lures depending on the skill of the angler. All models have the power to go head to head with monstrous GTs and are capable to cater for different fighting styles. The most powerful rod in the series are the GT80 and 79 which will require some strength and body weight in the angler to bring forth the rods true potential. Please refer to the "recommended body weight" to give you an idea of which rod may suit you.


Type of popper for GT Rods		
Large Face Cup	Medium Face Cup	Small Face Cup
OR FSGT79	Ultimo710H	OR FSGT79
OR FSGT80	Ultimo82H	OR FSGT80
OR PF GT711	Ultimo80MH	OR PF GT711
OR LC GT82	Ultimo79M	Ultimo79M
OR Flex GT77	GTX803M	OR Flex GT77
	OR R GT80	Ultimo711ML
		OR R GT80
		Ultimo83ML
		GTX803M

※These are poppers which has been used as reference
Large Face Cup - HAMMER HEAD / G-cup / J-cup
Medium Face Cup - HAMMER HEAD / D-cup / E-cup - SHAKURE
Small Face Cup - HAMMER HEAD / C-cup / DUEL / BIG BLUE BULL POPPER

※Although, all of these models can handle diving poppers or pencil type lures, please pay attention to the tipping strength of the rod when you pull lures as such as poppers with large face cup forcefully. Especially in the appeal which makes the large splash with it, we recommend you to follow the reference on chart above when you choose proper lure. Otherwise, it may result in damage or breakage of tip section of your rod.

Aquila


Static load comparison of Aquila (3kg load)



※Although there are models in the Aquila series also available for targeting Tuna, the design of the rods differ drastically compared to the Big Tuna series. Anglers are able to high stick the rod for the Big Tuna series to over 60°. This however is not possible in the Aquila series. Hence they have been separated for the Static load comparison.


The Aquila 85H+ and 711HH+ do not differ too much regarding the power, but have totally different characteristics when controlling the lure. The 711HH+ is most suited in seasons where the targets are feeding on sizable baits and require the angler to utilize large lures. We hope you will take into account the field condition, size of your charter boat, fight style, season and size of lure when choosing your rods.

Aquila Series for Boat Casting Characteristic Table			
Basic Type Bonito · Drado · BlueRunner · Tuna		Sensitive Type Cast compactly	
74M	81M	74MH	82H
87MH		Under Hand Casting in constraint space	
		Under & Side Hand Casting on bow and stern	
Monster Type King Fish (over 20kg)		Extreme Type Specialized Model for King Fish and Tuna	
85H+	711HH+	78MH	85H
For Long Casting		For Large Plugs	
		81H	81H




SELFISH OceanArrow 5

Static load comparison of Selfish, Ocean Arrow series (3kg load)




You can see the comparison between the 5 models in the Ocean Arrow, Selfish series with a static load of 3 kg. The 622S, 613S and 614S are the most standard models in the series with 613S being the most versatile rod, able to jerk jigs around 120g in water less than 100m deep while naturally drifting the boat. The 614S and 615S are designed much stiffer and are more suited for vertical jigging with the boat positioned above the point. The belly section of the 654S and 655S are more flexible most suited for jigging on a diagonal angle in shallow areas. More specifically, the 654S is user-friendlier while the 655S being more suited for areas with extreme water movement and larger size fish. In addition, the Ocean Arrow 5 series are specialized short overhead reel rods designed with the tenacity to target the large species lurking in the deep zone.



OceanArrow Series for Jigging Characteristic Table			
Standard Model Higher Versatility		Specialize Model For Limited Situations	
622S	613S	597S	5710S
614S	615S	607S	
		For Vertical Jigging	
		For the horizontal jigging	
Shallow Model for the horizontal jigging		5 Series (Overhead Model) Monster Hunter(around 200m depth)	
654S	655S	5210	5015


Light Model Snapper	Tairubber 67UL	65L	Inchiku · Light Jigging 66ML
------------------------	-------------------	-----	---------------------------------

Here are the comparisons of the Ocean Arrow, Snapper series with a static load of 1kg. The power of the butt sections are basically the same for the 67UL and 65L designed for use with the Tai-rubber. However, you will notice the difference when you start retrieving and once the rod is loaded with a fish. The 67UL is flexible at the tip section with a contrastingly strong butt while the 65L will absorb the impact with the whole rod. The 66ML is a totally different rod compared to the 67UL and the 65L designed for use with Inchiku and light jigging with a unique grip joint section. The following comparative diagram will give you an idea of the difference in power, however it is not indicating that the 67UL and 65L are weak. The designs of the blanks themselves differ between those rods that are designed to fight with a thin line than to rods to aggressively stop the fish.




Ultimo

Static load comparison of Ultimo (6kg load)




The Ultimo series are designed for use with diving pencil/diving popper type lures and some models are also great for use with Tuna and Kingfish. Although ML class have not employed NANOALLOY® technology, it is bent very smoothly to apply good enough pressure on fish continuously. Rest of models are employed NANOALLOY® technology to achieve strong repulsive force to keep applying good amount of pressure with even small amount of input. Differences of potential of each rod make ML is classified as characteristics while on fighting. Yet ML class have less power to pull fish up to surface than other models, it have enough potential for beginner or even for expert because of its lightness to reduce physical burden of anglers. Some models of Ultimo does not suit to popper with large cup face. So please refer to chart table of lures on page 33 for making sure.



OceanArrow Snapper

Static load comparison of Ocean Arrow Snapper series (1kg load)



RippleFisher Color Custom

For new orders of Ripple Fisher rods, we have started to accept custom color orders at an extra cost.

Please download and fill out the necessary information on the "order form" from our homepage and submit to your local dealer when ordering your product. Please refer to the "Custom" page on our website (<http://ripplefisher.com/>) for details and download the "order form".


The custom options are limited to the blank color and the pin-thread color. Please choose the color options below for you custom color.

*Please note that we do not accept custom request to change grip or guide options.

Blanks Color




Thread Color



01. Blank color: The whole blank (1 piece and grip jointed models)



02. Blank color: The whole blank (2 piece and 3 piece models)



03. Blank color: Butt section only (colored in designated area only)



※For customers who order a custom color for the butt section only, it will only be colored in designated sections. Please refer to our homepage for details.

*Custom pin-thread designs will comply with the original product.

If two colors are used in the standard product, a single color will be used for the custom color.

If you order a custom pin-thread color, the whole rod will be customized with the color you ordered.

*Please note that the delivery time for your order will take longer than the standard product.

You will be notified of the general delivery date when you order your product.

After Service & Support

Precautions for use

- Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.
- If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.
- Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.
- If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

About joint section of rod

- The joint section of rod of Ripple Fisher has been adjusted with high precision. If ferrule wax have been put on or connect rods without wiping salt water off, might cause of fixation. Please make sure that fouling or moistures are wiped off when you connect.
- If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.
- If you use the rod while the joint section is still loose, this may cause breakage.
- If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

Maintenance and storage

- Wash rod with running water to rid of any filth and salt. Then wipe off any excess water.
- If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated area as with no high temperature.
- Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Prices and specifications listed on this catalog maybe altered without warning.
- The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

- Please be ware that personally modified rods will not be covered by warranty (even if it is within the warranty period).
- If you are requesting for repair, please send in the whole rod (not just the section of the breakage).

RippleFisher OriginalGoods



Cutting Sticker

• Size 17cm 3 Colors
Blue · Silver · White

Price

• Size 30cm 5 Colors
Blue · Silver · White · Pink · Copper

Price

• Size 60cm 5 Colors
Blue · Silver · White · Pink · Copper

Price

• Size 80cm 2 Colors
White · Blue

Price

Rod Belt

L 345mm (1set 2pcs) Price
S 220mm (1set 2pcs) Price



Embroidery Emblem

L 40x120mm Price
S 22x80mm Price



Self-inflating Life Jacket

BSJ-LRO1R
Price



※The belt can be removed

※Clothes and caps are also in stock, but we do not always stock. We will inform you on our website from time to time as soon as arrival.

Hand Craft
Ripple Fisher

Ripple Co.,LTD (Ripple Fisher)

945 Obaru, Yamaga City, Kumamoto Pref.
861-0543 JAPAN

E-mail : info@ripplefisher.com

Website : <http://ripplefisher.com/>

Ripple Fisher Movies

https://www.youtube.com/user/inforipplefisher?feature=results_main

YouTube



Ripple Fisher facebook

<https://www.facebook.com/Ripple-Fisher-51197240877/?ref=nf>

facebook



※Please take note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our website or facebook news feed or production news.