



Shore Casting / Blackfin-Seabass & BlueRunner & Other


MonsterImpact

The Monster Impact are special class series developed to conquer specific situations where supersize fish are expected. We gave it unique power and characteristics to support anglers who are challenging their limits.

 $101 \rm HH \ \& \ 110 \rm HH$ are the most powerful of our lineup for seabass to go head to head with those monstrous black-fin seabasses. These are not rods for everyone. They have been designed and made with the premise that the angler is not in a favorable position on the rocks. In other words, unfavorable conditions are the norm and the blanks have been designed to overcome the monstrous fish under these conditions. It isn't rear for Blue runners to also come about when targeting these super size Black-fin. It is reassuring when using the Monster Impact for areas with both the blue runners and Black-fins swimming about. Although anglers will be able to cast out your usual Black-fin minnows, they also possesses an overwhelming power compared to you experience and know what they want. For those lunker anglers who know where the Black-fin bite and where the monstrous ones are hiding, these rods will surely become you next best friend.

The 90H spinning model have been released in 2019 is for anglers to target seabass and Red-Eye (Barramundis) with heavy and big-bait lures. By extending the boundaries of the series and pursuing pure power, the world for the Monster Impact series will be greatly widened.





New MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

MonsterImpact 101HH Nano / Spinning Model

Like the 110HH, this rod is also designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft linch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

MonsterImpact 110HH / Spinning Model

This model has been designed with the power to overcome both the blue-runners and the black-fin seabass. It is not simply a harder and stiffer rod, but will bend tenaciously with the sudden run of the Kingfish. It is also ideal for fishing in heavy seas and strong head winds to target the monster class black-fin. Although it is a powerful rod, the tip section has been build with some flexibility for anglers to punch out those smaller lures. The belly to butt section of the rod is a HH class and has the strongest power of the lineup.

MonsterImpact 110HH HIRA / Bait Model

This is the highly responsive bait-casting Hirasuzuki (Black-fin seabass) model with great casting capabilities. This HIRA bait-casting model is composed with light weight grip and guides to improve its balance, casting accuracy, lure and fish controllability, while being delicate and powerful at the same time. We present the holy grail of fishing rods to the hard-core anglers who strive to pursue the bait-casting style for their Hirasuzuki game



Guide / 110HH + 101HH SiC-S Titanium frame K Guide(Fuji) 90H SiC-S Titanium frame K Guide + SiC Titanium frame RV Guide(Fuji) Reel seat / 90H DPS18 / 110HH - 101HH DPS20 110HH Bait model TCS18 Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



Lure 18~70g	MAX 60g	MAX 60g					
Line MAX PE 3	Line MAX PE 3	Line MAX PE 3					
Length: 9ft	Length: 10ft 1in	Length: 11ft					
losed Length: 1410mm	Closed Length: 1585mm	Closed Length: 1735mm					
Weight: 193g	Weight: 270g	Weight: 274g					
Price:	Price:	Price:					

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



MonsterImpact 110HH HIRA / Bait Model

Lure MAX 70g BEST PE 2.5

Length: 11ft Closed Length: 1735mm Weight: 270g Price:







Shore Casting / Blackfin-Seabass

Avarice

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation.

We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots. After long testing in the field, we are finally ready to release in 2020 the new standard blackfin rod, the 110M Nano. Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.





New Avarice 110M Nano

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.

Rod Detail

Guide / SiC-S Titanium frame K Guide(Fuji) Reel seat / 103M • 110M DPS18(Fuji) 106MH • 110H DPS20(Fuji) NANOALLOY® technology of TORAY is loaded.





Avarice 110H / Nano

Lure MAX 60g MAX PE 2.5 Length: 11ft Closed Length: 1730mm Weight: 253g

Price:







SilverStream

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon.3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (barramundi) and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SliverStream lineup. There is no power class in the series, and all have unique characteristics for the different species but there is one thing in common. That is the absolute butt power to deal with the lunker size targets. The SilverStream series are models which will perform to its limits depending on the anglers' needs and usage.

New SilverStream 81 Stiletto

The SivlerStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be you best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures. %For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.

SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed. %For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.



SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notices its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.

SilverStream 87 RED EYE Nano

The 87 Red-Eve is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eyes. but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pul away the monstrous fish off the structures have been finely honed through the use of Nano material in the blank.



SilverStream





Shore Casting / Light-Game

RealCrescent

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods.

We have carefully selected 4 models in the spinning and 3 models for the bait casting tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY ® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines.

RealCrescent RC-65 / Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques.

RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.

RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3-5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.

RealCrescent RC-57 / Bait Model

Despite the stiff characteristics of the blank to exhibit the nature of a bait-casting model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

RealCrescent RC-67 / Bait Model


This is the most basic model for the light game bait casting-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the bait-casting reel by releasing the clutch while using the lift and fall techniques and drifting techniques.


RealCrescent RC-77 / Bait Model

This is the middle class bait-casting model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.


Rod Detail

Guide / Spinning model TZ Titanium frame K Guide(Fuji) Bait casting model TZ Titanium frame K Guide+TZ Titanium frame RV Guide on bottom guide(Fuji) Reel seat / Spinning model VSS16 Bait casting model PMTS17 NANOALLOY® technology of TORAY is loaded.











Here is the bending curve of the RunnerExceed series loaded with a static weight of 3kg. In 2020, the 110H will be added to the lineup. Although it is the same H class rod along with the 104H it is more powerful and anglers will be able to comfortably cash 120g (max 130g) lures whereas the 104H cast weight is 80g (max 120g). If the 104H is a rod to bend and fight the fish, the 110H possesses the power to aggressively surface 15kg class Kingfish, yet having the light feeling similar to the 104H. This 110H can be said to be the new standard of power rods with its outstanding castability, lightness and power fused together. The 103H is a model with a totally different concept, equipped with a powerful butt section ideal for use with both pencil type and popper type lures.




Runner Exceed $FINAL\ STAND\ UP$ Static load comparison of FINAL STAND UP (5kg load)




Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.




Monsterlmpact Static load comparison of MonsterImpact (2kg load)




Here are the bending curves of the 4 MonsterImpact series to target large seabass, Akame, blackfin seabass and blue-runners, loaded with a static weight of 2kg. The 90H released in 2019 is the spinning model for targeting seabass and Akame (Japanese barramundi) with the use of large lures up to 70g. The castability of large lures is especially noteworthy. Furthermore, the powerful blank is one rank above the SilverStream Redeye model and enables angles to go head to head with seabass exceeding 90cm and Akame over 100cm. The power of the 110HH spinning model and bait-caster model is similar with the only difference being the stiffness and bend. Both the 101HH and 110HH have a strong tip section able to cast large bluerunner plugs. Overall, the 110HH both spinning and bait-caster are the stiffest model of the series yet possessing a resilient blank. The 101HH has a similar power but the tip section is a little more flexible and is able to bend in.



%The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.





power, however they have a totally different characteristics with

Power-







RippleFisher Color Custom

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options below for you custom color. *Please note that we do not accept custom request to change grip or guide options.

Blank Color •You can order color customization either whole 01.Metal Smoke blanks (from butt to top guide) or butt section only(range of model logo). Please select color from the chart. If you customize butt section only, rest of blanks of 02, Metal Ice Blue it will be finished in original color. The prices will differ from the standard colors (01~08) to the "Maziora" color (09 and 10). 03.Metal Blue %You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors. % If you choose the 08 (silver color), the logo print will be 04.Metal Emerald Blue black (Custom Charge) 05.Metal Pink Blank Color Custom • 1pc model Full Paint Color: 01~08 10,000Yen Color: 09 • 10 15,000Yen 06.Metal Red %The grip joint model also same price as 1pc model •2pc model Full Paint Color : 01~08 12,000Yen Color:09.10 18,000Yen 07.Metal Orange • 3pc model Full Paint Color : 01~08 13,000Yen Color:09.10 19,000Yen • Only Butt section Paint Color : 01~08 6,000Yen 08.Silver Color:09.10 9,000Yen • Multi Shaft Color:01~07 15,000Yen 09.MAZIORA ANDROMEDA Color:09.10 20,000Yen (Green base) «Silver color orders are not accepted for Multi shaft %Please note that we have been trying to our best but the 10.MAZIORA PLREADES II color of this chart may differ from acutual color. It is also (Blue base) depend on type and setting of your moniter if you check it on web site. Thank you very much for your understanding. Blank Color • About coating range Blank Color • Full paint (1pc model and Grip joint model) Blank Color • Full paint (2pcs&3pcs model) Blank Color • Only Butt section Paint (Please refer to images below about available range) Blank Color • Butt parts paint range for each model Aquila ST/MLT/MS



%The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

Thread Pin-Color

•The "thread pin color custom" designs will comply with the original product's position. %If two colors are used in the standard product, a single color will be used for the custom color

%If you order a "thread pin color custom", the whole rod will be customized with the color you ordered. %The thread color of the multi shaft cannot be changed.

(Custom Charge)

Thread Pin color custom Color: 01~07 2,000Yen Color: 08 (No pin thread) 1,000Yen



Thread Set Color

thread.

changed

(Custom Charge)


Thread set color custom

Delivery date

20th of every month,


order month.)


schedule.



do not have this thread underneath the guides.) *We do not accept requests to change or alter the

color of the pin thread. *The thread color of the multi shaft cannot be





05.Light Blue Set (Main · Light Blue/Sub · Navy)

10.Sky Blue Set (Main · Sky Blue/Sub · Dark Blue)

RF Original T Shirts 2020

R **ippleF** It features a soft touch by using a "semi-combed yarn" that is in the middle between a carded yarn used for general T-shirts and a beautiful glossy high-grade combed yarn. In addition, it has all three major elements: "Does not lose shape", "invisible", "long-lasting".

Material: Cotton 100% Semi-combed yarn 5.6OZ Size : M • L • LL • 3L Color: White • Indigo Blue • Sand Khaki Tropical pink · Black · Bright green



RF Original Dry zip hoodie

riginal

It is a good zip hoodie that dries quickly with a thick brushed back and dry material.

Material: Polyester85% Cotton15% (Rib:Polyester97% Polyurethane3%) 100Z Color:Black • Gray Size:M/L/XL/XXL





RF Mesh cap

Nanowing twil cotton (water repellent fabric) is chosen for front panel and visor. (100% cotton) Mesh fabric is chosen for back side to keep your head cool and comfortable. Visor is little longer to reduce sunlight. You can wear this mesh cap from spring to autumn.

Color: Blue • Army Khaki • Navy Size : Free

Grav&Black / Black logo







Riple Fish

BLG Fisher

HPLE FISHER

Talpha Tom

Navy / White logo

B**l**ack Front design

Blue



White GT

Tropical pink

Tuna

LIKE NO OTHER









Black/ White logo









RF Shell Jacket (ON-YO-NE)

Breathtech from ON-YO-NE which have been bonded 3 layer of fabric (outer fabric / breathable & waterproof film / liner) is chosen for RF Shell Jacket. The waterproof property and windbreak performance will keep you warm, moisture permeability of breathable fabric will supply you comfort.

•Water pressure resistance : Over 294kps (30,000mm) • Moisture permeability: Over 16,000g/m 24H (B-1) Color: Black • Red • Emerald Size: M·L·O (XL) ·XO (XXL)



RF Flat visor cap

Snap back for adjustment is chosen and reverse of visor is standerdized in green. 2 of Ripple Fisher orijinal sticker for visor will comes with each cap.

Material: Acrylic80% · Wool20% Size : Free Color: Gray&Black • Navy • Black

RF Original Dry polo shirts

RippleFisher orijinal polo shirts made of dry fabric. Excellent sweat absorption and fast-drying thanks to material of dry fabric which is 100% polyester. It have also UV protection effect and keep you nice and dry even if you get sweat. We recommend you to layer on under wear

Navy

Size∶M+L+LL+3L Color: Navy+White+Black



RF Embroidery Emblem

Iron ons type 2 kind of round style. 2 colors for each size of Square style.

Round 2 types : Diameter 70mm Square L Size : Navy • Black (40 x 120mm) Square S Size : Navy · Black (22 x 80mm)





Items to be released in 2020

RF Rod belt 345mm (2pcs/Set) 220mm (2pcs/Set)



48



RF Knot tightener (2pcs/Set)

This is RippleFishers original Knot tightener to put the final touches for your line system. The small and large size comes as a set and once you open the cap on the large size, you can stow away the small one inside. Both large and small have a rubber line stopper at the end to secure your line. It not only functions as a knot tightener but

also comes handy as a line breaker in an event of a snag.

Size : L Size Length 174mm • Diameter 25mm S Size Length 147mm • Diameter 21mm

× m

Round type · RunnerExceed/KingFish

IPP

RUNNEREXCEED

FOR

A TRIUMPH &

SHE

0





RF Self-inflating Life Jacket

Neck over type YB-2520RS Color:Black Size:Free

Pouch type BSJ-4320RSE Color:Black Size:Free



Round type · Final Stand Up/GT







RF Cutting sticker

- 17cm 5 Colors Blue · Silver · White
- Illusion · Pearl White
- 30cm 5 Colors Blue · Silver · White · Pink · Copper · Silver
- •60cm 5 Colors Blue Silver White Pink Copper Silver

Rupis

•80cm 2 Colors White • Blue

RF Land based Fishing rod bag

This is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3-4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodles you may went to take on fishing ring. "The night rule is a profolyme and want to take on fishing trips. *The picture is a prototype and may be subject to alterations.

2020 RippleFisher Rod Line-Up Spec Details

Р	Series	Item	Price	JAN CODE	Sec	Reel	Lt	CL-Lt	Wt	Lure	Line	Drag	Guides	Reel	Lock	Joint	Grip	Carbon	Tip	But	t Position	Suitable reel size
	Series	i com		5/11/0002	Joce	neer	[feet/mm]	[mm]	[g]	Edite	Line	Max	Guides	Seat	LUCK	2011	End	(%)	[mn]] [m]	Suitable reel size
6	BIG TUNA	85F JAPAN Special		4580397945147	2	S	8ft 5in	1880	370	$18 \sim 120 g$	Pe 3 ~ 6		SiC-S/Ti/K+OC	DPS20	D	GJ	BRC ※	95.5	25	14 3	867	S:8000~14000 / D:4500~6
6		83 JAPAN Special		4580397948087	2	S	8ft 3in	1785	-	40~150g	Pe 6 ~ 8	15kg / 45°	0C	DPS20	D	GJ	BRC%	93.2	3.3	-	915	S:14000~18000 / D:5500~
6		85 JAPAN Special								40~ 150g	Pe 6 ~ 12								3.7	-	895	
-				4580397945130	2	S	8ft 5in	1850	-	0		15kg / 45°	00	DPS20	D	GJ	BRC%	94.4	-	-	-	S:14000~20000 / D:6500~
6		710 JAPAN Special		4580397945116	2	S	7ft 10in	1672	393	40~160g	Pe 6 ~ 12	15kg / 45°	OC	DPS20	D	GJ	BRC ※	92.9	3.4	-	910	S:14000~20000 / D:6500~
6	BIG TUNA	76 JAPAN Special		4580397945215	2	S	7ft 6in	1575	398	$60 \sim 180 \mathrm{g}$	Pe 8 ~ 12	18kg / 45°	OC	DPS20	D	GJ	Gimbal ※	91.3	3.0	15.3	900	S:18000~30000 / D:6500~
6	BIG TUNA	73 JAPAN Special		4580397945161	2	S	7ft 3in	1515	406	$60 \sim 180 { m g}$	Pe 8 ~ 12	18kg / 45°	OC	DPS20	D	GJ	Gimbal %	91.6	3.6	15.1	915	S:18000~30000 / D:6500-
9	Aquila	ST 78-3		4580397940081	2	S	7ft 8in	1780	224	Com-Wt 30 ~ 50g	MAX Pe 3	5kg / 45°	SiC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S:5000~6000 / D:3500~4
9	Aquila	ST 80-4		4580397940098	2	S	8ft	1782	300	Com-Wt 40 ~ 80g	MAX Pe 4	7kg / 45°	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S:8000 / D:4500
9	Aquila	ST 85-6		4580397945093	2	S	8ft 5in	1925	338	Com-Wt 40 ~ 110g	MAX Pe 6	12kg / 45°	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S:8000~18000 / D:5000~
9	Aquila	MLT 82-2/4		4580397940104	2	S	8ft 2in	1782	341	Com-Wt 30 ~ 70g	Pe 2 ~ 4	7kg / 45°	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S:6000~8000 / D:4000~
a		MLT 82-3/6		4580397940111	2	S	8ft 2in	1785	348	Com-Wt 40 ~ 90g	Pe 3 ~ 6	10kg / 45°		DPS20	D	GJ	BRC	83.2	2.5	-	860	S:8000~14000 / D:4500~
~						-			-						_				-	-	-	S:14000~18000 / D:5500~
9	Aquila	MST 85-7+	_	4580397945048	2	S	8ft 5in	1897	382	Com-Wt 40 ~ 120g	MAX Pe 7	14kg / 45°		DPS20	U	GJ	BRC	95.2	2.8	-	840	
9		MST 711-8+		4580397945055	2	S	7ft 11in	1752	-	Com-Wt 80 ~ 180g	MAX Pe 8	-	SiC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	_	-	840	S:14000~18000 / D:5500~
9	Aquila	EX 79-3		4580397940050	3	S	7ft 9in	847	263	Com-Wt 40 ~ 60g	MAX Pe 3	5kg / 45°	SiC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S:5000~6000 / D:3500~4
9	Aquila	EX 83-6		4580397940074	3	S	8ft 3in	905	353	Com-Wt 60 ~ 120g	MAX Pe 6	10kg / 45°	SiC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S:14000 / D:5500
12	New GTXpedition	81M		4580393948094	3	S	8ft1in	887	380	Max 140g	MAX Pe 6	10kg / 45°	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S:14000 / D:5500
12	New GTXpedition	81MH		4580393948100	3	S	8ft1in	887	386	Max 180g	MAX Pe 8	13kg / 45°	OC	DPS20	U	Spigot+GJ	BRC	93.3	3.9	15.2	920	S:14000~18000 / D:5500~
14	Ultimo	711ML		4580397944027	2	S	7ft 11in	1780	369	MAX 150g	MAX Pe 6	12kg / 45°	OC	DPS20	U	GJ	BRC	96.5	3.0	14.8	860	S:10000~14000 / D:5000~
14		83ML		4580397944058	2	S	8ft 3in	1815		MAX 150g	MAX Pe 6	12kg / 45°	00	DPS20	U	GJ	BRC	95.5	2.6	-	870	S:10000~14000 / D:5000~
-			-		-	_						-							-	-	-	-
14		79M Nano		4580397944041	2	S	7ft 9in	1740		MAX 160g	MAX Pe 7	13kg / 45°	00	DPS20	U	GJ	BRC	99.5	2.8	-	835	S:10000~14000 / D:5000~
14		83M Nano		4580397944065	2	S	8ft 3in	1835	362	MAX 160g	MAX Pe 7	13kg / 45°	OC	DPS20	U	GJ	BRC	99.5	-	-	860	S:10000~18000 / D:5000~
14		80MH Nano		4580397944034	2	S	8ft	1740	383	MAX 170g	MAX Pe 8	14kg / 45°	OC	DPS20	U	GJ	BRC	99.8	2.9	-	870	S:10000~18000 / D:5500~
16	OceanRidge	Reversal GT 80 Nano		4580397944096	2	S	8ft	1737	373	MAX 170g	MAX Pe 8	14kg / 45°	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S:10000~18000 / D:5000~
16	OceanRidge	LC GT 82 Nano		4580397944089	2	S	8ft 2in	1796	378	MAX 190g	MAX Pe 8	14kg / 45°	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S:10000~18000 / D:5000-
16	OceanRidge	PF GT 711 Nano		4580397944102	2	S	7ft 11in	1682	375	MAX 210g	MAX Pe 10	15kg / 45°	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S:18000 / D:6500
16	OceanRidge	FS GT 79 Nano	_	4580397944126	2	S	7ft 9in	1685	384	MAX 220g	MAX Pe 10	- 15kg / 45°	OC	DPS20	U	GJ	BRC	99.3	3.4	15.1	835	S:18000 / D:6500
16		FS GT 80 Nano		4580397944133	2	S	8ft	1736		MAX 270g	MAX Pe 12	17kg / 45°	OC OC	DPS20	U	GJ	BRC	99.2	3.7	-	880	S:18000 / D:6500
10	-				1								SiC-S/Ti/K		_	_			2.0	-	+	-
_		NS 632		4580393948117		S	6ft3in	1910		Com-Wt 80 ~ 130g	MAX Pe 2	3kg / 45°		DPS18	U		EVA	73.5		-	615	S:5000 / D:3500
19		NS 623		4580393948124	1	S	6ft2in	1890		Com-Wt 100 ~ 150g	MAX Pe 3	5kg / 45°	SiC-S/Ti/K	DPS18	U		EVA	89.4	2.2	-	625	S:5000~8000 / D:3500~
19	New SELFISH	NS 614		4580393948131	1	S	6ft1in	1865	174Ж	Com-Wt 120 ~ 180g	MAX Pe 4	7kg / 45°	SiC-S/Ti/K	DPS18	U		EVA	82.7	2.1	9.2	645	S:6000~8000 / D:4000~
19	New SELFISH	SEB 633		4580393948148	1	В	6ft3in	1915	180※	Com-Wt 120 ~ 180g	MAX Pe 3	5kg / 45°	SiC-S/Ti/K	TCS18	D		EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~
19	New SELFISH	SEB 624		4580393948155	1	В	6ft2in	1890	190※	Com-Wt 140 ~ 200g	MAX Pe 4	7kg / 45°	SiC-S/Ti/K	TCS18	D		EVA	94.7	2.4	8.7	680	S:2000 / D:30~35
19	SELFISH	613S Nano		4580397941026	1	S	6ft 1in	1860	170	Com-Wt 100 ~ 140g	Pe 2.5 Class	4kg / 45°	SiC-S/Ti/K	DPS18	U		EVA	92.5	2.4	8.7	615	\$:5000~6000 / D:3500~
19	SELFISH	614S Nano		4580397941033	1	S	6ft 1in	1860	180	Com-Wt 130 ~ 170g	Pe 3 Class	5kg / 45°	SiC-S/Ti/K	DPS18	U		EVA	92.1	2.5	9.2	635	S:5000~8000 / D:3500~
19		597S Nano		4580397941064	1	S	5ft 9in	1756		Com-Wt 180 ~ 240g	Pe 5 Class	8kg / 45°	SiC-S+SiC/Ti/K	DPS20	U		BRC	99.8	3.1	-	735	S:8000~10000 / D:4500~
22					1	-			_			-			D		BRC	83.0	-	-	-	
_		5210 / Bait		4580397941101	1	В	5ft 2in	1579		JIG MAX 370g	MAX Pe 6	12kg / 45°	00	T-DPS22					3.6	-	740	S:4000~5000 / SOM:1
22		5015 / Bait		4580397941118	1	В	5ft	1535	_	JIG MAX 400g	MAX Pe 6	13kg / 45°	00	T-DPS22			BRC	87.4		_	740	S:4000~5000 / SOM:12
22	OceanArrow	67UL Snapper		4580397941125	1	В	6ft 7in	2005	131	MAX 100g	MAX Pe 1		SiC-S/Ti/K	TCS16	D		EVA	89.0	1.8	7.8	640	S:100~200 / D:100~20
22	OceanArrow	65L Snapper		4580397941132	1	В	6ft 5in	1960	125	MAX 120g	MAX Pe 1.2		SiC-S/Ti/K	TCS16	D		EVA	89.8	1.7	8.3	625	S:100~200 / D:100~20
22	OceanArrow	66ML Snapper		4580397941149	2	В	6ft 6in	1475	146	MAX 160g	MAX Pe 1.5		SiC-S/Ti/K	TCS17	D	GJ	EVA	94.7	1.6	9.8	635	S:100~200 / D:100~20
30	RunnerExceed	102M Nano PlugModel		4580397942030	2	S	10ft 2in	1590	290	Plug 20 ~ 70g	Pe 1.5 \sim 3	5kg / 45°	SiC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S:5000~6000 / D:3500~
30	RunnerExceed	104H Nano PlugModel		4580397942047	2	S	10ft 4in	1615	327	Plug 40 ~ 120g	Pe 4 ~ 6	8kg / 45°	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S:8000~14000 / D:4500~
30	New RunnerExceed			4580397948179	2	S	11ft	1720		Plug 40 ~ 130g	Pe 4 ~ 7	9kg / 45°	SiC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	<u> </u>	-	795	S:8000~14000 / D:4500~
30	RunnerExceed	911MH Nano			2	S	9ft 11in			MAX Jig 100g / MAX Plug 80g	MAX Pe 4	6kg / 45°		DPS20	U	Spigot	BRC	99.8	3.0	-	730	S:6000~8000 / D:4000~4
_				4580397942016				1560	306			-	SiC-S/Ti/K+OC							-	-	
30	RunnerExceed	103H		4580397942023	2	S	10ft 3in	1615	327	MAX Jig 130g / MAX Plug 90g	MAX Pe 5	8kg / 45°	SiC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	11.4	765	S:8000~14000 / D:4500~
_		107BH Nano		4580397940012	2	В	10ft 7in	1650	374	50~130g	MAX Pe 6	8kg / 45°	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	S:LD8~10 / D:LD20~3
30	RunnerExceed	105BHH Nano		4580397942054	2	В	10ft 5in	1630	394	MAX 160g	MAX Pe 8	10kg / 45°	OC	T-DPS22	D	Spigot	BRC	99.8	3.1	19.0	835	D:LD30~50 / AV:MCL)
32	RunnerExceed	100SHH LIMITED		4580397948292	2	S	10ft	1579	405	MAX 150g	MAX Pe 8	10kg / 45°	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S:14000~18000 / D:5500~
32	RunnerExceed	FINAL STAND UP 100SXH		4580397942061	2	S	10ft	1570	439	MAX 160g	MAX Pe 10	10kg / 45°	OC	DPS22	D	Spigot	BRC	99.8	3.2	18.0	875	S:14000~20000 / D:5500~
32	RunnerExceed	FINAL STAND UP 105BXH		4580397942078	2	В	10ft 5in	1626	429	MAX 180g	MAX Pe 10	10kg / 45°	OC	T-DPS22	D	Spigot	BRC	99.8	3.2	19.1	830	D:LD30~50 / AV:MCL)
34	New MonsterImpact			4580397948018	2	S		1410		18 ~ 70g	MAX Pe 3		SiC-S/Ti/KX	DPS18	U	Spigot	EVA	99.8	_	-	575	S:4000~5000 / D:3000~4
34		101HH Nano / S	-	4580397942122	2	S		1585		MAX 60g	MAX Pe 3		SiC-S/Ti/K	DPS20	D		BRC	99.8	-	-	660	S:5000~6000 / D:3500~
_																Spigot			_	-		
34		110HH / S		4580397942115	2	S	11ft	1735		MAX 60g	MAX Pe 3		SiC-S/Ti/K	DPS20	D	Put over	BRC	99.7		-	685	S:5000~6000 / D:3500~
34		110HH / B		4580397942139	2	В	11ft	1735		MAX 70g	BEST Pe 2.5		SiC-S/Ti/K	TCS18	D	Put over	BRC	99.7		-	700	S:200~300 / D:1500~20
36		103M Nano		4580397942085	2	S	10ft 3in	1600		MAX 40g	MAX Pe 1.5		SiC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	-	-	620	S:4000~5000 / D:3000~
36	New Avarice	110M Nano		4580397948162	2	S	11ft	1726	213	MAX 40g	MAX Pe 2		SiC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:3000~3
36	Avarice	106MH Nano		4580397942092	2	S	10ft 6in	1640	219	MAX 50g	MAX Pe 2		SiC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.2	16.3	655	S:4000~5000 / D:3000~3
36	Avarice	110H Nano		4580397942108	2	S	11ft	1730	253	MAX 60g	MAX Pe 2.5		SiC-S/Ti/K	DPS20	D	Spigot	EVA	99.8	2.4	16.9	660	S:4000~6000 / D:3000~
38				4580397949992	-	S		1275		7~28g	Pe 0.6~1.2		TZ/Ti/K	DPS17		Spigot	EVA	99.7	-	-	465	S:2500~4000 / D:2500~3
_		810 Flows Nano		4580397942627	2	S	8ft 10in	1400		MAX 32g	MAX Pe 1.5		TZ/Ti/K	DPS18	D	Spigot	EVA	97.1		-	510	S:3000~4000 / D:2500~
_		96 Flows Nano		4580397942634	2	S				MAX 32g	MAX Pe 1.5		TZ/TI/K	DPS18	D	Spigot	EVA	97.0	-	-	555	S:3000~4000 / D:2000 4
_						_	9ft 6in	1490										-	-	-		
_		103 Flows Nano		4580397942641	2	S	10ft 3in	1605		MAX 42g	MAX Pe 1.5		TZ/Ti/K	DPS18	D	Spigot	EVA	96.8	-	-	595	S:3000~4000 / D:300
-		87 RED EYE Nano		4580397942603	2	S	8ft 7in	1350	_	MAX 40g	MAX Pe 2		SiC-S/Ti/K	DPS18	U	Spigot	EVA	99.7		_	555	S:4000~5000 / D:3000~
38	SilverStream	97 RED EYE Nano		4580397942610	2	S	9ft 7in	1505	193	MAX 45g	MAX Pe 2.5		SiC-S/Ti/K	DPS18	U	Spigot	EVA	99.7		-	585	S:4000~5000 / D:3000~
38	SilverStream	106 Northern Nano		4580397940036	2	S	10ft 6in	1640	220	$30 \sim 50 \mathrm{g}$	MAX Pe 1.5		SiC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.3	14.7	695	S:4000~5000 / D:3000~4
38	SilverStream	112 Northern		4580397940029	2	S	11ft 2in	1754	255	30 ~ 60g	MAX Pe 1.5		SiC-S/Ti/K	DPS20	D	Put over	EVA	97.8	2.4	14.7	725	S:4000~5000 / D:3000~
10		RC-55 / S		4580397948216	2	S	5ft 5in	853	54	JH 0.2 ~ 3g	Pe 0.2~0.4 / FC • NY ~3lb		TZ/Ti/K	VSS16	U	Put over	EVA	91.1	<u> </u>	-	290	S:1000~2000 / D:1000~
10		RC-65 / S		4580397948223	2	S	6ft 5in	1004	61	JH 0.3 ~ 6g / Plug 1.8 ~ 4.5g	Pe 0.2~0.4 / FC · NY ~3lb		TZ/Ti/K	VSS16	U	Put over	EVA	91.6	1.4	_	335	S:1000~2000 / D:1000~
-						_													-	-	-	
10		RC-75 / S		4580397948230	2	S	7ft 5in	1157	79	Rig 2 ~ 14g / Plug 2.5 ~ 11g	Pe 0.3 ~ 0.8		TZ/Ti/K	VSS16	U	Put over	EVA	99.8	_	_	385	S:2000~2500 / D:2000~
10		RC-81 / S		4580397948247	2	S	8ft 1in	1265		$2 \sim 17 g$	Pe 0.4 ~ 0.8		TZ/Ti/K	VSS16	U	Put over	EVA	97.4	-	-	395	S:2000~2500 / D:2000~
0	RealCrescent	RC-57 / B		4580397948254	2	В	5ft 7in	876	69	$0.5 \sim 5g$	$\rm Pe~0.2\sim0.5$		TZ/Ti/K※	PMTS17	D	Put over	EVA	91.6	1.3	6.9	325	Bait reel for finess
0	RealCrescent	RC-67 / B		4580397948261	2	В	6ft 7in	1025	78	0.8~8g	Pe 0.3 ~ 0.6		TZ/Ti/K※	PMTS17	D	Put over	EVA	91.7	1.3	8.3	390	Bait reel for fines:
_		RC-77 / B		4580397948278		В		1190		2~15g	Pe 0.4 ~ 0.8		TZ/Ti/K※	PMTS17		Put over	EVA	99.6	_	-	415	For finesse and small bai
8	New RF Multi Shaft			4580397948032	2		2640mm						Screw : W1/2			T type%			-	-	5 485	
_					<u> </u>														_	-		
-	New RF Multi Shaft			4580397948049	-		3900mm						Screw : W1/2			T type%			_	-	5 485	
<u>8</u>	New RF Multi Shaft			4580397948056	1		1360mm		217※				Screw : W1/2							-		-
-		(E., AO MI TOO O/I)		4580397949978	-																	
-	New UnderCast Handle	e (For AQ IVIL182-2/4)		1000001010010				_							_		_				1	

Details of notation Reel/S=Spinning B=Overhead reel Lure/Com-Wt=Comfort Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) Lock nut/U=Up lock D=Down lock Joint/Spigot=Spigot Ferrule Put over = Put over = Put over = Nt over Ferrule 1&H=Grip Joint T-Type=Telescopic Type Grip end/ BRC=Rubber material Cap EVA=EVA resin material Cap Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/ Position(mm) stand for the length from end of grip to point that is measured for Butt(mm) %"SiC-S ring" is up dated model of SiC guide. Some of RippleFisher products are currently on switching from SiC guide to SiC-S ring guide.

Depend on products, there SiC models and SiC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other type of guide ring.



Precautions for use

Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your

If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.

Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.

If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

About joint section of rod

The joint section of rod of Ripple Fisher has been adjusted with high precision. If ferrule wax have been put on or connect rods without wiping salt water off, might cause of fixation. Please make sure that fouling or moistures are wiped off when you connect.

If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.

If you use the rod while the joint section is still loose, this may cause breakage.If the joint section is stuck together, use a rubber sheet for added

grip while twisting away from each other.

Maintenance and storage

Wash rod with running water to rid of any filth and salt. Then wipe off any excess water.

If you store your root without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high temperature.

Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference

Prices and specifications listed on this catalog maybe altered without warning.

The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

Please be ware that personally modified rods will not be covered by warranty (even if it is within the warranty period).
 If you are requesting for repair, please send in the whole rod (not just the section of the breakage).



Ripple Co., LTD (Ripple Fisher) 945 Obaru, Yamaga City, Kumamoto Pref. 861-0543 JAPAN

E-mail : info@ripplefisher.com

https://ripplefisher.com/



%Please note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our English website (Staff blog), facebook news feed or production news.