









#### **Boat Casting / Tuna**

## (¬ IUNA

In Japan, we have a variety of species of Tuna, including the bluefin tuna, yellowfin tuna, dogtooth etc. Each species inhabit different seas with different current conditions, water temperature, baits and sizes. Furthermore, the size of these species tend to be growing and with the evolution of our fishing tackle and the improvement of the anglers capabilities, super large size (200kg class) tuna have started being caught. In order to adapt to the ever changing conditions and situations, we have started the reconstruction of the BIG-TUNA series.

To begin with, we have added the 83 to the series in 2020 as the successor for the long hit in past years. Tuna rods are the largest and most powerful series of rods and thus require the most intricate carbon sheet patterns and techniques in order to create the blanks. We need to continue evolving and improving our techniques to keep up with the most up to date fishing techniques and style. Please stand by and look forward to future developments in the BIG-TUNA series.

#### BIG TUNA 85F JAPAN Special / Light Class

This 85F will allow anglers to cast out small lures with great distance with the use of lines between PE3~6 and lures ranging from 18g  $\sim$  120g. It is a tenacious and bendy rod so it is less likely for anglers to break the rod when high sticking. Use of general light tuna rods result in a long and grueling fight as angles are worried about rod breakage or line breakages, however, this 85F is not a light tackle rod. It is a new generation of tuna rods which exceed the line and knot breakage specifications. Although it possesses the power to overcome Tuna exceeding 50kg, this tolerant rod will also be ideal for casting for targets such as Yellow-tails and Kingfish in your local waters.

#### New BIG TUNA 83 JAPAN Special / Middle Class

This model was developed with "lure control" and "fight" as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG-TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

#### BIG TUNA 85 JAPAN Special / Heavy Class

Remarkable characteristic of this model is sharpness without wobble when you cast. Comfortability for casting lure 50g to 100g and more without any stress and enough power are loaded on this 85. This can be recommended for blue fin tuna over 50kg on field as such as Tappi Aomori while taking advantage of sharpest feeling in this series. This is the power model that is well balanced while maintaining excellent casting feel.

#### BIG TUNA 710 JAPAN Special / Heavy Class

In contrast to the 87, this rod is sharp when casting while possessing the tenacity and added lifting power. Although it is possible for anglers to high stick this rod to conserve energy, the lifting power will allow anglers to take initiative of the fight before it ends up becoming a long drawn-out battle. You could say that this rod will only show its true evolutionary characteristics to experienced anglers

#### **BIG TUNA 76 JAPAN Special / Power Class**


This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

#### **BIG TUNA 73 JAPAN Special / Power Class**

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi-mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna



#### **BIG TUNA**











#### **BIG TUNA Series | About power categories**

In some areas, the size of what was once said to be large size fish has grown from 100kg to 200kg and the 200kg to 300kg, requiring added models catered for these larger fish. With the ever changing size of tuna and fishing conditions, it has become difficult to chose the most suited rod. So as of 2020 models, we have set the power category as follows in order for a more comprehensive understanding. The 85, 710, 73, 76 are all in the same line max category however the 73 and 76 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from the 85 and 710.

Power Category	Model	Line	Lure
Light Class / PE6 recommended	85F	PE3~6	18~120g
Middle Class / PE8 recommended	83	PE6~8	40~150g
Heavy Class / PE10 recommended	85	PE6~12	40~160g
rieavy class / FLIO recommended	710	PE6~12	40~160g
Power Class / PE12 recommended	73	PE8~12	60~180g
Power Class / PE12 recommended	76	PE8~12	60~180g

Based on the above power category, rods shipped after 2020 will be categorized as follows.

#### About Pin-thread color

The pin-thread color will be changed according to power category (as of 2020 shipment). The light class 85F will have silver, the middle class 83 will have blue, the heavy class 85 and 710 will have red and the power class 73 and 76 will have champagne gold color pin threads.



#### About Butt spacer

In addition, the name of the models will be imprinted in the butt spacer for easier identification for those anglers who take numerous models on a boat.







Boat Casting / King Fish & Yellow Tail & Tuna

Aquila

We have various models to the Aquila series, which have already been popular for the boat casting game.

In recent years, the Kingfish and tuna games have become more subdivided. In our lineup are 9 models. We have categorized them into four different series, ST, MLT, MST and EX. The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets.

The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX models have newly been introduced to the series, which are 3 piece pack rods for anglers traveling around the world.

The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish.

We don't simply make rods with "power", we make rods with "strength".

8



#### Aquila ST

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 3 power classes of PE #3, #4 and #6 to cater for various species and situations.

#### Aguila ST 78-3

The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

#### Aguila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kinqfish.

#### Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet.

Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting. (Previous name:85H)

#### Aquila MLT –

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

\*The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)

#### ■Aquila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small — super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

#### Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.



#### Aquila MST -

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingies. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7-8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight.

The + symbol next to the power class indicates that the power and tenacity has been added to the usual power class.

#### Aguila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna. (Previous name: Aquila 85H+)

#### Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers. (Previous name: Aduila 711HH+)



#### Aquila EX

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding you luggage. Through countless trial and error, the Aquila EX series have now come shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

#### Aquila EX 79-3


The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

#### Aguila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world



#### Aquila



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

ed Length: 1925mm

Weight: 338g

Price:

Closed Length: 1782mm

Weight: 341g

Price:

Closed Length: 1785mm

Weight: 348g

Price:

Closed Length: 1897mn

Price:

Weight: 382g

Closed Length: 1752mm

Weight: 369g

Price:

Closed Length: 847mm

Weight: 263g

Price:

Closed Length: 1782mm

Weight: 300g

Price:

Closed Length: 1780mn

Weight: 224g

Price:

11

Closed Length: 905mm

Weight: 353g

Price:





2020 New Model

OceanVoyager

# GTXpedition

Ripplefisher's 3 piece pack rod, "GTXpedition" model has been reborn. When considering recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size.

By reviewing the bending of the new GTX pedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod. We hope you can first handedly experience the ever improving technology at Ripplefisher.

#### **New GTX**pedition 81M

This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod. Anglers Weight : 55kg $\sim$ 



#### **New GTXpedition 81MH**

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. in contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod. Anglers Weight : 65kg  $\sim$ 



**Rod Detail** 

Guide / SiC Ocean Guide(Fuji) Reel seat / DPS20(Fuji)

MAX PE 6 Drag Max 10kg/45° Length: 8ft 1in Closed Length: 887mm Weight: 386g

MAX PE 8

Drag Max 13kg/45°


Price:

Length: 8ft 1in Closed Length: 887mm Weight: 380g Price:


Although the GTX series were developed as a 3 piece model for fishing trips overseas, they are also ideal for not only domestic GT, but also the casting game for Kingfish. The difference from the PE6 class Aquila EX is the sharp stiffness during the casting, whereas the Aquila EX is more suited for technical small maneuvers of the lure. In addition, the stiffness and strength of the regular tapered GTX series have made it easy to perform long jerks of the lure at a consistent pace.



The 3-piece model of GTX and Aquila EX comes with a set of rile 3-piece induce of 31x and Addia 2x Comes with a set o exclusive rod backs for buffy (Synthetic leather). With a moderate thickness and durable construction, it protects the rod from shocks during expedition.









#### **Boat Casting / GT & Kingfish**

# Ultimo

The Ultimo Series are the core of Ripple Fisher's GT rods.

The series are able to handle a variety of lures from pencil type to popping type lures while having a light, yet very responsive blank for anglers to cast throughout the day.

Although the rod may seem simple with its easy castability and controllability, the butt power is outstanding and we have set an ideal loading point for anglers to be able to maintain their balance with a heavy load. The Ultimo series are a fusion of modern GT fishing combined with Ripple Fisher's long experience in rod building.



#### Ultimo 711ML

This is a lighter model ideal for anglers with a smaller build and female anglers who have never experienced our Ultimo series. It is also ideal for anglers targeting large Kingfish and Tuna up to 50kg with the use of lures around 100g. We believe that you will feel the sharpness, lightness and overall controllability of the rod once you fish with it. Anglers will be able to cast throughout the day stress free and apply high pressure on the fish with little effort during the fight.

#### Anglers Weight: 50kg~(Recommendation)

#### Ultimo 83ML

This rod is ideal for targeting not only GT, but also monstrous Kingfish and Tuna up to 50 kg from the bow of medium to large size charter boats. It is a well balanced rod with great casting distance, controllability and lightness. Even beginners and less masculine anglers will be able to cast a mile with lures exceeding 150g by loading up the rod and using its repulsive force. The unique characteristics of the ML class rods use the bend of the whole rod when casting and fighting of the fish. Therefore, it is not suited for the application of the NANOALLOY® technology. Furthermore, the 83ML is the most flexible rod in the Ultimo series and can be classed as a rod between the BIG TUNA series and the Ultimo. Anglers will require the least amount of strength when fighting the fish, as the rod exceeds its line class potential. Anglers Weight : 55kg~(Recommendation)

#### Ultimo 79M Nano

The 79M Nano is a powerful and maneuverable short length rod. With its short length, it is ideal for anglers who prefer to fish from the stern or middle section of small, medium and large charter boats using the bend of the blank to your advantage. It's a perfect rod for experienced smaller built or female anglers. Although the butt section is a M class rod, the tip section is stiffer allowing anglers to have better command of their casting and control of their lures.

#### Anglers Weight : 55kg~(Recommendation)

#### Ultimo 83M Nano


This is a well-balanced rod to easily cast and handle from high footing in medium to large boats. This model basically enables any angler to easily cast and maximize its potential in unstable deck conditions. The flexible, yet sharp casting feel is unique to the Ultimo series. The sharpness and  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ strength was realized by constructing the blank with the Nano material. The bending point gradually transfers towards the angler allowing for use in not only GT fishing but also great to target monstrous Kingfish and Tuna. Anglers Weight: 60kg~(Recommendation)

#### Ultimo 80MH Nano

80MH is an almighty model with a combination of long length and power. It is a versatile rod able to utilize in any given boat or field with the use of pencil type lures to medium mouth poppers. However, with the somewhat stronger rod settings, the angler needs to be well built or strong. With strength and experience, this rod will respond to the anglers powerful lifting and fight giving you that advantage required for monstrous fish. It is a best matched rod for the GT game which require long casting in shallow waters where anglers are required to take initiative. Anglers Weight : 60kg~(Recommendation)

**Rod Detail** 

Guide / SiC Ocean Guide(Fuji)
Reel seat / DPS20(Fuji)
Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



Ultimo 711ML

MAX 150g MAX PE 6 Drag Max 12kg/45°

Length: 7ft 11in Closed Length: 1780mn Weight: 369g Price A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

Ultimo 83ML

MAX 150g MAX PE 6 Drag Max 12kg/45°

Length: 8ft 3in sed Length: 1815mm Weight: 365g Price

Ultimo 79M Nano

MAX 160g MAX PE 7 13kg/45° Length: 7ft 9in Closed Length: 1740mm Weight: 366g

Price

Length: 8ft 3in Closed Length: 1835mm Weight: 362g Price

Ultimo Ultimo 83M Nano 80MH Nano

MAX 160g MAX PE 7 Drag Max 13kg/45°

MAX PE 8 Drag Max 14kg/45°


Price

MAX 170g

Length: 8ft Closed Length: 1740mm Weight: 383g












Drag Max 15kg/45° Length: 7ft 9in Weight: 384g GT 80 Nano MAX 270g MAX PE 12 Drag Max 17kg/45°

Length: 8ft Closed Length: 1736mm Weight: 385g Price:









# OceanRidge

This unified OceanRidge series comprise of GT rods packed with Ripple Fisher's pride and joy. The lineup which have been designed with the ultimate manual settings are dedicated for the experienced anglers around the world. Although these rods are not for the fainthearted, we are positive that the rods will become a part of you for those skilled enough to recognize their strengths and style of fishing. All 5 models in the OceanRidge series are especially designed to target large GT which inhabit the waters in various parts of the world. We have not classified the rods depending on power, but have carefully selected and developed the lineup depending on the unique characteristics of the rods. All blanks in the series have been built with the use of the NANOALLOY® technology" developed by Toray industries, Inc. and have gone through countless hours of testing in the field. We are proud to present the series for those anglers who seek to master the GT game further and for those who are willing to challenge the limits.

#### OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx. 60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

#### Anglers Weight : 65kg~(Recommendation)

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability. Anglers Weight:  $70 kg \sim (Recommendation)$ 

#### OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY  ${\it \$}$ technology" developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force. Anglers Weight: 70kg~(Recommendation)

#### OceanRidge FINAL SPIRIT GT 79 Nano

As you can imagine from the naming of the FINAL SPIRIT series, the two models standout from the rest of the GT lineup as it possesses outstanding power. While it maintains the controllability of the lures, lightness for handling and sensitivity, the lifting power is vicious. The FINAL SPIRIT GT79 has the stiffest tip section of all our GT rods allowing for easy use and control of large mouthed poppers and more manual maneuvering of diving pencil/popper type lures. With skill and knowledge of various lure maneuvering techniques, anglers will be able to utilize various types of lures depending on the field conditions. The bend curve is smooth with an extremely efficient lifting power.Anglers Weight: 70kg~(Recommendation)

#### OceanRidge FINAL SPIRIT GT 80 Nano

This is the most powerful model in Ripple Fisher's lineup. The somewhat lightish tip section will allow anglers to utilize pencil type lures to various shapes of poppers with a more manual feeling. The Nano blank characteristics will be exhibited to the fullest with more body weight of the angles applied to the rod, creating a violently strong lifting capacity. For average size and strength anglers to be able to maximize the rods potential strength, we recommend you practice lifting with the rod on a daily basis to get an in-depth understanding of the rods bend and "sweet spot" with a still weight of 10kg (at a 45 degree angle). Anglers Weight :75kg~(Recommendation)

GT 82 Nano

MAX 190g

MAX PE 8

Drag Max 14kg/45°

Length: 8ft 2in

Weight: 378g

MAX 210g

MAX PE 10

Drag Max 15kg/45°

Length: 7ft 11in

Weight: 375g

GT 80 Nano

MAX 170g

MAX PE 8

Drag Max 14kg/45°

Length: 8ft

Weight: 373g







Jigging / BlueRunner

2020 New Model +

OceanArrow


SELFISH

Ripplefisher's jigging rod series, the "SELFISH" will be renewed as of 2020. There will be 3 spinning models and 2 bait-casting models, each developed with their own new concepts. The already existing 613S, 614S and 597S models are for the vertical jigging game and the 3 new models will specialize in a natural swimming (NS) diagonal jigging. The 2 new bait models are categorized as sensitive bait (SEB) models.

These added models are developed to keep up with the demands from the ever changing jigging scene. To slide the jig, swim the jig, naturally maneuver the jig to induce that "bite". All models have the inherited the characteristics of the SELFISH series with the slim, light and sharp feeling able to cut through the current, yet possessing a contradicting powerful butt section.

The NS (natural swim) type NS632, NS623, NS614 are designed to enable anglers to delicately adjust the line tension, perform particular rod action required for swimming type jigs with the tip, belly and butt section to "remain" in order to eliminate any unintentional "flicking" of the jig. These 3 models are ideal for anglers to directly transmit the natural action to the jig which leads to the bite.

The sensitive bait (SEB) models of SEB633 and SEB624 are versatile rods built with slim blanks designed to easily switch the tempo and pitch of the technical jig action. The evolution of the renewed SELFISH series has just begun. In order to answer the needs of the jiggers around the world who have their sights on the next stage, we are currently working on numerous models. Please stand by and keep your eye out for future developments of the SELFISH series.





A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

#### **New SELFISH NS 632**

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed  $sensitivity\ will\ transmit\ the\ signal\ for\ the\ bite\ and\ allow\ the\ angler\ to\ efficiently\ control\ the\ jig.$ Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

#### New SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

#### New SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.



#### SELFISH Category overview

#### 2020 New Model

**Natural Swim** 

20



For the new SELFISH series, we are assembling a lineup of categories for varying situations. In 2020, the NS and SEB will be released and the SE and EX categories are scheduled for release after 2021. We are tirelessly testing these products in the field to cater for the current jigging scene.









These are highly responsive bait models able to easily maneuv jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the bait tackle set up.

#### **New SELFISH SEB 633**

The standard model of the SELFISH Bait series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for bait reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in nigh-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

#### **New SELFISH SEB 624**

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.





This is a model able to easily control the jigs and quickly switch your jerking patterns from high pitch, one pitch, short to long jerks mainly from boats which are controlled for vertical jigging. It & Specialized Special section and special spec

#### SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S Nano.

#### SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellowtail over  $10 \, \mathrm{kg}$ , amberjack or kingfish around  $7\sim\!8\mathrm{kg}$  under control with 614S Nano.

#### SELFISH 597S Nano

This 597S Nano designed for vertical jigging to aim large size kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.



7kg/45°

Length: 6ft 2in Weight: 190g (Prototype **Price:** 

4kg/45°

Length: 6ft 1in Weight: 170g

Price:

5kg/45°

Length: 6ft 1in Weight: 180g

Price:

Price: A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

5kg/45°

Length: 6ft 2in Weight: 159g (Prototype

7kg/45°

Length: 6ft 1in Weight: 174g (Prototyp

5kg/45°

Length: 6ft 3in Weight: 180g (Prototy

Price:

3kg/45°

Length: 6ft 3in

Price:

21

8kg/45°

Length: 5ft 9in Weight: 250g **Price:** 



OceanArrow "5"

The "5" series are the long sellers of Ripple Fisher's jigging rods. They are models which aim to take advantage when fighting massive fish. The 5210 and 5015 are over head models to especially target supersize fish. The short length design helps anglers manually maneuver the jig in the deep waters while the torqueful blank will easily take the brunt from supersize Dogtooth Tuna in the deep.

#### OceanArrow 5210 / Bait Model

This is the over head model, designed for vertical jigging in the slow currents. While it is not the mainstream of jigging we designed this rod as a personal desire to fight the huge kingfish or massive Dogtooth Tuna. This rod is a little more flexible than the Ocean Arrow 5015 and good for areas where the current is slow with average depths.

#### OceanArrow 5015 / Bait Model

To go head to head with huge fishes in depths of 120m-200m, we designed this bait casting jigging model for easy usage on the jigs as well as an easy fight once a hookup is achieved. We have successfully designed this specialized blank and currently testing out a 5ft 2in/PE6 model.



#### **Light-Jigging / Snapper & Grouper**

# Snapper

The OceanArrow Snapper series for light jigging, TaiRubber and the Inchiku game. Although the rods themselves are flexible, they possesses a core strength for anglers to overcome their targets while having the sensitivity to sense the slightest changes in current or bites. Our goal was to improve the response of the blanks true potential. These rods are packed with the elements for anglers to enjoy the sensitive and subtle currents when fishing for snapper and rockfish.

#### OceanArrow 67UL Snapper

The concept of the 67UL is to possess absolute sensitivity capable of transmitting vital information through the blank despite depth nor current while being able to lift the sizable fish. The flexible tip section will easily bend in once there is a bite, yet having a distinct core in the blank to aggressively set the hook. Equipped with both delicate sensitivity and a powerful butt section capable of lifting and controlling the fish, this 67UL is true to Ripple Fisher's spirit of rod making. We would like for many anglers to take hold and experience this rod first handedly.

#### OceanArrow 65L Snapper

The 65L is a model which is able to conduct a smooth retrieval under heavy pressure against the TaiRubber in deep waters and strong currents. The highly sensitive blank will transmit the slightest changes in current pressure and chases from your target through the blank, giving anglers another element to consider when fishing. The blank itself possesses an ideal stiffness and flexibility to efficiently and effectively hookup the fish. To put it into perspective, if the 67 UL is a rod with a sensitive tip with a powerful butt section, this 65L is a rod which exhibits its power and sensitivity through the smooth bend of the whole rod. Although the 65L is mainly developed for TaiRubber fishing, it is also equipped with the ideal settings for light jigging and the Inchiku game.

#### OceanArrow 66ML Snapper

The 66ML has a grip joint structure with an increased butt power compared to the previous two models. It is not only great for your TaiRubber game but an all-rounder rod for the Inchiku game, jigging and even soft plastics game to target the various species you may encounter when fishing from your boat. With its versatility, anglers can make good use of their light line to suit your own style of fishing to target any given species from your boat or even a kayak where you may be limited with the number of rods you can take. We are positive that this rod will be your next best friend for not only local waters but also fishing expeditions where you may have to deal with large snappers, groupers, hair-tail, blue-runners etc.



**Rod Detail** 

MAX PE 6

12kg/45°

Length: 5ft 2in Closed Length: 1579mn Weight: 295g

Price:

MAX PE 6

13kg/45°


Length: 5ft

Price:


ed Length: 1535n Weight: 325g



**Rod Detail** 




#### **BIG TUNA** Static load on rods set at different angles




#### Static load comparison of BIG TUNA 85F & BIG TUNA 83 (6kg load)

Although, BIG TUNA 83 that have been set as middle class is recommended for PE8, if you are in situation that you have to cast light and small lure when your target is feeding on small sardines PE6 will be recommended to get more distance. A still weight of 6kg is loaded onto 85F and 83 supposing that you fish with PE6. Both models have moderate flexibility on belly section so even though those got length, you can maintain your position while



#### Static load comparison of BIG TUNA 85 & BIG TUNA 710 (10kg load)

These two models are the core of the series capable of use with various size lures for different bait sizes. The 85 is an extended model of the 710 with a sharper tip section when casting. Although the long length blank may feel stiffer, the butt section of the 710 is predominantly stronger.




Static load comparison of BIG TUNA 76 and BIG TUNA 73 (10kg load)

These models will assist anglers for situations where large lures are required due to the targets feeding on large baits such as dolphin fish. At a 45° angle, both the 73 and 76 can be seen to have the same power. However, once the rod is lifted even higher, the 76 will start bending closer to the body, reducing the load on the angler. The 73 has a sharp casting feel while able to fight the fish speedily.

\*The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference

#### Aquila (3kg load)



Characteristics of each models from Aquila series are very unique and specialized. So, you are required to adjust your style of fighting depend on models. MST have enough power and stiffness to stop fish that run aggressively. Although you may not hold with high angle like BIG TUNA series


you can keep yourself lower position to load your weight on rod.

MLT can be held with higher angle and bend well to provide you fish-friendly fight while applying pressure continuously.


#### Here are the comparisons of the Aquila series with a static load of 3kg. Aquila series have been categorized ST, MLT, MST and EX. ST which have versatility and well balanced, MLT which is loaded flexibility on tip and strength on butt, MST which is

employed massive power to keep huge kingfish under control and EX which is multi piece rod for Aquila series. MLT have been built with specialized design to hunt big one with lighter line than notation on specification. Utilizing its flexible and sensitive tip section, you can cast wider range of weight of lure comfortably.


Once fish is on, MLT series bend very well smoothly like seamless and parry an attack of monstrous blue runner and it can be held with higher angle than other models. It is designed to apply good amount of pressure on fish continuously. EX series have been achieved smoothness on bending curve like a seamless. Sharpness, lightness and well-balance that are hidden in blanks of EX series will make you forget that those are




#### GTX pedition Static load comparison of GTX (6kg load)



Here are the bending curves of the 3 piece model "GT expedition" with a static load of 6kg. As a comparison, we have also included the bending curve of the Aquila EX83-6 and Ultimo83M. Both the GTX81M and the Aquila EX83-6 are specified as PE 6 line class and have similar rod power, but as you can see in the illustration, the blank of the GTX81M is stiffer. It is therefore more suitable for use with poppers. If you are more interested in the light GT game using diving pencils, you might want to consider the Aquila EX83-6. The power of the GTX81MH and the Ultimo 83M seem to be similar in the illustration, but the GTX81MH is stiffer and sharper and once the rod is lifted higher, the GTX81MH is more powerful. The characteristics of the GTX series can be summerized as having a sharp casting feel while othly bending in once the rod is loaded with the fish.



#### **Vitimo DecanRidge** Static load comparison of Ultimo & Ocean Ridge (6kg load)



Here are the bending curves of the Ultimo series and the Oceanridge series for GT with a static load of 6kg. The Ultimo series are designed for use with diving pencils and diving poppers and depending on the model, it is also great for targeting Tuna and Kingfish. In contrast, the Oceanridge series are designed for use with large mouthed poppers and have a considerably harder feeling compared to the Ultimo series. All models are built to fight 50kg class GT, and although there is no power classification, anglers can choose between different models depending on the style and characteristics of the rods Anglers who choose the purchase the Oceanridge series will require physical power and weight so please take into consideration the suggested body weight noted on each model.

#### Type of popper for GT Rods




\*\*These are poppers which has been used as reference Large Face Cup·HAMMMER HEAD / G-cup:I-cup Medium Face Cup·HAMMMER HEAD / D-cup:E-cup:SHAKURE

Small Face Cup · HAMMMER HEAD / C-cup DUEL / BIG BLUE BULL POPPER


Although, all of these models can handle diving poppers or pencil type lures, \*\*Autrough, an or these models can handle diving poppers or pencil type lures, please pay alention to the tipping strength of the rod when you pull lures as such as poppers with large face cup forcefully. Especially in the appeal which makes the large splash with it, we recommend you to follow the reference on chart above when you choose proper lure. Otherwise, it may result in damage or breakage of tip section of your rod.

#### SELFISH Occan Awrow

Static load comparison of Selfish, Ocean Arrow series (3kg load)




#### Ocean Arrow Snapper Static load comparison of Ocean Arrow Snapper series (1kg load)



Here are the bending curves of the Selfish and OceanArrow 5 series with a static weight of 3kg. The Selfish NS series are designed especially for swimming type actions of the jigs with a flexible tip to eliminate any unnecessary jumping of the jig. As you can see in the illustration, the tip and belly section are designed to bend in with a relatively strong butt section.


The Selfish SEB bait models are versatile rods not only able to technically

control the action of the jig with the stiffer tip section but also able to swim the jig with the belly section depending on the angle of the rod. The basic model can perform a range of jerking patterns vertically from high-pitch short jerking to one-pitch jerking, but once the line goes diagonally, you will start to lose tension on the line. The blanks of the OceanArrow5 series are very resilient and are ideal to go head to head with Amberjacks and Dogtoothtuna.





Here are the comparisons of the Ocean Arrow, Snapper series with a static load of 1kg. The power of the butt sections are basically the same for the 67UL and 65L designed for use with the Tai-rubber. However, you will notice the difference when you start retrieving and once the rod is loaded with a fish. The 67UL is flexible at the tip section with a contrastingly strong butt while the 65L will absorb the impact with the whole rod. The 66ML is a totally different rod compared to the 67UL and the 65L designed for use with Inchiku and light jigging with a unique grip joint section. The following comparative diagram will give you an idea of the difference in power, however it is not indicating that the 67UL and 65L are weak. The designs of the blanks themselves differ between those rods that are designed to fight with a thin line than to rods to aggressively stop the fish.



25



# **Runner** Exceed 2020 New Model RunnerExceed 110H Nano PlugModel RF Multi Shaft M & L

For Rock Shore / Landing Shaft

**New Products** 

RF Multi Shaft

 $M/2_{pcs}$  L/3<sub>pcs</sub>

The Multi Shaft is not only able to attach a landing net on the end, but also able to secure a large gaff at the end to help anglers land that dream fish. It is tough, light and able to protract when you are fishing from high ground.

The light yet strong shaft is built up of carbon blank able to accurately gaff the fish from uneven footing. While you are able to protract the shaft when needed, you can still use it while it is stowed with the gaff still attached to the end. This will help anglers when walking along the rocks.

Furthermore, the top cap and end cap can be removed for maintenance purposes after heavy usage. The rope attachment also comes standard for anglers who wish to use it as a fling-gaff. You can also purchase an "extension shaft" and screw it on to farther extend the shaft when required.





You can detach the top cap and end cap section from the shaft to clean the insides to avoid any corrosion. Please make sure to clean and dry in the shade after usage. (If you lose or break the top or end cap, please make an order from our parts list.)

A screw in cap is attached to the tip of the shaft, and can be fixed to the main body by attaching a gaff.













Multi Shaft "M" 2pcs

Expanded length 2640mm Closed Length 1435mm

Weight: 612g
Tip diameter: 25mm
(Measured top of metal part)
Butt diameter: 30.5mm

Extension

Shaft

1360mm

Price:

Top Cap

Multi Shaft
"L" 3pcs

Expanded length 3900mm Closed Length 1435mm

Tip diameter: 22mm
(Measured top of metal part)
Butt diameter: 30.5mm
(Measured top of end rubber pa

Price:

#### Precautions when using

When using the landing shaft, the protracting shafts joint section may sometimes get stuck and difficult to stow away. We have designed and treated the joint section so it will detach easily. Place the bottom end on the ground and push down to retract. Do not slam the bottom end on hard rocky surfaces as it will cause breakages.

#### **Metal fittings Detail**

Bracket specifications Screw standard: W1/2 Bracket part: Stainless SUS 316L (Excluding the rope a attachment ring)





**Shore Casting / BlueRunner** 

# RunnerExceed

The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to "catch" your dream fish in the harshest environments.

Recently, the number of anglers targeting 20kg class kingfish have increased and are seeking not only the power in a rod, but also the least amount of strain on the angler. No matter how strong a rod may be, if the angler does not have the power to bend it, s/he will be in the disadvantage when fighting off the rocks. Through the long and grueling testing, we are proud to announce the release of the 110H PlugModel in 2020.

You can bend the rod and lift, stop the thrashing fish with its power, or technically fight the fish with the use of the long-leader system utilizing the bait-tackle setup. Each and every angler will have their own style but there is one thing in common and that is the "strength" the RunnerExceed series have. We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controlability, resilience and strength of the series when most needed during the fight.



#### RunnerExceed 102M Nano PlugModel

This is the lighter plugging model the of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencil and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg. The Nano blank will allow for a speedy and efficient fight using the repulsive force of the rod.

#### RunnerExceed 104H Nano PlugModel

This land-based blue-runner rod was built with the purpose of practicality and power. The flexibility was the most important aspect for the development of the rod. While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section, allowing for anglers to lift the rod higher to withstand the final thrust of the fish in close range.

#### New RunnerExceed 110H Nano PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Firstly, it eliminates any handling error of the lure in rough seas. Secondly, it will improve the hookup rate as the flexible tip section will follow through the bite. Finally, the flexible tip will allow for a wider range of lure selection and easier control of the lures by the angler. The blank is designed to support the balance of the angler during high pressure battles against large fish off the rocks by adequately bending in while possessing ample resilience in the butt section to lift the fish. The power of the butt section will help anglers when landing the fish by guiding the fish through rock formations and tide pools. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from  $10\sim15$ kg in shallow waters.

#### RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift  $3\sim4kg$  fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next right arm.

#### RunnerExceed 103H


This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action.

#### New RunnerExceed 107BH Nano / Bait Model

The blank itself is extremely flexible and tenacious yet possessing a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long-leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller 3kg~6kg fish, yet possessing underling power for those monstrous fish.

#### RunnerExceed 105BHH Nano / Bait Model

This is for anglers go after the massive size (10~20kg) blue-runners (Tuna, Kingfish, Amberjacks and GT) as its main target from land base with the use of an overhead reel (bait-reel). Its casting feel is stress free and anglers will be able to achieve amazing casting distance. (During the testing period, our tester landed GT up to 40kg from the pier) In comparison to the 105BXH, the bending point is closer towards the butt, allowing a more stable fight in uneven footing off the rocks, giving that much needed advantage to the angler. With the use of the Nano material, the response is great with the rod transmitting vital information through the rod. The guides have also been set ideally for smooth extraction of large line systems using SS assist lines. The forward grip has also been shaped especially for anglers to utilize the unique hand-drag system for overhead reels.



RunnerExceed 102M/Nano Plug Model Plug 20~70g

PE 1.5~3 5kg/45° Length: 10ft 2in Closed Length: 1590mi Weight: 290g

Price:

RunnerExceed 104H/Nano Plug Model

Plug 40~120g PE 4~6 8kg/45° Length: 10ft 4in Closed Length: 1615mm

Plug 40~130g PE 4~7 9kg/45° Length: 11ft Closed Length: 1720m Weight: 327g Weight: 341g

110H / Nano

Plug Model

Price:

RunnerExceed RunnerExceed 911MH/Nano

> MAX Jig 100g MAX Plug 80g MAX PE 4 6kg/45° Length: 9ft 11in Closed Length: 1560m Weight: 306g

Price:

103H MAX Jig 130g MAX Plug 90g

MAX PE 5 8kg/45° Length: 10ft 3in Closed Length: 1615mr Weight: 327g Price:

RunnerExceed

RunnerExceed 107BH / Nano

50~130g MAX PE 6

8kg/45° Length: 10ft 7in Closed Length: 1650mn Weight: 374g Price:

RunnerExceed 105BHH/Nano

MAX 160g MAX PE 8 Drag Max 10kg/45° Length: 10ft 5in Closed Length: 1630mn Weight: 394g

Price:





Shore Casting / GT & Monster Class of BlueRunner

RunnerExceed

# FINAL STAND UP

For anglers who like the challenge of fishing from rocks or piers, this is the perfect rod when going after monsters such as GT, Dogtooth tuna, Amberjacks, Kingfish etc. Proper balance is essential and fishes often take advantage to bust your line should you fail to maintain tension on the line. This rod is good qualities of balance, bending and taper to maintain the lifting position.

Both models of spinning and overhead are breakthroughs in blank design with superior characteristics.

#### RunnerExceed FINAL STAND UP 100SXH

We created this rod for beginners but is will also satisfy the experts due to its ability of casting large lures ranging from 80gm – 150gm. With careful guide settings, it can handle long leaders. A carefully placed grip ensures a nice bend when loaded.

#### RunnerExceed FINAL STAND UP 105BXH / Bait Model

This is a bait casting rod created especially for the hardcore anglers who have mastered the art of casting and fighting at the highest level. This rod consistently delivers accurate and stress free casting, handling an array of lures from pencil type to poppers and fighting fishes over 40kg and yet having enough power in its blank for more.

To our dear customers,
Big game fishing from shores is a high risk activity. Avoid fishing alone and always adopt a safety
first attitude. The fish that you hook up may be beyond your capabilities. As the fish is literally
fighting for its life, bear in mind actidents can happened and always use the best fishing
equipment and never overestimate you own strength and abilities.



# SHH Limited

#### RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. Compared to the Final Standup SXH, this 100SHH/LIMITED is milder on the anglers' body, bending more near the butt section for a more H class feeling of a rod. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land-based GT rod.



#### RunnerExceed FINAL STAND UP 100SXH

**Rod Detail** 

MAX 160g MAX PE 10

Drag Max 10kg/45° Length: 10ft

Closed Length: 1570mm Weight: 439g Price:

#### FINAL STAND UP 105BXH

MAX 180g MAX PE 10

Drag Max 10kg/45° Length: 10ft 5in Closed Length: 1626mm Weight: 429g Price:

#### RunnerExceed 100SHH LIMITED

MAX 150g MAX PE 8 Drag Max 10kg/45°

Length: 10ft Closed Length: 1579mm Weight: 405g Price:







Shore Casting / Blackfin-Seabass & BlueRunner & Other


# MonsterImpact

The Monster Impact are special class series developed to conquer specific situations where supersize fish are expected. We gave it unique power and characteristics to support anglers who are challenging their limits.

101HH & 110HH are the most powerful of our lineup for seabass to go head to head with those monstrous black-fin seabasses. These are not rods for everyone. They have been designed and made with the premise that the angler is not in a favorable position on the rocks. In other words, unfavorable conditions are the norm and the blanks have been designed to overcome the monstrous fish under these conditions. It isn't rear for Blue runners to also come about when targeting these super size Black-fin. It is reassuring when using the Monster Impact for areas with both the blue runners and Black-fins swimming about. Although anglers will be able to cast out your usual Black-fin minnows, they also possesses an overwhelming power compared to you experience and know what they want. For those lunker anglers who know where the Black-fin bite and where the monstrous ones are hiding, these rods will surely become you next best friend.

The 90H spinning model have been released in 2019 is for anglers to target seabass and Red-Eye (Barramundis) with heavy and big-bait lures. By extending the boundaries of the series and pursuing pure power, the world for the Monster Impact series will be greatly widened.





#### New MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

#### MonsterImpact 101HH Nano / Spinning Model

Like the 110HH, this rod is also designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft linch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

#### MonsterImpact 110HH / Spinning Model

This model has been designed with the power to overcome both the blue-runners and the black-fin seabass. It is not simply a harder and stiffer rod, but will bend tenaciously with the sudden run of the Kingfish. It is also ideal for fishing in heavy seas and strong head winds to target the monster class black-fin. Although it is a powerful rod, the tip section has been build with some flexibility for anglers to punch out those smaller lures. The belly to butt section of the rod is a HH class and has the strongest power of the lineup.

#### MonsterImpact 110HH HIRA / Bait Model

This is the highly responsive bait-casting Hirasuzuki (Black-fin seabass) model with great casting capabilities. This HIRA bait-casting model is composed with light weight grip and guides to improve its balance, casting accuracy, lure and fish controllability, while being delicate and powerful at the same time. We present the holy grail of fishing rods to the hard-core anglers who strive to pursue the bait-casting style for their Hirasuzuki game.









**Shore Casting / Blackfin-Seabass** 

### Avarice

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given

We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots. After long testing in the field, we are finally ready to release in 2020 the new standard blackfin rod, the 110M Nano. Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.





110M Namo Length 11' Luru-Max 40g Line: Max PE 2

#### **New Avarice 110M Nano**

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a  $highly \, sensitive \, characteristics \, required \, to \, transmit \, the \, short \, bite \, of \, the \, blank fin \, seabass, \, while \, the \, blank fin \, seabass, \, while \, the \, blank fin \, seabass, \, blank fin$ flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

#### Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

#### Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.

# **Rod Detail** Guide / SiC-S Titanium frame K Guide(Fuji) Reel seat / 103M•110M DPS18(Fuji) 106MH•110H DPS20(Fuji) NANOALLOY® technology of TORAY is loaded.



MAX 50g

MAX PE 2

Length: 10ft 6in

Closed Length: 1640mm Weight: 219g

Price:



MAX 60g

MAX PE 2.5

Length: 11ft Closed Length: 1730mm Weight: 253g

Price:

Avarice



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

MAX 40g

MAX PE 2

Length: 11ft

Weight: 213g

Price:

**Avarice** 

103M/Nano

MAX 40g

MAX PE 1.5

Length: 10ft 3in

Weight: 198g





# SilverStream

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon.3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (barramundi) and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SliverStream lineup. There is no power class in the series, and all have unique characteristics for the different species but there is one thing in common. That is the absolute butt power to deal with the lunker size targets. The SilverStream series are models which will perform to its limits depending on the anglers' needs and usage.

#### **New SilverStream 81 Stiletto**

The SivlerStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be you best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

#### SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend incely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures. \*\*For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.

#### SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed. \*For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.





#### SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

#### SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notices its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

#### SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.

#### SilverStream 87 RED EYE Nano

The 87 Red-Eye is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

#### SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eyes, but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pull away the monstrous fish off the structures have been finely honed through the use of Nano



SilverStream
81
Stiletto
Lure
7~28g
Line
PE 0.6~1.2
Length: 8ft 1in
Closed Length: 1275mm
Weight: 126g
Price:

106
Northern / Nano
Lure
30~50g
Line
MAX PE 1.5

Line
MAX PE 1.5

Length: 10ft 6in
closed Length: 1640mm
Weight: 220g

30~60g
Line
MAX PE 1.5
Length: 11ft 2in
Closed Length: 1754mm
Weight: 255g

810
Flows/Nano
Lure
MAX 32g
Line

MAX 32g
Line
MAX PE 1.5
Length: 8ft 10in
Closed Length: 1400mm
Weight: 160g

96
Flows/Nano
Lure
MAX 38g
MAX 42g
Line
MAX PE 1.5

MAX PE 1.5

Length: 9ft 6in

losed Length: 1490m

Weight: 166g

MAX 42g
Line
MAX PE 1.5
Length: 10ft 3in
Closed Length: 1605mm
Weight: 196g

Price:

87
RED EYE/Nano
Lure
MAX 40g
Line
MAX PE 2

Length: 8ft 7in Closed Length: 1350m Weight: 158g **Price:**  97
RED EYE / Nano
Lure
MAX 45g
Line
MAX PE 2.5
Length: 9ft 7in

sed Length: 1505mm

Weight: 193g

Price:





**Shore Casting / Light-Game** 

# RealCrescent

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods.

We have carefully selected 4 models in the spinning and 3 models for the bait casting tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



#### RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple Jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY ® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines.

#### RealCrescent RC-65 / Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques.

#### RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.

#### RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.

#### RealCrescent RC-57 / Bait Model


Despite the stiff characteristics of the blank to exhibit the nature of a bait-casting model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

#### RealCrescent RC-67 / Bait Model


This is the most basic model for the light game bait casting-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the bait-casting reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

#### RealCrescent RC-77 / Bait Model

This is the middle class bait-casting model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.




#### Runner Exceed Static load comparison of Runner Exceed (3kg load)




Here is the bending curve of the RunnerExceed series loaded with a static weight of 3kg. In 2020, the 110H will be added to the lineup. Although it is the same H class rod along with the 104H, it is more powerful and anglers will be able to comfortably cast 120g (max 130g) lures whereas the 104H cast weight is 80g (max 120g). If the 104H is a rod to bend and fight the fish, the 110H possesses the power to aggressively surface 15kg class Kingfish, yet having the light feeling similar to the 104H. This 110H can be said to be the new standard of power rods with its outstanding castability, lightness and power fused together. The 103H is a model with a totally different concept, equipped

with a powerful butt section ideal for use with both pencil type and popper type lures.



#### **Runner** Exceed

#### FINAL STAND UP Static load comparison of FINAL STAND UP (5kg load)




Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.




#### Monsterlmoact

#### Static load comparison of MonsterImpact (2kg load)




Here are the bending curves of the 4 MonsterImpact series to target large seabass, Akame, blackfin seabass and blue-runners, loaded with a static weight of 2kg. The 90H released in 2019 is the spinning model for targeting seabass and Akame (Japanese barramundi) with the use of large lures up to 70g. The castability of large lures is especially noteworthy. Furthermore, the powerful blank is one rank above the SilverStream Redeye model and enables angles to go head to head with seabass exceeding 90cm and Akame over 100cm. The power of the 110HH spinning model and bait-caster model is similar with the only difference being the stiffness and bend. Both the 101HH and 110HH have a strong tip section able to cast large bluerunner plugs. Overall, the 110HH both spinning and bait-caster are the stiffest model of the series yet possessing a resilient blank. The 101HH has a similar power but the tip section is a little more flexible and is able to bend in.




\*\*The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.


#### Static load comparison of Avarice (2kg load)




Here are the bending curves of the Avarice series designed for blackfin seabass, loaded with a static weight of 2kg. As a reference, we have also included the MonsterImpact 101HH. The 110M to be released in 2020 is the long length power up version of the 103M. If you consider the 106MH and the 110H as having sharp casting for pinpoint shooting and being power models, you can say that the 110M is more flexible yet possessing the sharpness. The 103M is the most flexible and bendy of the series ideal for fishing around flat rocks. The  $106 \mbox{MH}$  is your standard blackfin model, with an extremely strong butt. The 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the 110H and the MonsterImpact 101HH, the butt power of the 110H is evidently stronger but the tip section is delicate for use with smaller minnows.



#### Silver Stream Static load comparison of Silver Stream (1kg load)




Here are bending curves of the SilverStream series loaded with a static weight of 1kg. The 81 Stilleto released in 2019 is a high speed model to hookup the shortest bites through the super sensitive and super resilient characteristics built up with all 40t carbon. The 2 models of the Northern series are stiff rods built to cast heavy weight jigs and jig minnows, yet possessing sufficient flex to hookup the sea trout. The 3 models of the Flows series are all built to target seabass. The 810 is a regular to fast tapered highly sensitive model. The 96 is a stiff model suited for long range casting and the 103 is the long length model also able to target Flounders. The Redeye is a power model, designed to target both the seabass and Akame (Japanese barramundi) with a resilient and bendy characteristics. For your reference, we have also displayed the highly powerful MonsterImpact 90H suited for use with big lures. To cast with the Redeye, you can load the blank with the weight of the lure, whereas for the MI90H. you can cast by increasing you swing speed and utilizing the blanks stiffness/power.




#### RealCrescent


#### Static load comparison of RealCrescent (250g load)



On the left, you can see a comparative diagram of the bend curve of the Real Crescent series with a static load of 250g. The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with flexibility of the whole rod. As for the bait-casting models, the RC-57 is designed for use with singular body jig-heads and the RC-67 is ideal for both the jig-head and small lures. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream game. In the diagram, you may notice that the RC-81 and RC-77 have a similar bending curve and power, however they have a totally different characteristics with the 77 being much stiffer while the 81 being more flexible.



43



#### RippleFisher Color Custom

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options below for you custom color.

\*Please note that we do not accept custom request to change grip or guide options.

01.Metal Smoke

02.Metal Ice Blue

04.Metal Emerald Blue

03.Metal Blue

05.Metal Pink

06.Metal Red

08.Silver

07.Metal Orange

09.MAZIORA ANDROMEDA

10.MAZIORA PLREADES II

(Green base)

(Blue base)

#### Blank Color

You can order color customization either whole blanks (from butt to top guide) or butt section only(range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08) to the "Maziora" color (09 and 10).

\*You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors. \*If you choose the 08 (silver color), the logo print will be

#### (Custom Charge)

#### Blank Color Custom

•1pc model Full Paint Color: 01~08 10,000Yen Color: 09 • 10 15,000Yen

\*The grip joint model also same price as 1pc model •2pc model Full Paint Color : 01~08 12,000Yen

Color: 09 • 10 18,000Yen • 3pc model Full Paint Color : 01~08 13,000Yen

Color: 09 • 10 19,000Yen •Only Butt section Paint Color : 01~08 6,000Yen

Color: 09 • 10 9.000Yen • Multi Shaft Color: 01~07 15,000Yen

Color: 09 • 10 20,000Yen \*Silver color orders are not accepted for Multi shaft

%Please note that we have been trying to our best but the color of this chart may differ from acutual color. It is also depend on type and setting of your moniter if you check it on web site. Thank you very much for your understanding.


#### Blank Color · About coating range

●Blank Color • Full paint (1pc model and Grip joint model)

●Blank Color • Full paint (2pcs&3pcs model)

●Blank Color • Only Butt section Paint (Please refer to images below about available range )

#### Blank Color • Butt parts paint range for each model



\*The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

#### Thread Pin-Color

●The "thread pin color custom" designs will comply with the original product's position. If two colors are used in the standard product, a single color will be used for the custom color.

\*If you order a "thread pin color custom", the whole rod will be customized with the color you ordered. \*\*The thread color of the multi shaft cannot be changed.

#### (Custom Charge)

Thread Pin color custom Color: 01~07 2,000Yen

Color: 08 (No pin thread)

#### How to order for color customization

Select models

Change color of blanks or not

Select color and range (If unnecessary please go next)

Select color of thread (If unnecessary please make an order)

Select color of "Pin" or "Set" thread Make an order to retail shop or officail agent

01.Silver 02.Champagne Gold 03.Metallic Red 04.Metallic Copper 05.Metallic Pink 06.Metallic Blue 07.Metallic Gray 08.Black

#### Thread Set Color

#### Thread/01.Red Set Custom as an example \*Main color · Red/Sub color · Black

Thread for decorations will be main color

Under thread applied model

Logo print part

#### \*No under thread applied model, main color (Red on 01) comes on top.

For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

\*Depending on the model of the rod, the color of the thread presented on top will differ if there is a under

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

\*We do not accept requests to change or alter the color of the pin thread.

With regards to your custom order delivery date, it will take roughly 5 - 8 months depending on our production (As a rule of thumb, we will set an order closing day on the

so it's about 5-8 months for delivery date from the

Changes and cancellation of custom order Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.

\*The thread color of the multi shaft cannot be changed.

(Custom Charge) Thread set color custom Color: 01~10 5,000Yen

Delivery date

20th of every month.


order month.)

01.Red Set (Main · Red/Sub · Black)



02.Pink Set (Main · Pink/Sub · Black)





03.Gold Set (Main · Gold/Sub · Black)



04.Blue Set (Main · Blue/Sub · Black)




05.Light Blue Set (Main · Light Blue/Sub · Navv)




06.Purple Set (Main · Purple/Sub · Black)



07.Emerald Set (Main · Emerald/Sub · Black)



08.Lime Set (Main · Lime/Sub · Black)



09.Light Gray Set (Main · Light Gray/Sub · Dark Gray)



47

10.Sky Blue Set (Main · Sky Blue/Sub · Dark Blue)

and Khaki

# **3**. iginal 7 P

Š

#### RF Original T Shirts 2020

It features a soft touch by using a "semi-combed yarn" that is in the middle between a carded yarn used for general T-shirts and a beautiful glossy high-grade combed yarn. In addition, it has all three major elements: "Does not lose shape", "invisible", "long-lasting".

Material: Cotton 100% Semi-combed yarn 5.6OZ Size:M·L·LL·3L Color: White • Indigo Blue • Sand Khaki Tropical pink • Black • Bright green

RF Original Dry zip hoodie

Material: Polyester85% Cotton15% (Rib:Polyester97% Polyurethane3%)

10OZ Size: M/L/XL/XXL


























#### RF Shell Jacket (ON-YO-NE)

Breathtech from ON-YO-NE which have been bonded 3 layer of fabric (outer fabric / breathable & waterproof film / liner) is chosen for RF Shell Jacket. The waterproof property and windbreak performance will keep you warm.

moisture permeability of breathable fabric will supply you comfort.

Water pressure resistance: Over 294kps (30.000mm) Moisture permeability: Over 16,000g/m 24H (B-1) Color: Black • Red • Emerald

Size: M·I·O (XI) ·XO (XXI)



Nanowing twil cotton (water repellent fabric) is chosen for front panel and visor. (100% cotton)
Mesh fabric is chosen for back side to

keep your head cool and comfortable. Visor is little longer to reduce sunlight. You can wear this mesh cap from spring to

Color: Blue • Army Khaki • Navy Size: Free













#### RF Flat visor cap

Snap back for adjustment is chosen and reverse of visor is standerdized in green. 2 of Ripple Fisher orijinal sticker for visor will comes with each cap.

Material: Acrylic80% • Wool20% Color: Gray&Black · Navy · Black

#### RF Original Dry polo shirts


RippleFisher orijinal polo shirts made of dry fabric. Excellent sweat absorption and fast-drying thanks to material of dry fabric which is 100% polyester. It have also UV protection effect and keep

you nice and dry even if you get sweat. We recommend you to layer on under

Size: M • L • LL • 3L Color: Navy • White • Black











#### RF Self-inflating Life Jacket Neck over type YB-2520RS

Size:Free

Pouch type BSJ-4320RSE Color Black Size:Free

#### RF Knot tightener (2pcs/Set)

This is RippleFishers original Knot tightener to put the final touches for your line system. The small and large size comes as a set and once you open the cap on the large size, you can stow away the small one inside. Both large and small have a rubber line stopper at the end to secure your line.
It not only functions as a knot tightener but

also comes handy as a line breaker in an

Size: L Size Length 174mm • Diameter 25mm S Size Length 147mm • Diameter 21mm





Iron ons type 2 kind of round style.2 colors for each size of Square style.

Round 2 types: Diameter 70mm Square L Size: Navy • Black (40 x 120mm) Square S Size: Navy • Black (22 x 80mm)





#### Ruple Fisher Square type Rille Fisher Riple Fine Black

#### 17cm Riple Tisher Ciple Fisher Highles Ham Riple Fisher






#### RF Cutting sticker

•17cm 5 Colors Blue • Silver • White Illusion · Pearl White

•30cm 5 Colors Blue • Silver • White • Pink • Copper • Silver •60cm 5 Colors Blue • Silver • White • Pink • Copper • Silver

•80cm 2 Colors White • Blue





Items to be released in 2020 RF Land based Fishing rod bag This is an ideal rod bag to store your rods when going on Ihis is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3-4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips. "The picture is a prototype and may be subject to alterations.

#### 2020 RippleFisher Rod Line-Up Spec Details

30 RunnerExceed 911MH Nano 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45 SiC-S/Ti 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 90g MAX Pe 5 8kg / 45 SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397940012 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45 SiC-S/Ti 30 RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 5in 1630 394 MAX 160g MAX Pe 8 10kg / 45 OC 30 RunnerExceed 100SHH LIMITED 4580397942054 2 B 10ft 5in 1630 394 MAX 150g MAX Pe 8 10kg / 45 OC 30 RunnerExceed 100SHH LIMITED 4580397942051 2 S 10ft 1579 405 MAX 150g MAX Pe 8 10kg / 45 OC 30 RunnerExceed FINAL STAND UP 105SHH 4580397942061 2 S 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 30 RunnerExceed FINAL STAND UP 105SHH 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 30 RunnerExceed FINAL STAND UP 105SHH 4580397942078 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/Ti
New Bild TUNA
BIG TUNA  85 MPAN Social  458097945130  2 S 8tt 5in 3850 424  40 - 160g  Pe 6 - 12 13g/45  Other  61 TUNA  71 JO JAMAN Social  458097945151  2 S 7t 110n 1672  933 40 - 160g  Pe 6 - 12 13g/45  Other  61 TUNA  71 JO JAMAN Social  458097945151  2 S 7t 110n 1672  933 40 - 160g  Pe 6 - 12 13g/45  Other  61 TUNA  71 JAMAN Social  458097945151  2 S 7t 110n 1575  930 60 - 180g  Pe 6 - 12 13g/45  Other  61 TUNA  71 JAMAN Social  458097945015  2 S 7th 10n 1575  930 60 - 180g  Pe 6 - 12 13g/45  Other  61 TUNA  71 JAMAN Social  458097940008  2 S 8tt 1782  90 Com-tit 40 - 80g  MAX Pe 3 Leg/45  SC-5T  Aquila  ST 80-4  458097940008  2 S 8tt 1782  90 Com-tit 40 - 80g  MAX Pe 6 10g/48  SC-5T  Aquila  MT 82-2/6  458097940011  2 S 8tt 10 1782  90 Com-tit 40 - 80g  MAX Pe 6 10g/48  SC-5T  Aquila  MST 91-8-4  458097945005  2 S 8tt 1782  91 S 8tt 1782  90 Com-tit 40 - 80g  MAX Pe 6 10g/48  SC-5T  Aquila  MST 92-6  4580997945005  2 S 8tt 1782  91 S 8tt 1782  90 Com-tit 40 - 80g  MAX Pe 6 10g/48  SC-5T  Aquila  MST 91-8-4  4580997945005  2 S 8tt 1782  91 S 8tt 1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  Aquila  MST 91-8-4  4580997945005  2 S 8tt 1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  Aquila  MST 91-8-4  4580997945005  2 S 8tt 110  1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  Aquila  MST 91-8-4  4580997945005  2 S 7tt 110  1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  Aquila  MST 91-8-4  4580997945007  3 S 8tt 10 897  92 S 7tt 110  1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  Aquila  MST 91-8-4  4580997945007  3 S 8tt 10 897  92 S 7tt 110  1782  91 Com-tit 40 - 80g  MAX Pe 3 Leg/48  SC-5T  New GTKpedition  181M  458099994007  3 S 8tt 10 887  90 S 330  MAX 160g  MAX Pe 6 10g/48  COM-tit 40 - 80g  MAX Pe 3 Leg/49  COM-tit 40 - 80g  MAX Pe 6 10g/48  COM-tit 40 - 80g  MAX Pe 8 Leg/49  COM-tit 40 -
BIG TUNA
BIG TUNA
BIG TUNA
Aquila
2   New GTXpedition   S1M
New GTXpedition   S1MH
Ultimo
Ultimo
4 Ultimo 83M Nano 458039794405 2 S 8ft 3in 1835 362 MAX 160g MAX Pe 7 13ig /45' Old Ultimo 83M Nano 458039794405 2 S 8ft 3in 1835 362 MAX 160g MAX Pe 8 14ig /45' Old OceanRidge Reversal GT 80 Nano 458039794405 2 S 8ft 3in 1835 362 MAX 160g MAX Pe 8 14ig /45' Old OceanRidge Reversal GT 80 Nano 4580397944096 2 S 8ft 1737 373 MAX 170g MAX Pe 8 14ig /45' Old OceanRidge LC GT 82 Nano 4580397944009 2 S 8ft 2in 1796 378 MAX 170g MAX Pe 8 14ig /45' Old OceanRidge PG 77 11 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 210g MAX Pe 8 14ig /45' Old OceanRidge PG 77 11 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 210g MAX Pe 10 15ig /45' Old OceanRidge PG 77 11 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 220g MAX Pe 10 15ig /45' Old OceanRidge PG 77 18 Nano 4580397944103 2 S 8ft 1736 385 MAX 270g MAX Pe 10 15ig /45' Old OceanRidge PG 78 GT 80 Nano 4580397944133 2 S 8ft 1736 385 MAX 270g MAX Pe 10 15ig /45' Old OceanRidge PG 78 GT 80 Nano 4580397944133 2 S 8ft 1736 385 MAX 270g MAX Pe 2 3ig /45' SiC-Si 9 New SELFISH NS 632 4580393948114 1 S 6ft2in 1890 1998 Com-Wt 100 ~150g MAX Pe 3 3ig /45' SiC-Si 9 New SELFISH NS 623 4580393948114 1 S 6ft2in 1890 1998 Com-Wt 100 ~150g MAX Pe 3 5ig /45' SiC-Si 9 New SELFISH SEB 633 4580393948118 1 B 6ft2in 1890 1908 Com-Wt 100 ~150g MAX Pe 4 7ig /45' SiC-Si 9 SELFISH SEB 633 4580393948118 1 B 6ft2in 1890 1908 Com-Wt 100 ~150g MAX Pe 4 7ig /45' SiC-Si 9 SELFISH SISB Nano 4580397941036 1 S 6ft 1in 1860 170 Com-Wt 100 ~150g MAX Pe 4 7ig /45' SiC-Si 9 SELFISH 597S Nano 4580397941036 1 S 6ft 1in 1860 170 Com-Wt 100 ~150g MAX Pe 6 12ig /45' SiC-Si 9 SELFISH 597S Nano 458039794103 1 S 6ft 1in 1860 180 Com-Wt 130 ~200g MAX Pe 6 12ig /45' SiC-Si 9 SELFISH 597S Nano 458039794103 1 S 6ft 1in 1860 180 Com-Wt 130 ~200g MAX Pe 6 12ig /45' SiC-Si OceanArrow 5015 / Bait 458039794103 1 S 6ft 1in 1860 180 Com-Wt 130 ~200g MAX Pe 6 12ig /45' SiC-Si OceanArrow 5015 / Bait 458039794103 1 S 6ft 1in 1860 180 Com-Wt 130 ~200g MAX Pe 6 12ig /45' SiC-Si OceanArrow 5015 / Bait 458039794103 1 S 6ft 1in 1860 180 Com-W
4 Ultimo 83M Nano 4580397944065 2 S 8ft 3in 1835 362 MAX 160g MAX Pe 7 13x / 45° OU 4 Ultimo 80MH Nano 4580397944036 2 S 8ft 1740 383 MAX 170g MAX Pe 8 14kg / 45° OU 6 OceanRidge Reversid GT 80 Nano 4580397944036 2 S 8ft 1737 373 MAX 170g MAX Pe 8 14kg / 45° OU 6 OceanRidge LC GT 82 Nano 4580397944036 2 S 8ft 2in 1796 378 MAX 170g MAX Pe 8 14kg / 45° OU 6 OceanRidge PF GT 711 Nano 4580397944102 2 S 8ft 2in 1796 378 MAX 170g MAX Pe 8 14kg / 45° OU 6 OceanRidge FS GT 79 Nano 4580397944126 2 S 7tt 11in 1682 375 MAX 210g MAX Pe 10 15kg / 45° OU 6 OceanRidge FS GT 80 Nano 4580397944126 2 S 7tt 11in 1682 375 MAX 210g MAX Pe 10 15kg / 45° OU 6 OceanRidge FS GT 80 Nano 4580397944133 2 S 8tt 2in 1796 385 MAX 270g MAX Pe 10 15kg / 45° OU 6 OceanRidge FS GT 80 Nano 4580397944133 2 S 8tt 2in 1910 126π Com-Wt 80 130g MAX Pe 2 3 3kg / 45° SiC-Si 9 New SELFISH NS 632 4580339348117 1 S 6tt2in 1890 195π Com-Wt 100 -150g MAX Pe 2 3kg / 45° SiC-Si 9 New SELFISH NS 614 4580339348131 1 S 6tt2in 1890 195π Com-Wt 120 -150g MAX Pe 3 5kg / 45° SiC-Si 9 New SELFISH SEB 633 4580339348135 1 S 6tt2in 1890 190π Com-Wt 120 -150g MAX Pe 3 5kg / 45° SiC-Si 9 New SELFISH SEB 624 4580339348135 1 S 6tt1in 1865 174π Com-Wt 120 -150g MAX Pe 4 7kg / 45° SiC-Si 9 New SELFISH SEB 624 4580339348155 1 B 6tt2in 1890 190π Com-Wt 120 -150g MAX Pe 4 7kg / 45° SiC-Si 9 SELFISH 613S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 120 -150g MAX Pe 4 7kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -110g Pe 2 Class 8kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -140g Pe 2 Class 8kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -140g Pe 2 Class 8kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -140g Pe 2 Class 8kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -140g Pe 2 Class 8kg / 45° SiC-Si 9 SELFISH 614S Nano 4580397941026 1 S 6tt1in 1860 180 Com-Wt 130 -140g Pe 2 Class 8kg / 5° SiC-Si 9 SELFISH 614
4 Ultimo 80MH Nano 4580397944034 2 S 8tt 1740 383 MAX 170g MAX Pe 8 14kg / 45' October Reversil GT 80 Nano 4580397944096 2 S 8tt 1737 373 MAX 170g MAX Pe 8 14kg / 45' October Reversil GT 80 Nano 4580397944096 2 S 8tt 2in 1796 378 MAX 190g MAX Pe 8 14kg / 45' October Reversil GT 80 Nano 4580397944102 2 S 8tt 2in 1796 378 MAX 190g MAX Pe 10 15kg / 45' October Reversil GT 90 Nano 4580397944102 2 S 7tt 11in 1682 375 MAX 210g MAX Pe 10 15kg / 45' October Reversil GT 90 Nano 4580397944103 2 S 8tt 2in 1796 385 MAX 220g MAX Pe 10 15kg / 45' October Reversil GT 90 Nano 4580397944133 2 S 8tt 1736 385 MAX 220g MAX Pe 10 15kg / 45' October Reversil GT 90 Nano 4580397944133 2 S 8tt 1736 385 MAX 270g MAX Pe 10 15kg / 45' October Reversil GT 90 Nano 4580393948117 1 S 6tf3in 1910 12kg Con-Wt 80 - 130g MAX Pe 2 3kg / 45' SIC-S, 9 New SELFISH NS 623 4580393948117 1 S 6tf3in 1915 180% Com-Wt 120 - 130g MAX Pe 3 3kg / 45' SIC-S, 9 New SELFISH SEB 633 4580393948118 1 S 6tf2in 1860 159% Com-Wt 120 - 130g MAX Pe 4 7kg / 45' SIC-S, 9 New SELFISH SEB 634 4580393948118 1 B 6tf2in 1890 190% Com-Wt 120 - 130g MAX Pe 3 3kg / 45' SIC-S, 9 New SELFISH SEB 624 4580393948118 1 B 6tf2in 1890 190% Com-Wt 120 - 130g MAX Pe 4 7kg / 45' SIC-S, 9 SELFISH 613S Nano 4580397941026 1 S 6tf1in 1860 170 Com-Wt 100 - 140g Pe 2.5 Class 8kg / 45' SIC-S, 9 SELFISH 613S Nano 4580397941026 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 9 SELFISH 597S Nano 4580397941102 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 9 SELFISH 597S Nano 4580397941102 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 9 SELFISH 597S Nano 4580397941102 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 9 SELFISH 597S Nano 4580397941102 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 9 SELFISH 597S Nano 4580397941026 1 S 6tf1in 1860 170 Com-Wt 130 - 170g Pe 2 G 1 Sas 8kg / 45' SIC-S, 10 Sas 1
6 OceanRidge Reversal GT 80 Nano 4580397944096 2 S S 8ft 1737 373 MAX 170g MAX Pe 8 14g/45 OceanRidge C GT 82 Nano 4580397944089 2 S S 8ft 2in 1796 378 MAX 190g MAX Pe 10 15g/45 OceanRidge PF GT 711 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 210g MAX Pe 10 15g/45 OceanRidge FS GT 80 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 220g MAX Pe 10 15g/45 OceanRidge FS GT 80 Nano 4580397944102 2 S 7ft 11in 1682 375 MAX 270g MAX Pe 10 15g/45 OceanRidge FS GT 80 Nano 4580397944103 2 S 8ft 1736 385 MAX 270g MAX Pe 10 15g/45 OceanRidge FS GT 80 Nano 4580393948117 1 S 6ft3in 1910 126# Com-Wt 80 ~130g MAX Pe 2 3ig/45 SiC-Sy 9 New SELFISH NS 632 4580393948124 1 S 6ft3in 1910 126# Com-Wt 120 ~130g MAX Pe 2 3ig/45 SiC-Sy 9 New SELFISH NS 614 4580393948131 1 S 6ft3in 1890 159# Com-Wt 120 ~130g MAX Pe 4 7g/45 SiC-Sy 9 New SELFISH SE6 633 4580393948134 1 B 6ft3in 1915 1665 174# Com-Wt 120 ~130g MAX Pe 4 7g/45 SiC-Sy 9 SELFISH SE6 633 4580393948134 1 B 6ft3in 1915 1806 170 Com-Wt 120 ~130g MAX Pe 3 5ig/45 SiC-Sy 9 SELFISH SE6 644 4580393948134 1 B 6ft3in 1895 190# Com-Wt 120 ~130g MAX Pe 3 5ig/45 SiC-Sy 9 SELFISH 613S Nano 4580397941026 1 S 6ft1in 1860 170 Com-Wt 120 ~130g MAX Pe 4 7g/45 SiC-Sy 9 SELFISH 614S Nano 458039794103 1 S 6ft1in 1860 170 Com-Wt 120 ~130g MAX Pe 3 5ig/45 SiC-Sy 9 SELFISH 597S Nano 458039794103 1 S 6ft1in 1860 180 Com-Wt 130 ~170g Pe 2.5 Class 8ig/45 SiC-Sy 9 SELFISH 597S Nano 4580397941103 1 B 5ft 2in 1579 295 JJG MAX 400g MAX Pe 6 13g/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Com-Mt 100 ~100g Pe 2.5 Class 8ig/45 SiC-Sy 10 Cla
16   OceanRidge
16   OceanRidge
16   OceanRidge
19   New SELFISH   NS 632   4580393948117   1   S   6ft3in   1910   126#   Com-Wt 80~130g   MAX Pe 2   3kg / 45   SiC-Sy     19   New SELFISH   NS 623   4580393948124   1   S   6ft2in   1890   159#   Com-Wt 100~150g   MAX Pe 3   5kg / 45   SiC-Sy     19   New SELFISH   NS 614   4580393948131   1   S   6ft1in   1865   174#   Com-Wt 120~180g   MAX Pe 4   7kg / 45   SiC-Sy     19   New SELFISH   SEB 633   4580393948148   1   B   6ft3in   1915   180%   Com-Wt 120~180g   MAX Pe 4   7kg / 45   SiC-Sy     19   New SELFISH   SEB 624   4580393948155   1   B   6ft2in   1890   190#   Com-Wt 120~180g   MAX Pe 4   7kg / 45   SiC-Sy     19   SELFISH   SEB 624   4580393948155   1   B   6ft2in   1890   190#   Com-Wt 120~180g   MAX Pe 4   7kg / 45   SiC-Sy     19   SELFISH   SEB 624   4580393948155   1   B   6ft2in   1890   190#   Com-Wt 140~200g   MAX Pe 4   7kg / 45   SiC-Sy     19   SELFISH   SEB 633   4580397941026   1   S   6ft 1in   1860   170   Com-Wt 140~200g   Pe 2.5 Class   4kg / 45   SiC-Sy     19   SELFISH   SEB 634   458039794103   1   S   6ft 1in   1860   180   Com-Wt 130~170g   Pe 3 Class   4kg / 45   SiC-Sy     19   SELFISH   S97S Nano   4580397941064   1   S   5ft 9in   1756   250   Com-Wt 180~240g   Pe 5 Class   3kg / 45   SiC-Sy     19   SELFISH   S97S Nano   4580397941101   1   B   5ft 2in   1579   295   JIG MAX 370g   MAX Pe 6   12kg / 45   SiC-Sy     20   CocanArrow   S015 / Bait   4580397941118   1   B   5ft 1535   325   JIG MAX 400g   MAX Pe 6   13kg / 45   SiC-Sy     20   CocanArrow   S6ML Snapper   4580397941132   1   B   6ft 5in   1960   125   MAX 120g   MAX Pe 1.2   -   SiC-Sy     20   CocanArrow   S6ML Snapper   4580397941132   1   B   6ft 5in   1960   125   MAX 120g   MAX Pe 1.2   -   SiC-Sy     20   CocanArrow   S6ML Snapper   458039794203   2   S   10ft 3in   1615   327   Plug 40~120g   Pe 4~6   8kg / 45   SiC-Sy     30   RunnerExceed   104M Nano PlugModel   458039794203   2   S   10ft 3in   1615   327   Plug 40~120g   Pe 4~6   8kg / 45   SiC-Sy     30   RunnerExceed   104H Nano PlugModel   458
New SELFISH   NS 623
New SELFISH   NS 614   4580393948131   1   S 6ff1   1865   174#   Com-Wt 120 - 180g   MAX Pe 4   7kg / 45'   SiC-S,
New SELFISH   SEB 633   4580393948148   1   B   6ft3in   1915   180#   Com-Wt120 - 180g   MAX Pe 3   Skg / 45"   SiC-S, 19   New SELFISH   SEB 624   4580393948155   1   B   6ft2in   1890   190#   Com-Wt140 ~ 200g   MAX Pe 4   7kg / 45"   SiC-S, 19   SELFISH   613S Nano   4580397941026   1   S   6ft 1in   1860   170   Com-Wt140 ~ 200g   MAX Pe 4   7kg / 45"   SiC-S, 19   SELFISH   614S Nano   4580397941033   1   S   6ft 1in   1860   170   Com-Wt140 ~ 200g   MAX Pe 4   7kg / 45"   SiC-S, 19   SELFISH   597S Nano   4580397941034   1   S   5ft 9in   1756   250   Com-Wt180 ~ 240g   Pe 5 Class   3kg / 45"   SiC-S, 19   SELFISH   597S Nano   4580397941104   1   B   5ft 2in   1579   295   JIG MAX 370g   MAX Pe 6   12kg / 45"   Oto 20   CoeanArrow   5015 / Bait   4580397941118   1   B   5ft 2in   1579   295   JIG MAX 400g   MAX Pe 6   13kg / 45"   Oto 20   CoeanArrow   67UL Snapper   4580397941132   1   B   6ft 5in   1960   125   MAX 100g   MAX Pe 1.2 - SiC-S, 20   CoeanArrow   66ML Snapper   4580397941132   1   B   6ft 5in   1475   146   MAX 160g   MAX Pe 1.2 - SiC-S, 30   RunnerExceed   102M Nano PlugModel   4580397942030   2   S   10ft 2in   1590   290   Plug 20 ~ 70g   Pe 1.5 ~ 3   5kg / 45"   SiC-S/Ti   30   RunnerExceed   104H Nano PlugModel   4580397942047   2   S   10ft 2in   1590   290   Plug 40 ~ 120g   Pe 4 ~ 6   8kg / 45"   SiC-S/Ti   30   RunnerExceed   101H Nano PlugModel   458039794206   2   S   10ft 3in   1615   327   Plug 40 ~ 120g   Pe 4 ~ 7   9kg / 45"   SiC-S/Ti   30   RunnerExceed   101H Nano   458039794206   2   S   10ft 3in   1615   327   MAX Jig 130g / MAX Plug 90g   MAX Pe 5   8kg / 45"   SiC-S/Ti   30   RunnerExceed   107BH Nano   458039794206   2   S   10ft 3in   1615   327   MAX Jig 130g / MAX Plug 90g   MAX Pe 6   8kg / 45"   SiC-S/Ti   30   RunnerExceed   107BH Nano   458039794206   2   S   10ft 3in   1615   327   MAX Jig 130g / MAX Plug 90g   MAX Pe 6   8kg / 45"   SiC-S/Ti   30   RunnerExceed   107BH Nano   458039794206   2   S   10ft 3in   1650   374   50 ~ 310g   MAX Pe 6   8kg / 45"
New SELFISH
SELFISH
SELFISH
22 OceanArrow 5210 / Bait 4580397941101 1 B 5ft 2in 1579 295 JIG MAX 370g MAX Pe 6 12kg / 45 OC 22 OceanArrow 5015 / Bait 4580397941118 1 B 5ft 1535 325 JIG MAX 400g MAX Pe 6 13kg / 45 OC 22 OceanArrow 67UL Snapper 4580397941125 1 B 6ft 7in 2005 131 MAX 100g MAX Pe 1 SiC-Sy 22 OceanArrow 65L Snapper 4580397941132 1 B 6ft 5in 1960 125 MAX 120g MAX Pe 1.2 SiC-Sy 22 OceanArrow 66ML Snapper 4580397941149 2 B 6ft 6in 1475 146 MAX 160g MAX Pe 1.5 SiC-Sy 30 RunnerExceed 102M Nano PlugModel 458039794200 2 S 10ft 2in 1590 290 Plug 20 ~ 70g Pe 1.5 ~ 3 5kg / 45 SiC-Sy 30 RunnerExceed 104H Nano PlugModel 458039794207 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45 SiC-Sy 30 RunnerExceed 110H Nano PlugModel 4580397942016 2 S 9ft 11in 1560 306 MAX 1g1 100g / MAX Plug 80g MAX Pe 4 6 6kg / 45 SiC-Sy 30 RunnerExceed 103H A580397942016 2 S 9ft 11in 1615 327 MAX 1g1 100g / MAX Plug 80g MAX Pe 6 6 8kg / 45 SiC-Sy 30 RunnerExceed 103H A580397942016 2 S 9ft 11in 1615 327 MAX 1g1 100g / MAX Plug 80g MAX Pe 6 6 8kg / 45 SiC-Sy 30 RunnerExceed 107BH Nano 4580397942016 2 S 9ft 11in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942012 2 B 10ft 5in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942054 2 B 10ft 5in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942054 2 B 10ft 5in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942054 2 B 10ft 5in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942054 2 B 10ft 5in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942054 2 B 10ft 5in 1650 429 MAX 160g MAX Pe 8 10kg / 45 SiC-Sy 30 RunnerExceed 105BH Nano 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 Ocean 44 Sick Advanced 105KH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 Ocean 44 Sick Advanced 105KH LIMITED 4580397942078 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-Sy 30 MAX Pe 3 SiC-Sy 30 MAX Pe 3 S
22 OceanArrow 5015 / Bait 4580397941118 1 B 5ft 1535 325 JIG MAX 400g MAX Pe 6 13kg / 45' OceanArrow 67UL Snapper 4580397941125 1 B 6ft 7in 2005 131 MAX 100g MAX Pe 1 - SiC-Sy 22 OceanArrow 65L Snapper 4580397941132 1 B 6ft 5in 1960 125 MAX 120g MAX Pe 1.2 - SiC-Sy 30 RunnerExceed 102M Nano PlugModel 4580397942030 2 S 10ft 2in 1590 290 Plug 20 ~ 70g Pe 1.5 ~ 3 5kg / 45' SiC-Sy 30 RunnerExceed 104M Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45' OceanArrow RunnerExceed 110H Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45' SiC-Sy 30 RunnerExceed 110H Nano PlugModel 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45' SiC-Sy 30 RunnerExceed 103H 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45' SiC-Sy 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 80g MAX Pe 5 8kg / 45' SiC-Sy 30 RunnerExceed 105H Nano 4580397942024 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45' SiC-Sy 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' SiC-Sy 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 30g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 30g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nation 4580397942054 2 B 10ft 7in 1650 374 50 ~ 30g MAX Pe 8 10kg / 45' Ocean 30g RunnerExceed 105H Nation 4580397942078 2 B 10ft 7in 1650 429 MAX 180g MAX Pe 10 10kg / 45' Ocean 3
22 OceanArrow 67UL Snapper 4580397941125 1 B 6ft 7in 2005 131 MAX 100g MAX Pe 1 - SiC-S, 22 OceanArrow 65L Snapper 4580397941132 1 B 6ft 5in 1960 125 MAX 120g MAX Pe 1.2 - SiC-S, 22 OceanArrow 66ML Snapper 4580397941132 1 B 6ft 6in 1475 146 MAX 160g MAX Pe 1.5 - SiC-S, 23 OceanArrow 66ML Snapper 4580397942030 2 S 10ft 2in 1590 290 Plug 20 ~ 70g Pe 1.5 ~ 3 5kg / 45° SiC-S, 30 RunnerExceed 102M Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45° SiC-S, 30 RunnerExceed 110H Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45° SiC-S, 30 RunnerExceed 110H Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 7 9kg / 45° SiC-S/Ti 30 RunnerExceed 911MH Nano 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45° SiC-S/Ti 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 80g MAX Pe 5 8kg / 45° SiC-S/Ti 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 90g MAX Pe 5 8kg / 45° SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397942024 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45° SiC-S/Ti 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 32 RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 32 RunnerExceed 105BHH Nano 4580397942061 2 S 10ft 1579 405 MAX 160g MAX Pe 8 10kg / 45° Ocean 32 RunnerExceed 105BHH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° Ocean 34 New MonsterImpact 90H 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° Ocean 34 New MonsterImpact 90H 4580397942078 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/Ti
22 OceanArrow 65L Snapper 4580397941132 1 B 6ft 5in 1960 125 MAX 120g MAX Pe 1.2 - SiC-S, 22 OceanArrow 66ML Snapper 4580397941149 2 B 6ft 6in 1475 146 MAX 160g MAX Pe 1.5 - SiC-S, 30 RunnerExceed 102M Nano PlugModel 4580397942030 2 S 10ft 2in 1590 290 Plug 20 ~ 70g Pe 1.5 ~ 3 5kg / 45° SiC-S, 30 RunnerExceed 104H Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45° Ocean Arrow 6480397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45° SiC-S, 30 RunnerExceed 110H Nano PlugModel 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6 6kg / 45° SiC-S/Ti 30 RunnerExceed 103H Nano 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 80g MAX Pe 5 8kg / 45° SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 90g MAX Pe 5 8kg / 45° SiC-S/Ti 30g RunnerExceed 107BH Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 MAX 160g MAX Pe 8 10kg / 45° Ocean 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 439 MAX 160g MAX Pe 10 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 10 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 10 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 10 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 10 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 3 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 160g MAX Pe 3 10kg / 45° Ocean 30g RunnerExceed 105BHH Max 16
22 OceanArrow 66ML Snapper 4580397941149 2 B 6ft 6in 1475 146 MAX 160g MAX Pe 1.5 - SiC-S, 30 RunnerExceed 102M Nano PlugModel 4580397942030 2 S 10ft 2in 1590 290 Plug 20 ~ 70g Pe 1.5 ~ 3 5kg / 45 SiC-S, 30 RunnerExceed 104H Nano PlugModel 4580397942047 2 S 10ft 4in 1615 327 Plug 40 ~ 120g Pe 4 ~ 6 8kg / 45 OC 30 New RunnerExceed 110H Nano PlugModel 4580397942047 2 S 11ft 1720 341 Plug 40 ~ 130g Pe 4 ~ 7 9kg / 45 SiC-S/Ti 30 RunnerExceed 110H Nano PlugModel 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45 SiC-S/Ti 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 80g MAX Pe 5 8kg / 45 SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 80g MAX Pe 5 8kg / 45 SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397942024 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45 SiC-S/Ti 30g RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 8 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942054 2 S 10ft 1579 405 MAX 160g MAX Pe 8 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942061 2 S 10ft 1579 405 MAX 160g MAX Pe 8 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 3 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 3 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 3 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 3 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 OC 32 RunnerExceed 1005HH LIMITED 4580397942078 2
RunnerExceed   102M Nano PlugModel   4580397942030   2   S   10ft 2in   1590   290   Plug 20 ~ 70g   Pe 1.5 ~ 3   5kg / 45   SiC-S/T
New RunnerExceed   110H Nano   4580397948179   2   S   11ft   1720   341   Plug 40 ~ 130g   Pe 4 ~ 7   9kg / 45   SiC-S/Ti
30 RunnerExceed 911MH Nano 4580397942016 2 S 9ft 11in 1560 306 MAX Jig 100g / MAX Plug 80g MAX Pe 4 6kg / 45 SiC-S/Ti 30 RunnerExceed 103H 4580397942023 2 S 10ft 3in 1615 327 MAX Jig 130g / MAX Plug 90g MAX Pe 5 8kg / 45 SiC-S/Ti 30 RunnerExceed 107BH Nano 4580397940012 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45 SiC-S/Ti 30 RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 5in 1630 394 MAX 160g MAX Pe 8 10kg / 45 OC 30 RunnerExceed 100SHH LIMITED 4580397942054 2 S 10ft 1579 405 MAX 150g MAX Pe 8 10kg / 45 OC 30 RunnerExceed 100SHH LIMITED 4580397942061 2 S 10ft 1570 439 MAX 160g MAX Pe 8 10kg / 45 OC 30 RunnerExceed FINALSTAND UP 1058H 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 30 RunnerExceed FINALSTAND UP 1058H 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45 OC 30 Mow MonsterImpact 90H 4580397942018 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/Ti
30 RunnerExceed 103H
30 RunnerExceed 107BH Nano 4580397940012 2 B 10ft 7in 1650 374 50 ~ 130g MAX Pe 6 8kg / 45° 00 300 RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 5in 1630 394 MAX 160g MAX Pe 8 10kg / 45° 00 32 RunnerExceed 100SHH LIMITED 4580397948292 2 S 10ft 1579 405 MAX 150g MAX Pe 8 10kg / 45° 00 32 RunnerExceed FINAL STAND UP 100SH 4580397942061 2 S 10ft 1570 439 MAX 160g MAX Pe 10 10kg / 45° 00 32 RunnerExceed FINAL STAND UP 100SH 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° 00 32 RunnerExceed FINAL STAND UP 1058H 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° 00 32 RunnerExceed FINAL STAND UP 1058H 4580397942078 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/T
30 RunnerExceed 105BHH Nano 4580397942054 2 B 10ft 5in 1630 394 MAX 160g MAX Pe 8 10kg / 45° O( 32 RunnerExceed 100SHH LIMITED 4580397948292 2 S 10ft 1579 405 MAX 150g MAX Pe 8 10kg / 45° O( 32 RunnerExceed FINAL STAND UP 105KH 4580397942061 2 S 10ft 1570 439 MAX 160g MAX Pe 10 10kg / 45° O( 32 RunnerExceed FINAL STAND UP 105KH 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° O( 34 New MonsterImpact 90H 4580397948018 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/T
32 RunnerExceed 100SHH LIMITED 4580397948292 2 S 10ft 1579 405 MAX 150g MAX Pe 8 10kg / 45' O( 32 RunnerExceed FINAL STAND UP 1058H 4580397942061 2 S 10ft 1570 439 MAX 160g MAX Pe 10 10kg / 45' O( 32 RunnerExceed FINAL STAND UP 1058H 4580397942078 2 B 10ft 51n 1626 429 MAX 180g MAX Pe 10 10kg / 45' O( 34 New MonsterImpact 90H 4580397948018 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 - SiC-S/1
32 RunnerExceed RNAL STAND UP 100SH 4580397942061 2 S 10ft 1570 439 MAX 160g MAX Pe 10 10kg / 45° Otto 32 RunnerExceed RNAL STAND UP 1058H 4580397942078 2 B 10ft 5in 1626 429 MAX 180g MAX Pe 10 10kg / 45° Otto 34° Mew MonsterImpact 90H 4580397948018 2 S 9ft 1410 193 18~70g MAX Pe 3 - SiC-S/1
34 New MonsterImpact 90H 4580397948018 2 S 9ft 1410 193 18 ~ 70g MAX Pe 3 SiC-S/1
34 Moneter Innact 101HH Nano / S
34 MonsterImpact 110HH / S 4580397942115 2 S 11ft 1735 274 MAX 60g MAX Pe 3 SiC-S <sub>1</sub>
34 MonsterImpact 110HH / B 4580397942139 2 B 11ft 1735 270 MAX 70g BEST Pe 2.5 - SiC-S/
36 Avarice 103M Nano 4580397942085 2 S 10ft 3in 1600 198 MAX 40g MAX Pe 1.5 - SiC-S <sub>1</sub> 36 New Avarice 110M Nano 4580397948162 2 S 11ft 1726 213 MAX 40g MAX Pe 2 - SiC-S <sub>1</sub>
36 Avarice 106MH Nano 4580397942092 2 S 10ft 6in 1640 219 MAX 50g MAX Pe 2 - SiC-S <sub>i</sub>
36 Avarice 110H Nano 4580397942108 2 S 11ft 1730 253 MAX 60g MAX Pe 2.5 - SiC-S <sub>1</sub>
38 New SilverStream 81 Stiletto 4580397949992 2 S 8ft 1in 1275 126 7~28g Pe 0.6~1.2 - TZ/T
38 SilverStream
38 SilverStream 96 Flows Nano 4580397942634 2 S 9ft 6in 1490 166 MAX 38g MAX Pe 1.5 - TZ/T
38 SilverStream
38 SilverStream 87 RED EYE Nano 4580397942603 2 S 8ft 7in 1350 158 MAX 40g MAX Pe 2 SiC-S/
38 SilverStream 97 RED EYE Nano 4580397942610 2 S 9ft 7in 1505 193 MAX 45g MAX Pe 2.5 - SiC-Sy 38 SilverStream 106 Northern Nano 4580397940036 2 S 10ft 6in 1640 220 30 ~ 50g MAX Pe 1.5 - SiC-Sy
38 SilverStream
40 RealCrescent RC-55 / S 4580397948216 2 S 5ft 5in 853 54 JH 0.2 ~ 3g Pe0.2-0.4 / FC-NY-3lb - TZ/T
40 RealCrescent RC-65 / S 4580397948223 2 S 6ft 5in 1004 61 JH03~6g/Plug18~45g Pe02-04/FC-NY~3lb TZ/T
10 RealCrescent RC-75 / S 4580397948230 2 S 7ft 5in 1157 79 Rig 2~14g / Plug 2.5~11g Pe 0.3~~0.8 TZ/T
10 RealCrescent RC-81/S 4580397948247 2 S 8ft lin 1265 86 2 ~ 17g Pe 0.4 ~ 0.8 - TZ/T
10 RealCrescent RC-57 / B 4580397948254 2 B 5ft 7in 876 69 0.5 ~ 5g Pe 0.2 ~ 0.5 — TZ/Ti
40 RealCrescent RC-57 / B 4580397948254 2 B 5ft 7in 876 69 0.5 ~ 5g Pe 0.2 ~ 0.5 − TZ/Ti 40 RealCrescent RC-67 / B 4580397948261 2 B 6ft 7in 1025 78 0.8 ~ 8g Pe 0.3 ~ 0.6 − TZ/Ti
10 RealCrescent         RC-57 / B         4580397948254         2 B 5ft 7in         876 69         0.5 ~ 5g         Pe 0.2 ~ 0.5         - TZ/Ti           10 RealCrescent         RC-67 / B         4580397948261         2 B 6ft 7in         1025 78         0.8 ~ 8g         Pe 0.3 ~ 0.6         - TZ/Ti           10 RealCrescent         RC-77 / B         4580397948278         2 B 7ft 7in         1190 92         2 ~ 15g         Pe 0.4 ~ 0.8         - TZ/Ti
10 RealCrescent         RC-57 / B         4580397948254         2 B 5ft 7in 876         69 0.5 ~ 5g         Pe 0.2 ~ 0.5         TZ/Ti           10 RealCrescent         RC-67 / B         4580397948261         2 B 6ft 7in 1025         78 0.8 ~ 8g         Pe 0.3 ~ 0.6         TZ/Ti           10 RealCrescent         RC-77 / B         4580397948278         2 B 7ft 7in 1190         92 2 ~ 15g         Pe 0.4 ~ 0.8         TZ/Ti           28 New RF Multi Shaft         M         4580397948032         2 - 2640mm         1435         612           Screw:
40 RealCrescent RC-57 / B 4580397948254 2 B 5ft 7in 876 69 0.5 ~ 5g Pe 0.2 ~ 0.5 - TZ/Ti 40 RealCrescent RC-67 / B 4580397948261 2 B 6ft 7in 1025 78 0.8 ~ 8g Pe 0.3 ~ 0.6 - TZ/Ti 40 RealCrescent RC-77 / B 4580397948278 2 B 7ft 7in 1190 92 2 ~ 15g Pe 0.4 ~ 0.8 - TZ/Ti 40 RealCrescent RC-77 / B 4580397948032 2 - 2640mm 1435 612 Screw:  80 New RF Multi Shaft L 4580397948049 3 - 3900mm 1435 765 Screw:
40 RealCrescent RC-57 / B 4580397948254 2 B 5ft 7in 876 69 0.5 ~ 5g Pe 0.2 ~ 0.5 - TZ/Ti 40 RealCrescent RC-67 / B 4580397948261 2 B 6ft 7in 1025 78 0.8 ~ 8g Pe 0.3 ~ 0.6 - TZ/Ti 40 RealCrescent RC-77 / B 4580397948278 2 B 7ft 7in 1190 92 2 ~ 15g Pe 0.4 ~ 0.8 - TZ/Ti 40 RealCrescent RC-77 / B 4580397948032 2 - 2640mm 1435 612 Screen 40 Rew RF Multi Shaft L 4580397948049 3 3900mm 1435 765 Screen
40 RealCrescent RC-57 / B

Details of notation Reel/S=Spinning B=Overhead reel Lure/Com-Wt=Comfort Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) Lock nut/U=Up lock D=Down lock Joint/Spigot-Spigot Ferrule Put over=Put over Ferrule 1&H=Grip Joint T-Type=Telescopic Type Grip end/ BRC=Rubber material Cap EVA=EVA resin material Cap

Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/ Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

\*\*SiC-S ring" is up dated model of SiC guide. Some of RippleFisher products are currently on switching from SiC guide to SiC-S ring guide.

Depend on products, there SiC models and SiC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other type of guide ring.



#### Precautions for use

Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your

If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.

Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious

injury or death.

If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious

#### About joint section of rod

●The joint section of rod of Ripple Fisher has been adjusted with high precision. If ferrule wax have been put on or connect rods without wiping salt water off, might cause of fixation. Please make sure that fouling or moistures are wiped off when you connect.

• If you force the joint section of the rod when joining together, this will ause cracking or splitting of the joints.

If you use the rod while the joint section is still loose, this may cause

breakage.

•If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

#### **Maintenance and storage**

•Wash rod with running water to rid of any filth and salt. Then wipe

If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high

Please do not leave the rod in your vehicle for long durations in

#### Contents in this catalog

Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.

Prices and specifications listed on this catalog maybe altered without warning. The colors presented in the pictures may differ from the actual color.

Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

#### Requesting repairs

Please be ware that personally modified rods will not be covered by

warranty (even if it is within the warranty period).

If you are requesting for repair, please send in the whole rod (not just the section of the breakage).



Ripple Co.,LTD (Ripple Fisher) 945 Obaru, Yamaga City, Kumamoto Pref. 861-0543 JAPAN

E-mail: info@ripplefisher.com

#### https://ripplefisher.com/















 $\ensuremath{\mathbb{X}}$  Please note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our English website (Staff blog), facebook news feed or production news.