



Jigging "SELFISH" "OceanArrow" "Snapper"



## Jigging Game

# OceanArrow SELFISH

Jigging/King Fish / Yellow Tail / Greater Amberjack

Ripplefisher's jigging rod series, the "SELFISH". There will be 3 spinning models and 2 bait-casting models, each developed with their own new concepts. The already existing 613S, 614S and 597S models are for the vertical jigging game and the 3 new models will specialize in a natural swimming (NS) diagonal jigging. The 2 new bait models are categorized as sensitive bait (SEB) models.

These added models are developed to keep up with the demands from the ever changing jigging scene. To slide the jig, swim the jig, naturally maneuver the jig to induce that "bite". All models have the inherited the characteristics of the SELFISH series with the slim, light and sharp feeling able to cut through the current, yet possessing a contradicting powerful butt section.

The NS (natural swim) type NS632, NS623, NS614 are designed to enable anglers to delicately adjust the line tension, perform particular rod action required for swimming type jigs with the tip, belly and butt section to "remain" in order to eliminate any unintentional "flicking" of the jig. These 3 models are ideal for anglers to directly transmit the natural action to the jig which leads to the bite.

The sensitive bait (SEB) models of SEB633 and SEB624 are versatile rods built with slim blanks designed to easily switch the tempo and pitch of the technical jig action. The evolution of the renewed SELFISH series has just begun. In order to answer the needs of the jiggers around the world who have their sights on the next stage, we are currently working on numerous models. Please stand by and keep your eye out for future developments of the SELFISH series.





SELFISH / JIGGING

NS*Natural Swim*

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.



SEB*Sensitive Bait*

These are highly responsive bait models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the bait tackle set up.

SELFISH SEB 633

The standard model of the SELFISH Bait series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for bait reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.

ST*Standard & Specialized*

This is a model able to easily control the jigs and quickly switch your jerking patterns from high pitch, one pitch, short to long jerks mainly from boats which are controlled for vertical jigging. It is a highly sensitive model able to transmit the slightest of change even at high speed jerks.

SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S Nano.

SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellowtail over 10kg, amberjack or kingfish around 7~8kg under control with 614S Nano.

SELFISH 597S Nano

This 597S Nano designed for vertical jigging to aim large size kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.

Rod Detail

Guide / SiC-S Titanium frame K Guide(Fuji)  
Reel seat / Spinning model DPS18 597S DPS20 Bait model TCS18



<b>SELFISH</b> <i>Natural Swim</i> <b>NS 632</b> Lure / Comfort Weight <b>80~130g</b> Line <b>MAX PE 2</b> Drag Max <b>3kg/45°</b> Length: 6ft 3in Closed Length: 1910mm Weight: 126g Price:	<b>SELFISH</b> <i>Natural Swim</i> <b>NS 623</b> Lure / Comfort Weight <b>100~150g</b> Line <b>MAX PE 3</b> Drag Max <b>5kg/45°</b> Length: 6ft 2in Closed Length: 1890mm Weight: 159g Price:	<b>SELFISH</b> <i>Natural Swim</i> <b>NS 614</b> Lure / Comfort Weight <b>120~180g</b> Line <b>MAX PE 4</b> Drag Max <b>7kg/45°</b> Length: 6ft 1in Closed Length: 1865mm Weight: 174g Price:	<b>SELFISH</b> <i>Sensitive Bait</i> <b>SEB 633</b> Lure / Comfort Weight <b>120~180g</b> Line <b>MAX PE 3</b> Drag Max <b>5kg/45°</b> Length: 6ft 3in Closed Length: 1915mm Weight: 182g Price:	<b>SELFISH</b> <i>Sensitive Bait</i> <b>SEB 624</b> Lure / Comfort Weight <b>140~200g</b> Line <b>MAX PE 4</b> Drag Max <b>7kg/45°</b> Length: 6ft 2in Closed Length: 1890mm Weight: 189g Price:	<b>SELFISH</b> <i>Nano</i> <b>613S</b> Lure / Comfort Weight <b>100~140g</b> Line <b>PE 2.5 Class</b> Drag Max <b>4kg/45°</b> Length: 6ft 1in Closed Length: 1860mm Weight: 170g Price:	<b>SELFISH</b> <i>Nano</i> <b>614S</b> Lure / Comfort Weight <b>130~170g</b> Line <b>PE 3 Class</b> Drag Max <b>5kg/45°</b> Length: 6ft 1in Closed Length: 1860mm Weight: 180g Price:	<b>SELFISH</b> <i>Specialized Model</i> <b>597S</b> Lure / Comfort Weight <b>180~240g</b> Line <b>PE 5 Class</b> Drag Max <b>8kg/45°</b> Length: 5ft 9in Closed Length: 1756mm Weight: 250g Price:
--	---	---	--	--	---	---	--

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped





Jigging for Monster



# OceanArrow

Jigging / Blue fin Tuna / Yellow fin Tuna / Marlin / Grouper

As of 2021, the OceanArrow series will be restarted as jigging models to target large species around the world.

For jigging, it is not only vital for anglers to have the technique to induce bites but also be able to fight and efficiently surface the large predatory fish. The new OceanArrow series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

The new models of 5930 and 6615 are designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

With the ever changing environment and the evolution of tackle, we hope you can take hold of the big game jigging with our new OceanArrow series.

Both the 5930 and 6615 are set with a gimble butt end for an easier fight against the tough and heavy monsters at the other end of the line.

## New OceanArrow 6615 / Spinning Model

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break-off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs.

## New OceanArrow 5930 / Spinning Model

This is a one piece spinning model designed to jig for large size Tuna and Marlins around the world. The short length rod able to be high sticked will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits.

OceanArrow

### Rod Detail

Guide / SIC Ocean Guide(Fuji)  
Reel seat / DPS20



### 2021 New Model OceanArrow 6615

Lure  
**JIG MAX 400g**  
Line  
**MAX PE 6**  
Drag Max  
**12kg/45°**  
Length: 6ft 6in  
Closed Length: 1295mm  
Weight: Undecided  
Price:

### 2021 New Model OceanArrow 5930

Lure  
**JIG MAX 800g**  
Line  
**MAX PE 8**  
Drag Max  
**15kg/45°**  
Length: 5ft 9in  
Closed Length: 1775mm  
Weight: Undecided  
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



OceanArrow 5930



OceanArrow 5930



The new OceanArrow 5930 and 6615 are models designed to go after the super size species including the Bluefin Tuna, Yellowfin Tuna, standing Marlin game and Groupers in the deep. The rods have a more tenacious and bendy characteristics so it is not too suitable for high pitch jigging but they are ideal for one pitch and more slower jigging and falling actions.




OceanArrow 5930



OceanArrow 6615 (Armpit jerk)



OceanArrow 6615 (Gimbal jerk)



The 6615 and 5930 are both designed so anglers can high stick the rod during the long fight against the mammoth fish. Furthermore, the gimble settings at the butt end will help anglers jerk heavy weight jigs. The rod end gimble comes standard with these rods. You can choose whether to jerk the jig under your armpits or with the gimble on your fighting belt depending on style, depth and jig weight.



## Tairubber and Light Jigging

# OceanArrow Snapper

Light-Jigging/Red Seabream / Grouper

The OceanArrow Snapper series for light jigging, TaiRubber and the Inchiku game. Although the rods themselves are flexible, they possess a core strength for anglers to overcome their targets while having the sensitivity to sense the slightest changes in current or bites. Our goal was to improve the response of the blanks true potential. These rods are packed with the elements for anglers to enjoy the sensitive and subtle currents when fishing for snapper and rockfish.

### OceanArrow 67UL Snapper


The concept of the 67UL is to possess absolute sensitivity capable of transmitting vital information through the blank despite depth nor current while being able to lift the sizable fish. The flexible tip section will easily bend in once there is a bite, yet having a distinct core in the blank to aggressively set the hook. Equipped with both delicate sensitivity and a powerful butt section capable of lifting and controlling the fish, this 67UL is true to Ripple Fisher's spirit of rod making. We would like for many anglers to take hold and experience this rod first handedly.

### OceanArrow 65L Snapper

The 65L is a model which is able to conduct a smooth retrieval under heavy pressure against the TaiRubber in deep waters and strong currents. The highly sensitive blank will transmit the slightest changes in current pressure and chases from your target through the blank, giving anglers another element to consider when fishing. The blank itself possesses an ideal stiffness and flexibility to efficiently and effectively hookup the fish. To put it into perspective, if the 67UL is a rod with a sensitive tip with a powerful butt section, this 65L is a rod which exhibits its power and sensitivity through the smooth bend of the whole rod. Although the 65L is mainly developed for TaiRubber fishing, it is also equipped with the ideal settings for light jigging and the Inchiku game.


### OceanArrow 66ML Snapper

The 66ML has a grip joint structure with an increased butt power compared to the previous two models. It is not only great for your TaiRubber game but an all-rounder rod for the Inchiku game, jigging and even soft plastics game to target the various species you may encounter when fishing from your boat. With its versatility, anglers can make good use of their light line to suit your own style of fishing to target any given species from your boat or even a kayak where you may be limited with the number of rods you can take. We are positive that this rod will be your next best friend for not only local waters but also fishing expeditions where you may have to deal with large snappers, groupers, hair-tail, blue-runners etc.



#### Rod Detail

Guide / SIC-S Titanium frame K Guide(Fuji)  
Reel seat / 67UL・65L TCS16(Fuji) 66ML TCS17(Fuji)



#### OceanArrow 67UL Snapper

Lure  
MAX 100g  
Line  
MAX PE 1  
Length: 6ft 7in  
Closed Length: 2005mm  
Weight: 131g  
Price :

#### OceanArrow 65L Snapper


Lure  
MAX 120g  
Line  
MAX PE 1.2  
Length: 6ft 5in  
Closed Length: 1960mm  
Weight: 125g  
Price :

#### OceanArrow 66ML Snapper


Lure  
MAX 160g  
Line  
MAX PE 1.5  
Length: 6ft 6in  
Closed Length: 1475mm  
Weight: 146g  
Price :

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

#### SELFISH Bending Curve / Load 1kg



#### SELFISH OceanArrow Static load comparison of Selfish, Ocean Arrow series (3kg load)




#### OceanArrow Snapper


Load 1kg

Static load comparison of Ocean Arrow Snapper series (1kg load)

※The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.





Here is an illustration of the bending curves of the rods ranging from PE2 class to PE4 class of the Selfish series with a static load of 1kg. The illustration below displays the bending curve of rods above PE4 specifications with a static load of 3kg. The Selfish NS are flexible rods designed to naturally swim the jig with the belly section instead of flicking the jig with the tip section done with other types of jigging rods. The Selfish SEB are bait-casting models with stiffer tips that are not only able to rhythmically flick jigs with the tip but also able to naturally swim the jig with the belly section of the blank depending on the angle of your line. The ordinary models are equipped with the ability to conduct one pitch jerking to high pitch short jerking depending on your preference. It is designed for vertically jigging so once the angle of the line is too acute, it may cause the jig to lose the tension.





The new OceanArrow 6615 and 5930 models were designed with the focus on easing the fight against the heavy and continuous load of Tuna type species. Anglers will be able to endure the heavy load by high sticking the rod and continuously and efficiently pumping and lifting the fish. If you look at the bending curve, the 5930 seems to bend in more but this is due to the fact that the whole blank bends for one piece rods and that the 6615 is a grip jointed rod and the butt section has remained. As for power standards, the 5930 is superior. The picture below demonstrates the bending curve with a heavier load and you can see that the bending curve of the 6615 has become more acute. The 5930 is more suited for larger fish and will efficiently and easily lift the fish.

#### OceanArrow Bending Curve / Load 8kg



Here are the comparisons of the Ocean Arrow, Snapper series with a static load of 1kg. The power of the butt sections are basically the same for the 67UL and 65L designed for use with the Tai-rubber. However, you will notice the difference when you start retrieving and once the rod is loaded with a fish. The 67UL is flexible at the tip section with a contrastingly strong butt while the 65L will absorb the impact with the whole rod. The 66ML is a totally different rod compared to the 67UL and the 65L designed for use with Inchiku and light jigging with a unique grip joint section. The following comparative diagram will give you an idea of the difference in power, however it is not indicating that the 67UL and 65L are weak. The designs of the blanks themselves differ between those rods that are designed to fight with a thin line than to rods to aggressively stop the fish.

Light model Snapper





LAND

*Shore Casting and Light Game*

**Runner Exceed**

FINAL STAND UP

**Monster Impact** - 2021 Oscar Model

*Avarice*

*SilverStream*

*RealCrescent*



Shore Casting “RunnerExceed” “MonsterImpact” “Avarice” “SilverStream” “RealCrescent”



Rock Shore Casting

# RunnerExceed

Shore Casting/King Fish / Yellow Tail / Greater Amberjack

The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to “catch” your dream fish in the harshest environments.

Recently, the number of anglers targeting 20kg class kingfish have increased and are seeking not only the power in a rod, but also the least amount of strain on the angler. No matter how strong a rod may be, if the angler does not have the power to bend it, s/he will be in the disadvantage when fighting off the rocks.

You can bend the rod and lift, stop the thrashing fish with its power, or technically fight the fish with the use of the long-leader system utilizing the bait-tackle setup. Each and every angler will have their own style but there is one thing in common and that is the “strength” the RunnerExceed series have.

We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controlability, resilience and strength of the series when most needed during the fight.







## RUNNEREXCEED / ROCK SHORE CASTING



### RunnerExceed 102M Nano PlugModel

This is the lighter plugging model the of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencil and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg. The Nano blank will allow for a speedy and efficient fight using the repulsive force of the rod.

### RunnerExceed 104H Nano PlugModel

This land-based blue-runner rod was built with the purpose of practicality and power. The flexibility was the most important aspect for the development of the rod. While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section, allowing for anglers to lift the rod higher to withstand the final thrust of the fish in close range.

### RunnerExceed 110H Nano PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Firstly, it eliminates any handling error of the lure in rough seas. Secondly, it will improve the hookup rate as the flexible tip section will follow through the bite. Finally, the flexible tip will allow for a wider range of lure selection and easier control of the lures by the angler. The blank is designed to support the balance of the angler during high pressure battles against large fish off the rocks by adequately bending in while possessing ample resilience in the butt section to lift the fish. The power of the butt section will help anglers when landing the fish by guiding the fish through rock formations and tide pools. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from 10~15kg in shallow waters.

### RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift 3~4kg fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next right arm.

### RunnerExceed 103H

This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action.

### RunnerExceed 107BH Nano / Bait Model

The blank itself is extremely flexible and tenacious yet possessing a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long-leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller 3kg~6kg fish, yet possessing underling power for those monstrous fish.



#### Rod Detail

Guide / 102M SIC-S Titanium frame K Guide(Fuji)  
911MH+ 103H+ 110H SIC-S Titanium frame K Guide+SIC Ocean Guide(Fuji)  
104H+ 107BH SIC Ocean Guide(Fuji)  
Reel seat / Spinning model DPS20(Fuji) Bait casting model T-DPS22(Fuji)  
Those with NANO notation, NANOALLOY® technology of TORAY is loaded.



#### RunnerExceed 102M / Nano Plug Model

Lure  
Plug 20~70g  
Line  
PE 1.5~3  
Drag Max  
5kg/45°  
Length: 10ft 2in  
Closed Length: 1590mm  
Weight: 290g  
Price:

#### RunnerExceed 104H / Nano Plug Model

Lure  
Plug 40~120g  
Line  
PE 4~6  
Drag Max  
8kg/45°  
Length: 10ft 4in  
Closed Length: 1615mm  
Weight: 327g  
Price:

#### RunnerExceed 110H / Nano Plug Model

Lure  
Plug 40~130g  
Line  
PE 4~7  
Drag Max  
9kg/45°  
Length: 11ft  
Closed Length: 1720mm  
Weight: 341g  
Price:

#### RunnerExceed 911MH / Nano

Lure  
MAX Jig 100g  
MAX Plug 80g  
Line  
MAX PE 4  
Drag Max  
6kg/45°  
Length: 9ft 11in  
Closed Length: 1560mm  
Weight: 306g  
Price:

#### RunnerExceed 103H

Lure  
MAX Jig 130g  
MAX Plug 90g  
Line  
MAX PE 5  
Drag Max  
8kg/45°  
Length: 10ft 3in  
Closed Length: 1615mm  
Weight: 327g  
Price:

#### RunnerExceed 107BH / Nano Bait Model

Lure  
50~130g  
Line  
MAX PE 6  
Drag Max  
8kg/45°  
Length: 10ft 7in  
Closed Length: 1650mm  
Weight: 374g  
Price:





Shore Big Game

RunnerExceed  
FINAL STAND UP

Shore Casting /GT / Dogtooth Tuna / King Fish / Greater Amberjack

For anglers who like the challenge of fishing from rocks or piers, this is the perfect rod when going after monsters such as GT, Dogtooth tuna, Amberjacks, Kingfish etc. Proper balance is essential and fishes often take advantage to bust your line should you fail to maintain tension on the line. This rod is good qualities of balance, bending and taper to maintain the lifting position. Both models of spinning and overhead are breakthroughs in blank design with superior characteristics.

**To our dear customers,**  
Big game fishing from shores is a high risk activity. Avoid fishing alone and always adopt a safety first attitude. The fish that you hook up may be beyond your capabilities. As the fish is literally fighting for its life, bear in mind accidents can happened and always use the best fishing equipment and never overestimate you own strength and abilities.



RunnerExceed FINAL STAND UP 100SXH

We created this rod for beginners but is will also satisfy the experts due to its ability of casting large lures ranging from 80gm – 150gm. With careful guide settings, it can handle long leaders. A carefully placed grip ensures a nice bend when loaded.

RunnerExceed FINAL STAND UP 105BXH / Bait Model

This is a bait casting rod created especially for the hardcore anglers who have mastered the art of casting and fighting at the highest level. This rod consistently delivers accurate and stress free casting, handling an array of lures from pencil type to poppers and fighting fishes over 40kg and yet having enough power in its blank for more.



RunnerExceed  
100SHH LIMITED

Shore Casting /GT / Dogtooth Tuna / King Fish / Greater Amberjack

RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. Compared to the Final Standup SXH, this 100SHH/LIMITED is milder on the anglers' body, bending more near the butt section for a more H class feeling of a rod. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land-based GT rod.

Rod Detail

Guide / SiC Ocean Guide(Fuji)  
Reel seat / Spinning model DPS22(Fuji) Bait casting model T-DPS22(Fuji)



RunnerExceed  
FINAL STAND UP  
100SXH  
Spinning Model

Lure  
MAX 160g  
Line  
MAX PE 10  
Drag Max  
10kg/45°  
Length: 10ft  
Closed Length: 1570mm  
Weight: 439g  
Price:

RunnerExceed  
FINAL STAND UP  
105BXH  
Bait Model

Lure  
MAX 180g  
Line  
MAX PE 10  
Drag Max  
10kg/45°  
Length: 10ft Sin  
Closed Length: 1626mm  
Weight: 429g  
Price:

RunnerExceed  
100SHH  
LIMITED  
Spinning Model

Lure  
MAX 150g  
Line  
MAX PE 8  
Drag Max  
10kg/45°  
Length: 10ft  
Closed Length: 1579mm  
Weight: 405g  
Price:

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

For Rock Shore / Landing Shaft

RF Multi Shaft M / 2pcs & L / 3pcs

The Multi Shaft is not only able to attach a landing net on the end, but also able to secure a large gaff at the end to help anglers land that dream fish. It is tough, light and able to protract when you are fishing from high ground. The light yet strong shaft is built up of carbon blank able to accurately gaff the fish from uneven footing. While you are able to protract the shaft when needed, you can still use it while it is stowed with the gaff still attached to the end. This will help anglers when walking along the rocks. Furthermore, the top cap and end cap can be removed for maintenance purposes after heavy usage. The rope attachment also comes standard for anglers who wish to use it as a fling-gaff. You can also purchase an “extension shaft” and screw it on to farther extend the shaft when required.



Multi Shaft  
“M” 2pcs

Expanded length  
2640mm  
Closed Length  
1435mm  
Weight: 612g  
Tip diameter: 25mm  
(Measured top of metal part)  
Butt diameter: 30.5mm  
(Measured top of end rubber part)  
Price:

Multi Shaft  
“L” 3pcs

Expanded length  
3900mm  
Closed Length  
1435mm  
Weight: 765g  
Tip diameter: 22mm  
(Measured top of metal part)  
Butt diameter: 30.5mm  
(Measured top of end rubber part)  
Price:

Extension  
Shaft

Length  
1360mm  
(Excluding the screw)  
Weight: 217g  
Price:

Precautions  
when using

When using the landing shaft, the protracting shafts joint section may sometimes get stuck and difficult to slow away. We have designed and treated the joint section so it will detach easily. Place the bottom end on the ground and push down to retract. Do not slam the bottom end on hard rocky surfaces as it will cause breakages.

Metal fittings Detail

Bracket specifications  
Screw standard: W1/2  
Bracket part: Stainless SUS 316L  
(Excluding the rope a attachment ring)



You can detach the top cap and end cap section from the shaft to clean the insides to avoid any corrosion. Please make sure to clean and dry in the shade after usage. (If you lose or break the top or end cap, please make an order from our parts list.)

