



Here is the bending curve of the RunnerExceed series loaded with a static weight of 3kg. 110H is although it is the same H class rod along with the 104H, it is more powerful and anglers will be able to comfortably cast 120g (max 130g) lures whereas the 104H cast weight is 80g (max 120g). If the 104H is a rod to bend and fight the fish, the 110H possesses the power to aggressively surface 15kg class Kingfish, yet having the light feeling similar to the 104H. This 110H can be said to be the new standard of power rods with its outstanding castability, lightness and power fused together.

The 103H is a model with a totally different concept, equipped with a powerful butt section ideal for use with both pencil type and popper type lures.





Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.



Power→



Shore Casting for Monster



Shore Casting /Blackfin-Seabass / BlueRunner / Red Eye / Seabass

The MonsterImpact series are developed to go after unsized targets and specific situations. We have eliminated any aspect of versatility, but have given it specialized power and taper to assist the anglers who are challenging their limits.

Both the 101HH and 110HH are powered series designed to target Blackfin seabass of the rugged rocks but is not the easiest rod to swing around.

Anglers are usually placed at a disadvantage in rough sea conditions and terrain, but we have given the rods ample strength to not only target monstrous Blackfin but also withstand the brunt of unexpected Blue runners. You will be able to utilize various size seabass minnows and lures but the overwhelming power will not be suitable for anglers who have yet to establish their Blackfin fishing skills. However, once you are experienced and ready, we are positive that this rod will be a great asset to those anglers who have their sights on lunker size fish.

In the 2021 season, we have not only added the 90H spinning model for Seabass and Akame (Japanese Barramundis') utilizing heavy weight big-bait lures, but also the long-awaited power overhead reel model of 91BH. The rods are exceptionally light for its power class and are easily capable of landing meter plus Akame and super-size seabass feeding on large size baitfish.

In addition, we have also produced a 4 piece 113HH model, giving a big advantage for anglers in the initial approach to the rocks or even travelling around the world.

The world for the MonsterImpact series has expanded with the addition of these new power models.



MONSTERIMPACT / SHORE CASTING FOR MONSTER

NEW Monsterimpact 91BH / Overhead reel Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big-bait game.

NEW MonsterImpact 113HH / 4pcs / Spinning Model

The 113HH is a powerful pack-rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and by freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land-based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both power in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.



rlmpact 113HH/4pcs rod comes with a special roo bag as well as a neopree rod cover useful when trekking through bushes to get to your fishing grounds. It also fits perfectly on the rod holder of our RippleFisher waterproof backpack.









MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eve (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

MonsterImpact 101HH Nano / Spinning Model

Like the 110HH, this rod is also designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft 1inch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

MonsterImpact 110HH / Spinning Model

This model has been designed with the power to overcome both the blue-runners and the black-fin seabass. It is not simply a harder and stiffer rod, but will bend tenaciously with the sudden run of the Kingfish. It is also ideal for fishing in heavy seas and strong head winds to target the monster class black-fin. Although it is a powerful rod, the tip section has been build with some flexibility for anglers to punch out those smaller lures. The belly to butt section of the rod is a HH class and has the strongest power of the lineup.

Monsterimpact 110HH HIRA / Overhead reel Model

This is the highly responsive overhead reel Hirasuzuki (Black-fin seabass) model with great casting capabilities. This HIRA overhead reel model is composed with light weight grip and guides to improve its balance, casting accuracy, lure and fish controllability, while being delicate and powerful at the same time. We present the holy grail of fishing rods to the hard-core anglers who strive to pursue the overhead reel style for their Hirasuzuki game



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped





MAX 60g MAX PE 3

Length: 10ft 1in Closed Length: 1585mm Weight: 270g

Price:

Spinning Mode

MAX 60g MAX PE 3

Length: 11ft Closed Length: 1735mm Weight: 274g Price :

MonsterImpact 110HH HIRA / Overhead reel Mode

> MAX 70g BEST PE 2.5

Length: 11ft Closed Length: 1735mn Weight: 270g Price :



Avarice

Avarice

Shore Casting /Black fin Seabass

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation.

We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots. Each model in the lineup has its own developmental concept. Starting with the controllability and lightness of the 103, the 110M is the standard model focusing on its outstanding rod balance. The 106MH is ideal for more technical and powerful approach while the 110H is for anglers who seek absolute power and sharpness.

Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.



Avarice 110M Nano

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends in to reduce hook offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

110M Nano Length 11' Lore: Max 40g Line: Max PE 2

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.

Rod Detail Guide / SiC-S Titanium frame K Guide(Fuji) Reel seat / 103M DPS18(Fuji) 106MH+110H DPS20(Fuji) NANOALLOY® technology of TORAY is loaded.



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

Avarice




The Avarice series are specially designed models for Blackfin seabass fishing but all models have exceptional butt power to go head-to-head with the unexpected Blue-runners or massive snappers that may take an interest in your lure off the rocks. The major difference from the MonsterImpact series is the ability of the Avarice series to appropriately follow through the bite when reeling through strong currents and the ability of the MonsterImpact is to efficiently respond to the anglers maneuvering of larger Blue-runner lures.




Avarice 110H / Nano Line MAX 60g Line MAX PE 2.5 Length: 1170mm Weight: 253g Price:











Here is an illustration of the 6 models in the MonsterImpact series with a static weight of 2kg. The two new modes in 2021 of 91BH and 90H are designed for big-bait lures for lunker size seabass and Akame but have a light feeling like a seabass class rod. The 4 piece model of the 113HH is the most powerful of the lot with added strength and sharpness for Blackfin seabass and Blue-runners as its main targets. The other 101HH, 110HH and 110HH/B models are also

The other 101HH, 110HH and 110HH/B models are also developed to target both Blackfin seabass and Blue-runners. The 110HH and 110HH/B have the sharpest feel while possessing both power and tenacity. The 101HH is a similar power class to the above mentioned rods yet being more tenacious and bendy.



Here are the bending curves of the Avarice series designed for blackfin seabass, loaded with a static weight of 2kg. As a reference, we have also included the MonsterImpact 101HH. The 110M is the long length power up version of the 103M. If you consider the 106MH and the 110H as having sharp casting for pinpoint shooting and being power models, you can say that the 110M is more flexible yet possessing the sharpness. The 103M is the most flexible and bendy of the series ideal for fishing around flat rocks. The 106MH is your standard blackfin model, with an extremely strong butt. The 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the 110H and the MonsterImpact 101HH, the butt power of the 110H is evidently stronge but the tip section is delicate for use with smaller minnows.



Power→



Seabass and more

SilverStream

Shore Casting /Seabass / Flat Fish / Cherry Salmon / Others

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon.3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (Japanese barramundis') and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SliverStream lineup. There is no power class in the series, and all have unique characteristics for the different species but there is one thing in common. That is the absolute butt power to deal with the lunker size targets. The SilverStream series are models which will perform to its limits depending on the anglers' needs and usage.



SILVERSTREAM / SEABASS AND MORF



SilverStream 81 Stiletto

The SivlerStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be you best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics

SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notices its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.

SilverStream 87 RED EYE Nano

The 87 Red-Eye is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eves, but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pull away the monstrous fish off the structures have been finely honed through the use of Nano material in the blank.



SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures. %For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano.

SilverStream 112 Northern


The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed. *For anglers who prefer to use minnows when fishing in the surf, we recommend the SilverStream 103 Flows Nano or Avarice 103M Nano



Rod Detail


Rest of all DPS18(Fuji)











Here are bending curves of the SilverStream series loaded with a static weight of 1kg. The 81 Stilleto is a high speed model to hookup the shortest bites through the super sensitive and super resilient characteristics built up with all 40t carbon. The 2 models of the Northern series are stiff rods built to cast heavy weight jigs and jig minnows, yet possessing sufficient flex to hookup the sea trout. The 3 models of the Flows series are all built to target seabass. The 810 is a regular to fast tapered highly sensitive model. The 96 is a stiff model suited for long range casting and the 103 is the long length model also able to target Flounders. The Redeye is a power model, designed to target both the seabass and Akame (Japanese barramundis)) with a resilient and bendy characteristics. For your reference, we have also displayed the highly powerful MonsterImpact 90H suited for use with big lures. To cast with the Redeye, you can load the blank with the weight of the lure, whereas for the MI90H, you can cast by increasing you swing speed and utilizing the blanks stiffness/power.



Power→



Light Game



Shore Casting /Horse-mackerel / Rock Fish / Seabream

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods.

We have carefully selected 4 models in the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)





REALCRESCENT / LIGHT GAME



RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY ® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines

RealCrescent RC-65 / Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques

RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.

RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances

RealCrescent RC-57 / Overhead reel Model

Despite the stiff characteristics of the blank to exhibit the nature of a overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.


RealCrescent RC-67 / Overhead reel Model

This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.


RealCrescent RC-77 / Overhead reel Model

This is the middle class overhead reel model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.






On the left, you can see a comparative diagram of the bend curve of the Real Crescent series with a static load of 250g. The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with flexibility of the whole rod. As for the overhead reel models, the RC-57 is designed for use with singular body jig-heads and the RC-67 is ideal for both the iig-head and small lures. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream game. In the diagram, you may notice that the RC-81 and RC-77 have a similar bending curve and power, however they have a totally different characteristics with the 77 being much stiffer while the 81 being more flexible.



Rod Detail



A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

Price ·

51

RealCrescent

To a world you have never experienced.



Others / Color Custom & Goods

APAN special

BIG TUNA 76

lionstationact

5

TUNA

28

specia

Nano Length: 877 , Lure: MAX 40g Line: MAX PE 2


82:3/6

MLT: Length: 8

RippleFisher Color Custom


Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options below for you custom color.


*Please note that we do not accept custom request to change grip or guide options.



*Please note that we have been trying to our best but the color of this chart may differ from acutual color. It is also depend on type and setting of your moniter if you check it on web site. Thank you very much for your understanding.

54





The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

Thread Pin-Color

•The "thread pin color custom" designs will comply with the original product's position. %If two colors are used in the standard product, a single color will be used for the custom color.

%If you order a "thread pin color custom", the whole rod will be customized with the color you ordered. %The thread color of the multi shaft cannot be changed.

(Custom Charge)

Thread Pin color custom Color: 01~07 2,000Yen Color: 08 (No pin thread) 1.000Yen



Thread Set Color

Thread/01.Red Set Custom as an example Main color Red/Sub color Black


01

For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

*Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread.

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides.

For light to medium game rods, most models do not have



*We do not accept requests to change or alter the color of the pin thread. %The thread color of the multi shaft cannot be changed.

(Custom Charge)

this thread underneath the guides.)

Thread set color custom Color: 01~10 5,000Yen


Delivery date


With regards to your custom order delivery date, it will take roughly 10~14 months depending on our production schedule. (As a rule of thumb, we will set an order closing day on the


20th of every month. so it's about 10~14 months for delivery date from the order month.)


Changes and cancellation of custom order


Please note that basically we do not accept changes of cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.











05.Light Blue Set (Main · Light Blue/Sub · Navy)

10.Sky Blue Set (Main · Sky Blue/Sub · Dark Blue)



NEW RF Land based Fishing rod bag

his is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3~4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.

Ripple Rider



The ON-YO-NE Breathtech (3 laver) is a material specially bound together by 3 NEW RF Shell Jacket (ON-YO-NE) different layers of material for bouter, most under group durate systems by of different layers of material for the outer, most under waterproof lim and the lining. You will be able to comfortably fish in the harsh wet, wind while the most under the outer most under the line of the line of the outer most under the line of Water pressure resistance : Over 294kps (30.000mm) Moisture permeability : Over 16,000g/m 0 Ruple For 24H (B-1) Color : Navy • Khaki • Orange Size: M·L·O (XL) ·XO (XXL) Na

Riple Fish

able material will help release the heat and moisture built up inside the jacket. We have also arranged our jackets to have durable material under the armpits to reduce any wear and tear from fishing with the grip-end under your armpits.

NEW RF Waterproof Backpack StreamTrail×RippleFisher Collaboration model

Model:Stream Trail / DRY TANK 60L D2 Size:W39xD34xH62.5cm Capacity:60L Material: Tarpaulin, polyester (bag body) Color: Black

Riple Fisher

NEW RF Original Heavy weight Long sleeve T-shirt

It is a long sleave T-shirt with a strong and rough texture thanks to the Open-end material used. It's a thick 7.1oz material and will wear-in nicely as you use it more

Material: Cotton 100% Open-end yarn 7.10Z Size: M · L · XL · XXL Color: Black / Mixed Gray

Black · Back



Allana

Riple Fishe





NFW **RF** Original T-shirt 2021 LIKE NS OTHER Fisher

Khaki • Back

Khaki • Front


what is called a "semi-combed yarn" and is the category between the "card varn" normally used for T-shirts and the "combed yarn" which is a higher grade glossy material. The 3 major characteristics of this material is "lack of twist", "non-transparent" and "long lasting".

The new 2021 T-shirts have been made by

Material: Cotton 100% Semi-combed yarn 5.60Z Size:M·L·LL·3L Color



←The front has a ripple tag sewn on the bottom right without printing









021 1	RippleFishe	er Ro	a Line-U	p S	pec L	veta	IIS		2021 New Model											1
	Series	Price	JAN CODE	Sec e	Lt [feet]	CL-Lt [mm]		Lure	Line	Drag Max	Guides	Reel Seat	Lock	Joint	Grip End	Carbon (%)	Tip [mm]		Position [m]	Suitable reel size
	85F JAPAN Special		4580397945147	2 0	S 8ft 5in	-	-	18~120g	Pe 3 ~ 6		SiC-S/Ti/K+OC	DPS20	D	GJ	BRC %	95.5			867	S·D:8000~14000 / D:4500~
BIG TUNA P7	83 JAPAN Special		4580397948087	2 5	_	1785	_	$40 \sim 150g$	Pe 6~8		0C	DP 320	D	GJ	BRC%	93.2	3.3	14.5		S·D:14000~18000 / D:5500~
	85 JAPAN Special				_	-	-			15kg/45°			-			-	-	-	-	S·D:14000~20000 / D:5500~
			4580397945130				_	40~160g	Pe 6 ~ 12	15kg/45°	00	DPS20	D	GJ GJ	BRC%	94.4	-	_	895	
	710 JAPAN Special		4580397945116		_	-	-	40~160g	Pe 6 ~ 12	15kg/45°	00	DPS20	D		BRC※ Gimbal※	92.9	_		910	S·D:14000~20000 / D:6500~ S·D:18000~30000 / D:6500~
	76 JAPAN Special		4580397945215		-	1575		60~180g	Pe 8 ~ 12	18kg/45°	00	DPS20	D				-	_	900	
	73 JAPAN Special		4580397945161	2 5	_	1515	_	60~180g	Pe 8 ~ 12	18kg/45°	00	DPS20	D		Gimbal ※		_	15.1		S·D:18000~30000 / D:6500~
Aquila	ST 78-3		4580397940081	2 3	_	1780	_		MAX Pe 3	5kg/45°	SiC-S/Ti/K	DPS18	D	GJ	EVA	94.7	_	_	705	S:5000~6000 / D:3500~40
	ST 80-4		4580397940098		-	1782	-	Com.W 40~80g	MAX Pe 4	- v	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	_	12.7	:	S • D:8000 / D:4500
	ST 85-6		4580397945093		_	1925		Com.W 40~110g	MAX Pe 6	-	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2		_	815	S·D:8000~18000 / D:5000~
	EX 79-3		4580397940050	3 5	-	847	-	Com.W 40~60g	MAX Pe 3	5kg/45°	SiC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	-		895	S:5000~6000 / D:3500~40
	EX 83-6		4580397940074	3 5	_			Com.W 60~120g	MAX Pe 6	-	SiC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	_	_	930	S·D:14000 / D:5500
P11	MST 85-7+		4580397945048	2 3		1897	-	Com.W 40~120g	MAX Pe 7	14kg/45°	SiC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	_	14.9	840	S·D:14000~18000 / D:5500~
LII	MST 711-8+		4580397945055	2 3	6 7ft 11in	1752	369	Com.W 80~180g	MAX Pe 8	16kg/45°	SiC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S·D:14000~18000 / D:5500~
	MLT 82-2/4		4580397940104	2 3	6 8ft 2in	1782	341	Com.W 30~70g	Pe 2 ~ 4	7kg/45°	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S:6000~8000 / D:4000~50
	MLT 82-3/6		4580397940111	2 3	8 8ft 2in	1785	348	Com.W 40~90g	Pe 3 ~ 6	10kg/45°	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S·D:8000~14000 / D:4500~
	MLT82-2/4 Short Handle		4580397949985																	
	MLT82-3/6 Short Handle		4580397949978																	
	FINAL SPIRIT GT78		4580397948926	2 5	5 7ft8in	1645	393	MAX 270g	MAX Pe 12	17kg/45°	00	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S·D:18000~20000 / D:650
ceanRidge	Reversal GT 80 Nano		4580397944096	2 3	_	1737	-	MAX 170g	MAX Pe 8	14kg/45°	OC	DPS20	U	GJ	BRC	99.2		-	885	S·D:14000~18000/D:5500~
Ŭ	LC GT 82 Nano		4580397944089			1796		MAX 170g MAX 190g	MAX Pe 8	14kg/45°	00	DPS20	U	GJ	BRC	99.3	_	15.9	-	S·D:14000~18000/D:5500~
P16	PF GT 711 Nano		4580397944102		_	-	-	MAX 130g MAX 210g	MAX Pe 10	15kg/45°	00	DPS20	U	GJ	BRC	99.4		-	880	S · D:18000 / D:6500
					_		_	MAX 210g MAX 150g	MAX Pe 10 MAX Pe 6	10kg/40 12kg/45°	00	DP 520	U	GJ	BRC	99.4	_	14.9	-	S·D:10000~14000 / D:5000~
	711ML		4580397944027		-	-	-						-			95.5		-	-	S·D:10000~14000 / D:5000~
Ultimo	83ML		-	-	_	1815	_	MAX 150g	MAX Pe 6	12kg/45°	00	DPS20	U	GJ	BRC		_	13.9	:	
P18	79M Nano		4580397944041	2 5	-	1740	-	MAX 160g	MAX Pe 7	13kg/45°	00	DPS20	U	GJ	BRC	99.5	-	14.0	-	S·D:10000~14000 / D:5000~
	83M Nano		4580397944065			_		MAX 160g	MAX Pe 7	13kg/45°	00	DPS20	U	GJ	BRC	99.5	_	_	860	S·D:10000~18000 / D:5000~
	80MH Nano		4580397944034	2 5	_	1740	-	MAX 170g	MAX Pe 8	14kg/45°	OC	DPS20	U	GJ	BRC	99.8	-	14.5		S·D:14000~18000/D:5500~
TXpedition	81M		4580397948094	3 5	8 8ft 1in	887	380	MAX 140g	MAX Pe 6	10kg/45°	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S·D:14000 / D:5500
P20	81MH		4580397948100	3 5	8 8ft 1in	887	386	MAX 180g	MAX Pe 8	13kg/45°	OC	DPS20	U	Spigot+GJ	BRC	93.3	3.9	15.2	920	S·D:14000~18000/D:5500~
	NS 632		4580397948117	1 5	6 6ft 3in	1910	126	Com.W 80~130g	MAX Pe 2	3kg/45°	SiC-S/Ti/K	DPS18	U		EVA	73.5	2.0	8.0	615	S:5000 / D:3500
	NS 623		4580397948124	1 5	6 6ft 2in	1890	159	Com.W 100~150g	MAX Pe 3	5kg/45°	SiC-S/Ti/K	DPS18	U		EVA	89.4	2.2	8.6	625	S:5000~8000 / D:3500~4
	NS 614		4580397948131	1 5	6 6ft 1in	1865	174	Com.W 120~180g	MAX Pe 4	7kg/45°	SiC-S/Ti/K	DPS18	U		EVA	82.7	2.1	9.2	645	S:6000~8000 / D:4000~4
SELFISH	SEB 633		4580397948148	1 E	-	1915	_	Com.W 120~180g	MAX Pe 3	5kg/45°	SiC-S/Ti/K	TCS18	D		EVA	88.4	2.4	8.2	:	S:1500~2000 / D:15~20
P23	SEB 624		4580397948155	1 6	_	-	-	· · · · · · · · · · · · · · · · · · ·	MAX Pe 4	7kg/45°	SiC-S/Ti/K	TCS18	-		EVA	94.7	_	-	680	S:2000 / D:30~35
P23	613S Nano		4580397941026	1 5	_	1860	_	-	Pe 2.5 Class	4kg/45°	SiC-S/Ti/K	DPS18	U		EVA	92.5	_	8.7		S:5000~6000 / D:3500~4
					_		_	-		- v			-			92.5	_		<u> </u>	S:5000~8000 / D:3500~4
	614S Nano		4580397941033			1860	_		Pe 3 Class	5kg/45°	SiC-S/Ti/K	DPS18	_		EVA		-	9.2		
	597S Nano		4580397941064	1 5	_	1756	_		Pe 5 Class	8kg/45°	SiC-S+SiC/Ti/K	DPS20	U		BRC	99.8	-	9.2	-	S·D:8000~10000 / D:4500~
ceanArrow			4580397948964	2 3		1295			MAX Pe 6	12kg/45°	00	DPS20	D		Gimbal Ж				885	S·D:10000~14000
P26	5930		4580397948957	1 5	-	1775		MAX 800g	MAX Pe 8	15kg/45°	OC	DPS20	D		Gimbal Ж		-	-	815	S·D:10000~20000
Snapper	67UL		4580397941125	1 E	_	2005		MAX 100g	MAX Pe 1		SiC-S/Ti/K	TCS16	_		EVA	89.0		_	640	S:100~200 / D:100~200
P28	65L		4580397941132	1 E	-	1960	-	MAX 120g	MAX Pe 1.2		SiC-S/Ti/K	TCS16	D		EVA	89.8	1.7	8.3	<u>. </u>	S:100~200 / D:100~200
120	66ML		4580397941149	2 E	3 6ft 6in	1475	146	MAX 160g	MAX Pe 1.5		SiC-S/Ti/K	TCS17	D	GJ	EVA	94.7	1.6	9.8	635	S:100~200 / D:100~200
	102M Nano PlugModel		4580397942030	2 3	6 10ft 2in	1590	290	Plug 20 ~ 70g	Pe 1.5 ~ 3	5kg/45°	SiC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S:5000~6000 / D:3500~4
	104H Nano PlugModel		4580397942047	2 3	6 10ft 4in	1615	327	Plug 40 \sim 120g	Pe 4 \sim 6	8kg/45°	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S·D:8000~14000 / D:4500~
	110H Nano PlugModel		4580397948179	2 5	5 11ft	1720	341	Plug 40 ~ 130g	Pe 4 ~ 7	9kg/45°	SiC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S·D:8000~14000 / D:4500~
	911MH Nano		4580397942016			1560	306	MAX Jig 100g/MAX Plug 80g	MAX Pe 4		SiC-S/Ti/K+OC			Spigot	BRC					S:6000~8000 / D:4000~4
nnerExceed	103H		4580397942023	2 5	5 10ft 3in	1615	327	MAX Jig 130g/MAX Plug 90g	MAX Pe 5	8kg/45°	SiC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S·D:8000~14000 / D:4500~
P33	107BH Nano		4580397940012		-	-	-		MAX Pe 6	8kg/45°	OC	T-DPS22	-		BRC	97.3	28	17.2	830	S:LD8~10 / D:LD20~30 / SO
	100SHH LIMITED		4580397948292			1579		MAX 150g	MAX Pe 8	10kg/45°	OC	DPS22	_	Spigot	BRC		_	_	885	S·D:14000~18000 / D:5500~
	FINAL STAND UP 100SXH		4580397942061		_	1570	-	MAX 160g	MAX Pe 10	10kg/45°	00	DPS22	-	Spigot	BRC		-			S:14000~20000 / D:5500~
	FINAL STAND UP 1058XH		4580397942078						MAX Pe 10	10kg/45°		T-DPS22	_	Spigot	BRC		_	_	-	D:LD30~50 / AV:MCLX6/ SOM:
					_	-	-	Ŭ		-	00						-	-		S:5000~6000 / D:3500~4
	113HH-4pcs		4580397948940		_			MAX 70g	MAX Pe 3		SiC-S/Ti/K	DPS20		Spigot	BRC	<u> </u>				
	91BH		4580397948933			1428		20~130 g	MAX Pe 5		SiC-S/Ti/K	TCS18		Spigot	EVA		-		670	S:200~400 / D:1500~400
MonsterImpact			4580397948018			1410	_	18~70g	MAX Pe 3		SiC-S/Ti/KX	DPS18	_	Spigot	EVA			_		S:4000~5000 / D:LT4000C~
P39	101HH Nano		4580397942122		-	-	-	MAX 60g	MAX Pe 3		SiC-S/Ti/K	DPS20		Spigot	BRC	99.8	-	-	1	S:5000~6000 / D:3500~4
	110HH / S		4580397942115		-	1735	_	-	MAX Pe 3		SiC-S/Ti/K	DPS20		Put over	BRC			_	-	S:5000~6000 / D:3500~4
	110HH HIRA / B		4580397942139	2 E	3 11ft	1735	-	MAX 70g	BEST Pe 2.5		SiC-S/Ti/K	TCS18	D	Put over	BRC	99.7	2.6	16.2	700	S:200~300 / D:1500~200
Avarice P42 SilverStream P45	103M Nano		4580397942085	2 5	6 10ft 3in	1600	198	MAX 40g	MAX Pe 1.5		SiC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.1	14.9	620	S:4000~5000 / D:LT5000C~
	106MH Nano		4580397942092	2 3	5 10ft 6in	1640	219	MAX 50g	MAX Pe 2		SiC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.2	16.3	655	S:4000~5000 / D:LT5000C~
	110H Nano		4580397942108	2 3	5 11ft	1730	253	MAX 60g	MAX Pe 2.5		SiC-S/Ti/K	DPS20	D	Spigot	EVA	99.8	2.4	16.9	660	S:4000~5000 / D:LT5000C~
	110M Nano		4580397948162	2 5	5 11ft	1726	213	MAX 40g	MAX Pe 2		SiC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:LT5000C~
	106 Northern Nano		4580397940036		-	1640	220	30~50g	MAX Pe 1.5		SiC-S/Ti/K	DPS20	-	Spigot	EVA	99.6	2.3	-	695	S:4000~5000 / D:LT40000C~
	112 Northern		4580397940029		-	_	_	30 ~ 60g	MAX Pe 1.5		SiC-S/Ti/K	DPS20	_	Put over	EVA	97.8		_	725	S:4000~5000 / D:LT40000C~
	81 Stiletto		4580397949992		-	-	-	7~28g	Pe 0.6~1.2		TZ/Ti/K	DPS17	-	Spigot	EVA		-	-	465	S:2500~4000 / D:LT2500~4
	810 Flows Nano		4580397942627			_	_	MAX 32g	MAX Pe 1.5		TZ/Ti/K	DPS18	_	Spigot	EVA		_	_	510	S:3000~4000 / D:LT2500~4
			4580397942634			-	-		MAX Pe 1.5		TZ/Ti/K	DPS18	-	Spigot		-	-	-	555	S:3000~4000 / D:LT4000C~5
	96 Flows Nano				-		_	MAX 38g					_				_	_		
	103 Flows Nano		4580397942641		-	-	-	MAX 42g	MAX Pe 1.5		TZ/Ti/K	DPS18	-	Spigot	EVA		-	-	595	S:3000~4000 / D:LT4000C~
	87 RED EYE Nano		4580397942603				_	MAX 40g	MAX Pe 2		SiC-S/Ti/K	DPS18	_	Spigot	EVA	99.7		_	555	S:4000~5000 / D:LT4000C~
	97 RED EYE Nano		4580397942610			-	-	MAX 45g	MAX Pe 2.5		SiC-S/Ti/K	DPS18	-	Spigot	EVA		-	-	585	S:4000~5000 / D:LT4000C~
	RC-55 / S		4580397948216	2 3	5 5ft 5in	853	54	JH 0.2 ~ 3g	Pe 0.2~0.4/FC • NY ~3lb		TZ/Ti/K	VSS16	U	Put over	EVA	91.1	1.3	6.5	290	S:1000~2000 / D:LT1000~2
	RC-65 / S		4580397948223	2 3	6 6ft 5in	1004	61	JH 0.3~6g/Plug 1.8~4.5g	Pe 0.2~0.4/FC • NY ~3lb		TZ/Ti/K	VSS16	U	Put over	EVA	91.6	1.4	7.8	335	S:1000~2000 / D:LT1000~2
	RC-75 / S		4580397948230	2 3	6 7ft 5in	1157	79	Rig 2~14g/Plug 2.5~11g	Pe 0.3 ~ 0.8		TZ/Ti/K	VSS16	U	Put over	EVA	99.8	1.5	10.0	385	S:2000~2500 / D:LT2000~
	RC-81 / S		4580397948247					2~17g	Pe 0.4 ~ 0.8		TZ/Ti/K	VSS16	_	Put over	EVA		_	_		S:2000~2500 / D:LT2000~
P49	RC-57 / B		4580397948254	2 E	-		-	0.5~5g	Pe 0.2 ~ 0.5		TZ/Ti/K%	PMTS17	-	Put over	EVA		-	-	325	Overhead reel for finesse
								0.8~8g	Pe 0.3 ~ 0.6		TZ/Ti/KX	PMTS17	_	Put over	EVA		_	_	390	Overhead reel for finesse
			1.000001040201	1615	- menili	1 - 02 J	1 '0	1 0.0 08	1	1		1. 1411 011	1		- */1	1 × 4 · · /	1 4.0	1 0.0	, 000	1
	RC-67 / B RC-77 / B		4580397948278	2 E	3 7ft 7in	1190	92	2~15g	Pe 0.4 ~ 0.8		TZ/Ti/KX	PMTS17	D	Put over	EVA	3.00	15	10.2	/15	For finesse and small Overhead

Harpoon for tuna P10
 4580397948032
 2
 2640
 1435
 612
 T type
 W 1/2
 250
 305
 485

 4580397948049
 3
 3900
 1435
 765
 T type
 W 1/2
 22.0
 30.5
 485
 Item Price JAN CODE Sec Shaft harpoontip Lt [mm] Wt [g] harpoon tip Recommended harpoon tip Multi Shaft 🛛 🕅 180 4580397948971 1 1800 335 Undecided W 1/2 ASANO / S-type Morippa P37 4580397948056 1 1360 217 -- W 1/2 nsion Shaft

Details of notation · Reel/S=Spinning B=Overhead reel Lure/Com-Wt=Comfort Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) K=K guide Grip end/ BRC=Rubber material Cap EVA=EVA resin material Cap Lock nut/U=Up lock D=Down lock Joint/Spigot=Spigot Ferrule Put over =Put over Ferrule 1&H=Grip Joint T-Type=Telescopic Type Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/ Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

** "SIC-S ring" is up dated model of SIC guide. Some of RippleFisher products are currently on switching from SIC guide to SIC-S ring guide. Depend on products, there SIC models and SIC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other type of guide ring.

	Seacret
A CO	BIG TUNA 83 JAPAN special
RIPS	
TSHER	

After Service & Support

Precautions for use

Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your

If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.

Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious Industrial (calcul) will cause place through clocking causing conducts injury or death.
If you hear or see lightning approaching while in use, pack the rod

away or stay away from the rod. Lightning may strike causing serious injury or death.

About joint section of rod

The joint section of rod of Ripple Fisher has been adjusted with high precision. If ferrule wax have been put on or connect rods without wiping salt water off, might cause of fixation. Please make sure that fouling or moistures are wiped off when you connect.

If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.

If you use the rod while the joint section is still loose, this may cause If the joint section is stuck together, use a rubber sheet for added

grip while twisting away from each other.

Maintenance and storage

•Wash rod with running water to rid of any filth and salt. Then wipe off any excess water. If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high

temperature.

Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference. Prices and specifications listed on this catalog maybe altered

without warning. The colors presented in the pictures may differ from the actual color.

Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

 Please be ware that personally modified rods will not be covered by warranty (even if it is within the warranty period).
If you are requesting for repair, please send in the whole rod (not just the section of the breakage).

*Please note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our English website (Staff blog), facebook news feed or production news.





Ripple Co., LTD (Ripple Fisher) 945 Obaru, Yamaga City, Kumamoto Pref. 861-0543 JAPAN

E-mail: info@ripplefisher.com

https://ripplefisher.com/















