

OCEAN

RippleFisher Off-Shore Game Lineup



BOAT CASTING GAME

TUNA / King Fish / Yellow Tail / GT and Other

BIG TUNA
Aquila
OceanRidge
GTXpedition





OceanRidge

BIG TUNA

BIG TUNA / Tuna Boat Casting

Blue fin Tuna / Yellow fin Tuna

We have prepared a vast lineup to suit various situations in various locations for various size tuna in our BIGTUNA series. Each model is developed based on season, location, current, baitfish, size of target tuna in addition to anglers size/strength and style of fishing. What we seek in the BIGTUNA series are rods where the anglers are continuously in the advantageous position and the anglers strength is not drained during the long exhausting fight against the tuna. In order to do so, we have also had to consider the casting ability and fighting characteristics of the species.

In the BIGTUNA series which have evolved over the past 12 years to go against the ultimate target, we have models to “aggressively surface” the fish or “dodge” the attack of the fish. In the summer of 2022, the long length 87AS (Accuracy Shot) model will be added to the series, making the total of 7 models. These models can be separated into the “aggressively surface” 83, 85, 710 and 73 models and to the “dodge” the thrashing of the fish for 85F, 87AS and 76 models. The vast lineup of models will cater for anglers of all ages and sizes. We hope you take a close look and analyze yourself, your fishing style, target size and area to choose the right rod for you.

The BIGTUNA series are rods that will support your Tuna casting game in Japan or internationally with characteristics and performances able to overcome the grueling fight against the tuna.

*Although the 76 is considered to be in the “dodge” the attack of the fish category, as it is a model to target the supersize tuna, the power the rod is similar to the “aggressively surface” models depending on your strength and build.



BIG TUNA 85F JAPAN Special / Light Class

This is a model capable of being high stucked while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small baits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

2022 New Model

BIG TUNA 87AS JAPAN Special / Middle Class

As its name suggests, the AS (Accuracy Shoot) model is designed to accurately cast lures into the feeding fish. In addition to the steady blank kick-back after casting, we have equipped two RV guides on the butt enabling an extremely smooth line ejection from the reel through to the rod. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 40g size lures. This middle class rod will assist anglers with its taper design ideal to slowly but surely lift the fish from the deep while being able to high-stick the rod. It is an ideal rod to target Tuna around 50~60kg. We hope this new concept will open up new possibilities for your future fishing.

*If you prefer a more speedy fight (same size fish) we recommend the 83. (87AS is 1 rank lighter compared to the 83. Furthermore, the 87AS is a totally different model and design to the 87 which has been discontinued.)

BIG TUNA 83 JAPAN Special / Middle Class

This model was developed with “lure control” and “fight” as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG-TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

BIG TUNA 85 JAPAN Special / Heavy Class

Remarkable characteristic of this model is sharpness without wobble when you cast. Comfortability for casting lure 50g to 100g and more without any stress and enough power are loaded on this 85. This can be recommended for blue fin tuna over 50kg on field as such as Tappi Aomori while taking advantage of sharpest feeling in this series.This is the power model that is well balanced while maintaining excellent casting feel.



BIG TUNA 710 JAPAN Special / Heavy Class


This rod is sharp when casting while possessing the tenacity and added lifting power. Although it is possible for anglers to high stick this rod to conserve energy, the lifting power will allow anglers to take initiative of the fight before it ends up becoming a long drawn-out battle. You could say that this rod will only show its true evolutionary characteristics to experienced anglers.

BIG TUNA 76 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

BIG TUNA 73 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi-mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna.



※Recently it has become possible to catch Blue-fin tuna in Japan, with weight exceeding 200kg. However, there are also dangers involved when targeting tuna exceeding 100kg in rough conditions. Although models such as the BIG TUNA 76 and 73 are designed to target “Blue-fin tuna over 200kg”, the specifications have been set and explanations written down with the assumption that the angler has sufficient strength, training and experience in the field.

BIG TUNA Series Detail

BIG TUNA Series / About power categories

We have set the power category as follows in order for a more comprehensive understanding. The 85, 710, 73, 76 are all in the same line max category however the 73 and 76 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from the 85 and 710.


Power Category	Model	Line	Lure
Light Class / PE6 recommended	85F	PE3~6	18~120g
Middle Class / PE8 recommended	87AS	PE5~8	40~150g
	83	PE6~8	40~150g
Heavy Class / PE10 recommended	85	PE6~12	40~160g
	710	PE6~12	40~160g
Power Class / PE12 recommended	73	PE8~12	60~180g
	76	PE8~12	60~180g



The pin-thread color will be changed according to power category. The light class 85F will have silver, the middle class 87AS and 83 will have blue, the heavy class 85 and 710 will have red and the power class 73 and 76 will have champagne gold color pin threads.

In addition, the name of the models will be imprinted in the butt spacer for easier identification for those anglers who take numerous models on a boat.

87AS & 85F & 85 Bending Curve Load 6kg



Static load comparison ofNEW BIG TUNA 87AS & 85F & 85 (6kg load)

The picture illustrates the difference in the bending curve of the light class 85F (PE6), middle class 87AS (PE8) and heavy class 85 (PE10) with a static load of 6kg. All models are long length models ideal for long distance casting. You can see that the load of the 85 is towards the tip section, allowing for a more speedy fight in the "aggressively surface" the fish compared to the 85F and 87AS. *we have not included the 83 in the illustration due to the shorter length. In comparison with the 87AS, the bending curve is milder with a one rank stronger power level.

Heavy Class Bending Curve Load 10kg




Static load comparison of BIG TUNA 85 & BIG TUNA 710 (10kg load)

These two models are the core of the series capable of use with various size lures for different bait sizes. The 85 is an extended model of the 710 with a sharper tip section when casting. Although the long length blank may feel stiffer, the butt section of the 710 is predominantly stronger.

Precautions for comparing bending curves

※The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.


Light-Middle Class Bending Curve Load 6kg



Static load comparison of BIG TUNA 85F & BIG TUNA 83 (6kg load)

Although, BIG TUNA 83 that have been set as middle class is recommended for PE8, if you are in situation that you have to cast light and small lure when your target is feeding on small sardines PE6 will be recommended to get more distance. A still weight of 6kg is loaded onto 85F and 83 supposing that you fish with PE6. Both models have moderate flexibility on belly section so even though those got length, you can maintain your position while fighting easily.

Power Class Bending Curve Load 15kg



Static load comparison of BIG TUNA 76 and BIG TUNA 73 (10kg load)

These models will assist anglers for situations where large lures are required due to the targets feeding on large baits such as dolphin fish. At a 45°angle, both the 73 and 76 can be seen to have the same power. However, once the rod is lifted even higher, the 76 will start bending closer to the body, reducing the load on the angler. The 73 has a sharp casting feel while able to fight the fish speedily.



BT 85 JS Photo by Sami



BT 85F JS



BT 83 JS

About RippleFisher Boat Casting Rod

BIG TUNA *Aquila* *Ultimo* *OceanRidge* *GTX* *pedition*

About the features of the series

BIG TUNA -Tuna rods

As Tuna do not directly run towards rocks like GT do and with the extreme load on the angler's body when fighting the mammoth Tuna, the rods can be characterized as being tenacious and bendy.

OceanRidge -GT rods

The tip section of these rods have been built stiff for easier use with large mouthed poppers when targeting GT. In addition, as GT run straight towards rocks to bust you off, the rods are built stiffer to efficiently lift and avoid rock formations by fully loading the rod with the angler's weight.

Ultimo -GT & Kingfish rods

With the flexible tip section, these models are especially designed to maneuver pencil baits and diving pencil type lures to target GT and Kingfish. They can be considered to be between the BigTuna and OceanRidge series, but the fight is more towards the GT fishing which requires a speedy response from the angler.


Ultimo series will be renewed in 2023.

Aquila -Kingfish & Tuna rods


The Aquila series are further subdivided into smaller categories depending on style and fishing conditions. Please refer to the figure on the right for characteristics of each category in the Aquila lineup.

Boat Casting Series

Features of the boat casting series




Angle of line and rod when fighting: (caution)



When you are fighting the fish and your target is far away with line on a diagonal angle, you can lift the rod to the angles shown in the figure on the left. However, when the fish is directly below the boat, be sure not to lift the rod too high. If the fish suddenly decides to dive down when your rod is lifted high, the load will focus on one point which may lead to the breakage of your rod. It is especially dangerous to high stick your rod when landing the fish. Please guide the fish into the net with your rod (grip) under your armpits.

Aquila PE6~



●MLT / MST is condition-specific model

MLT• these are models especially designed for utilizing small lures when your targets are feeding on micro bait.

MST• These models are especially designed for use with super large lures when your targets are feeding on large size baits such as dolphin fish.

●ST is the standard model

The ST series are the most versatile models for boat casting to target Yellow-tails and Kingfish.

●The 3 piece EX modes have a sharp feel

The EX models are 3 piece traveling models which are versatile, similar to the ST models. They are the stiffest models of the series.



Aquila

Aquila / Boat Casting

King Fish / Yellow Tail / Yellow fin Tuna

We have various models to the Aquila series, which have already been popular for the boat casting game. In recent years, the Kingfish and tuna games have become more subdivided.

In our lineup are 9 models. We have categorized them into four different series, ST, MLT, MST and EX. The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets.

The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX models have newly been introduced to the series, which are 3 piece pack rods for anglers traveling around the world.

In 2022, we have added the MST 82-9+ in the MST series to target the biggest of Kingfish around the world while utilizing super large lures.

The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish.

We don't simply make rods with "power", we make rods with "strength".



Aquila ST

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 3 power classes of PE #3, #4 and #6 to cater for various species and situations.v

Aquila ST 78-3

The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs for maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.

Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting. (Previous name:85H)

Aquila MST

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingies. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7~8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight. The + symbol next to the power class indicates that the power and tenacity has

Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~ 120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.

2022 New Model







Aquila MST 82-9+

In the ever evolving Kingfish game, the need to use large lures has increased with the target feeding on large size bait-fish. The MST82-9+ was designed to enable anglers to fully-cast lures exceeding 240mm while easily controlling and maneuvering these mammoth lures. Furthermore, the Aquila MST series are especially designed to tenaciously bend-in while demonstrating outstanding lifting power when fighting against monstrous Kings in rough terrain and gushing currents. Although we have designed the rod with easy utility, it is the strongest of the series and one will require ample body strength and experience to maximize its true potential. Having said that, we are confident that this rod will help anglers in the toughest of conditions, against the biggest of fish while using these large lures. We present this rod for those who are seeking monster-class Kings around the world.



ROD DETAIL Please refer to [page 40](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※A=Whole length of grip
B=Length from reel foot to end of grip when reel is equipped

					
<div>A 637 mm B 440 mm</div>	<div>A 734 mm B 471 mm</div>	<div>A 740 mm B 480 mm</div>	<div>A 768 mm B 503 mm</div>	<div>A 768 mm B 503 mm</div>	<div>A 778 mm B 503 mm</div>
<div>Aquila ST 78-3</div> <div>Lure / Comfort Weight 30~50g Line MAX PE 3 Drag Max 5kg/45° Length: 7ft 8in Closed Length: 1780mm Weight: 224g Price :</div>	<div>Aquila ST 80-4</div> <div>Lure / Comfort Weight 40~80g Line MAX PE 4 Drag Max 7kg/45° Length: 8ft Closed Length: 1782mm Weight: 300g Price :</div>	<div>Aquila ST 85-6</div> <div>Lure / Comfort Weight 40~110g Line MAX PE 6 Drag Max 12kg/45° Length: 8ft 5in Closed Length: 1925mm Weight: 338g Price :</div>	<div>Aquila MST 85-7+</div> <div>Lure / Comfort Weight 40~120g Line MAX PE 7 Drag Max 14kg/45° Length: 8ft 5in Closed Length: 1897mm Weight: 382g Price :</div>	<div>Aquila MST 711-8+</div> <div>Lure / Comfort Weight 80~180g Line MAX PE 8 Drag Max 16kg/45° Length: 7ft11in Closed Length: 1752mm Weight: 369g Price :</div>	<div>2022 New Model Aquila MST 82-9+</div> <div>Lure / Comfort Weight 80~220g Line MAX PE 9 Drag Max 17kg/45° Length: 8ft 2in Closed Length: 1815mm Weight: 400g Price :</div>



AQ-MST82-9+



AQ-MST82-9+



AQ-MST82-9+



AQ-MST82-9+

Aquila EX

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

Aquila EX 79-3

The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

Aquila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a “flexible” tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.

Aquila MLT

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)



AQ-MLT82-2/4

Aquila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small ~ super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.


Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.

ROD DETAIL

Please refer to **page 40** to compare the bending curve of static loading.
Please refer to the list on **page 58** to check details of rod specifications.

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Aquila
EX 79-3
3pcs-Pack Rod

Lure / Comfort Weight
40~60g
Line
MAX PE 3
Drag Max
5kg/45°
Length: 7ft 9in
Closed Length: 847mm
Weight: 263g
Price :

Aquila
EX 83-6
3pcs-Pack Rod

Lure / Comfort Weight
60~120g
Line
MAX PE 6
Drag Max
10kg/45°
Length: 8ft 3in
Closed Length: 905mm
Weight: 353g
Price :

Aquila
MLT 82-2/4

Lure / Comfort Weight
30~70g
Line
PE 2~4
Drag Max
7kg/45°
Length: 8ft 2in
Closed Length: 1782mm
Weight: 341g
Price :

Aquila
MLT 82-3/6

Lure / Comfort Weight
40~90g
Line
PE 3~6
Drag Max
10kg/45°
Length: 8ft 2in
Closed Length: 1785mm
Weight: 348g
Price :

AQ-MLT82-3/6



AQ-MLT82-2/4



A 811 mm
B 497 mm

A 855 mm
B 503 mm

A 799 mm
B 520 mm

A 799 mm
B 500 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A 704 mm
B 450 mm

A



Aquila



**OceanRidge
GTXpedition**

OR-PF GT711



AQ-MST 711-8+



AQ-MLT 82-3/6




OR-LC GT82




OR-PF GT711


Aquila Bending Curve Load 3kg




Here are the comparisons of the Aquila series with a static load of 3kg. Aquila series have been categorized ST, MLT, MST and EX.ST which have versatility and well balanced, MLT which is loaded flexibility on tip and strength on butt, MST which is employed massive power to keep huge kingfish under control and EX which is multi piece rod for Aquila series. MLT have been built with specialized design to hunt big one with lighter line than notation on specification. Utilizing its flexible and sensitive tip section, you can cast wider range of weight of lure comfortably. Once fish is on, MLT series bend very well smoothly like seamless and parry an attack of monstrous blue runner and it can be held with higher angle than other models. It is designed to apply good amount of pressure on fish continuously. EX series have been achieved smoothness on bending curve like a seamless. Sharpness, lightness and well-balance that are hidden in blanks of EX series will make you forget that those are 3 pics casting rod.



OceanRidge & GTXpedition Bending Curve Load 6kg



The picture illustrates the differences in the bending curve of the OceanRidge series and GTXpedition series with a static load of 6kg. When looking at the bending curve of the FS78 and LC82, it looks similar but the feel of the rod is totally different. The LC82 is designed to hook up and fight GT from a distance. The bending point is set far from the body thus will feel stiff when fighting GT in close range. In contrast, the FS78 bending point is set closer to the butt section allowing for a more powerful and responsive fight against GTs in close range. The GT Xpedition series are 3 piece rods ideal for your exotic trips to tropical countries overseas. The blank is extremely sharp and will allow anglers to utilize a wide range of lures. GT Expedition are also great to target massive Kingfish off-shore, especially for those anglers who prefer a sharp rod.



Ultimo 2023

RippleFisher create a new generation of Boat-Casting Game.

In 2023, the Ultimo GT rod series will be reborn. The new Ultimo series have been developed as the flagship model with long distance casting abilities, lightness and power at the next level to target GT and Kingfish off-shore.

This new series have been developed as a more versatile rod for both Kingfish and GT compared to the old series which were developed more for GTs. Please standby for release in 2023 for the new generation of rods for your boat casting game.

