

LIKE  
NO  
OTHER

JUST ARMED WITH RIPPLEFISHER

**Runner Exceed**

FINAL STAND UP

**Monster Impact**

*Avarice*

*Silver Stream*

Includes Northern Flows REEFEST

*Real Crescent*

**BIG TUNA**

**Aquila**

*Ocean Ridge*

*GTXpedition*

**SELFISH**

*Ocean Arrow*

RIPPLE  
FISHER  
25 YEARS

SINCE 1997 HANDCRAFTED IN JAPAN

*Ripple Fisher*

<https://ripplefisher.com/>

HandCrafted in Japan  
SINCE 1997



Dealer

*Hand Craft*  
*Ripple Fisher*

RIPPLEFISHER FOR PROFESSIONAL ANGLERS 2022 PRODUCTS  
ENGLISH VERSION



**RIPPLE  
FISHER  
25 YEARS**

SINCE 1997 HANDCRAFTED IN JAPAN

## Challenge, innovation, strive for the future.

As of 2022, Ripple Fisher will have reached the 25th anniversary since our establishment. It all began 25 years ago when big game fishing began to take off in southern Japan and we started developing customized rods to meet the needs of local anglers. When looking back at our footsteps, Ripple Fisher has been developing alongside the history and evolution of salt-water lure fishing. As a manufacturer, we would like to say that we have been at the forefront of the evolution of lure fishing tackle, however, it is more like us chasing after the ever evolving skill of anglers.

Anglers who challenge the limits of fishing are extremely passionate and have a creative way of approaching varied situations. These anglers never cease to amaze us and we have been aiming to meet their needs by fine-tuning our rod building skills. 20 years ago, there were many targets that would have been impossible to catch with lures back then. Who would have thought that these species would be your ordinary target genre with so many anglers chasing after them these days.

We are grateful for the long journey we have traveled these past 25 years alongside passionate anglers and are also very proud of what we have achieved in this duration.

Not only have fishing rods, reels, lures, lines and the whole tackle system evolved dramatically in the past 25 years, but it has also resulted in the change of how we approach fishing. For anyone who is a saltwater fisherman, we know that this is not the end of evolution. The vast sea around the world still have targets down in the deep that we have yet to challenge and will not be able to conquer with the current technology.

This is an amazing fact! Our goals are endless and we can continue chasing our dreams.

Our nature is fragile and we do have limited resources. If we look at it from this perspective, there will always be a conflict of interest between commercial fishermen and game fishermen. As fishermen together, there are many aspects of this industry we must consider and care about.

At Ripple Fisher, we wish to strive and move forward together with fishermen from around the globe, while challenging our limits, preserving, protecting and thinking about the environment,

*Hand Craft*  
**Ripple Fisher**  
FOR PROFESSIONAL ANGLERS

**LAND**  
RippleFisher Shore Game Lineup





# ROCK SHORE GAME

*BlueRunner / Black In Seabass / and Other*

**Runner Exceed**

FINAL STAND UP

**Monster Impact**

*Avarice*





RunnerExceed FINAL STAND UP 105BXH / Overhead reel Model

## EXTREAM MODEL

For anglers who like the challenge of fishing from rocks or piers, this is the perfect rod when going after monsters such as GT, Dogtooth tuna, Amberjacks, Kingfish etc. Proper balance is essential and fishes often take advantage to bust your line should you fail to maintain tension on the line. This rod is good qualities of balance, bending and taper to maintain the lifting position. Both models of spinning and overhead are breakthroughs in blank design with superior characteristics.

### RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. Compared to the Final Standup SXH, this 100SHH/LIMITED is milder on the anglers' body, bending more near the butt section for a more H class feeling of a rod. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land-based GT rod.

### RunnerExceed FINAL STAND UP 100SXH

We created this rod for beginners but it will also satisfy the experts due to its ability of casting large lures ranging from 80gm - 150gm. With careful guide settings, it can handle long leaders. A carefully placed grip ensures a nice bend when loaded.

### RunnerExceed FINAL STAND UP 105BXH / Overhead reel Model

This is an overhead reel rod created especially for the hardcore anglers who have mastered the art of casting and fighting at the highest level. This rod consistently delivers accurate and stress free casting, handling an array of lures from pencil type to poppers and fighting fishes over 40kg and yet having enough power in its blank for more.

**To our dear customers,**  
Big game fishing from shores is a high risk activity. Avoid fishing alone and always adopt a safety first attitude. The fish that you hook up may be beyond your capabilities. As the fish is literally fighting for its life, bear in mind accidents can happen and always use the best fishing equipment and never overestimate your own strength and abilities.

**ROD DETAIL** Please refer to [page 16](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※ A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



RunnerExceed 100SHH LIMITED

Lure **MAX 150g**  
Line **MAX PE 8**  
Drag Max **10kg/45°**  
Length: 10ft  
Closed Length: 1579mm  
Weight: 405g  
Price :

RunnerExceed FINAL STAND UP 100SXH

Lure **MAX 160g**  
Line **MAX PE 10**  
Drag Max **10kg/45°**  
Length: 10ft  
Closed Length: 1570mm  
Weight: 439g  
Price :

RunnerExceed FINAL STAND UP 105BXH Overhead reel Model

Lure **MAX 180g**  
Line **MAX PE 10**  
Drag Max **10kg/45°**  
Length: 10ft 5in  
Closed Length: 1626mm  
Weight: 429g  
Price :



RunnerExceed 104H Plug Model



RunnerExceed 95TC



RunnerExceed 95TC



# MonsterImpact

## MonsterImpact / Shore Casting for Monster

Blackfin-Seabass / BlueRunner / Red Eye / Seabass

The MonsterImpact series are developed to go after unsized targets and specific situations. We have eliminated any aspect of versatility, but have given it specialized power and taper to assist the anglers who are challenging their limits.

Both the 101HH and 110HH are powered series designed to target Blackfin seabass of the rugged rocks but is not the easiest rod to swing around.

Anglers are usually placed at a disadvantage in rough sea conditions and terrain, but we have given the rods ample strength to not only target monstrous Blackfin but also withstand the brunt of unexpected Blue runners. You will be able to utilize various size seabass minnows and lures but the overwhelming power will not be suitable for anglers who have yet to establish their Blackfin fishing skills. However, once you are experienced and ready, we are positive that this rod will be a great asset to those anglers who have their sights on lunker size fish.

As an additional release model the 90H spinning model for Seabass and Akame (Japanese Barramundis) utilizing heavy weight big-bait lures, but also the long-awaited power overhead reel model of 91BH. The rods are exceptionally light for its power class and are easily capable of landing meter plus Akame and super-size seabass feeding on large size baitfish.

In addition, we have also produced a 4 piece 113HH model, giving a big advantage for anglers in the initial approach to the rocks or even travelling around the world.

The world for the MonsterImpact series has expanded with the addition of these new power models.



MI 110HH

### MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

### MonsterImpact 91BH / Overhead reel Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big-bait game.

### MonsterImpact 101HH Nano / Spinning Model

Like the 110HH, this rod is also designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft linc and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.



MI 90H

### MonsterImpact 110HH / Spinning Model


This model has been designed with the power to overcome both the blue-runners and the black-fin seabass. It is not simply a harder and stiffer rod, but will bend tenaciously with the sudden run of the Kingfish. It is also ideal for fishing in heavy seas and strong head winds to target the monster class black-fin. Although it is a powerful rod, the tip section has been build with some flexibility for anglers to punch out those smaller lures. The belly to butt section of the rod is a HH class and has the strongest power of the lineup.

### MonsterImpact 110HH HIRA / Overhead reel Model

This is the highly responsive overhead reel Hirasuzuki (Black-fin seabass) model with great casting capabilities. This HIRA overhead reel model is composed with light weight grip and guides to improve its balance, casting accuracy, lure and fish controllability, while being delicate and powerful at the same time. We present the holy grail of fishing rods to the hard-core anglers who strive to pursue the overhead reel style for their Hirasuzuki game.

### MonsterImpact 113HH 4pcs / Spinning Model

The 113HH is a powerful pack-rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and by freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land-based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both power in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.



MI 113HH

**ROD DETAIL** Please refer to page 17 to compare the bending curve of static loading. Please refer to the list on page 58 to check details of rod specifications.

※Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
 ※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

<b>MonsterImpact 90H</b> Spinning Model	<b>MonsterImpact 91BH</b> Overhead reel Model	<b>MonsterImpact 101HH Nano</b> Spinning Model	<b>MonsterImpact 110HH</b> Spinning Model	<b>MonsterImpact 110HH HIRA</b> Overhead reel Model	<b>MonsterImpact 113HH 4pcs</b> Spinning Model
Lure <b>18~70g</b> Line <b>MAX PE 3</b> Length: 9ft Closed Length: 1410mm Weight: 193g Price :	Lure <b>20~130g</b> Line <b>MAX PE 5</b> Length: 9ft 1in Closed Length: 1428mm Weight: 212g Price :	Lure <b>MAX 60g</b> Line <b>MAX PE 3</b> Length: 10ft 1in Closed Length: 1585mm Weight: 270g Price :	Lure <b>MAX 60g</b> Line <b>MAX PE 3</b> Length: 11ft Closed Length: 1735mm Weight: 274g Price :	Lure <b>MAX 70g</b> Line <b>MAX PE 2.5</b> Length: 11ft Closed Length: 1735mm Weight: 270g Price :	Lure <b>MAX 70g</b> Line <b>MAX PE 3</b> Length: 11ft 3in Closed Length: 900mm Weight: 320g Price :



# Avarice

Avarice / Black fin Seabass Game  
Black fin Seabass

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation. We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod.

Anglers will cut through the strong head winds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots.

Based on the blackfin seabass games foundation to "skillfully handle", we have re-engineered the pattern and with the introduction of new material, Ripplefisher is proud to release the model fused with a sharp and light feeling.

## Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish. This is a new generation of Black-fin seabass rod with the combined properties of long casting, butt power and the newly added element of light/easy handling.

## Avarice 110M Nano

Blackfin seabass with the most up to date engineering technology at Ripplefisher. It possesses a highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

## Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. The bigger the fish on the other end of the line, the more power it will exert, constantly applying pressure on the fish to efficiently surface it. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

## Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong head winds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.



Avarice 110M

**ROD DETAIL** Please refer to [page 17](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※ Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※ A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Avarice  
**103M Nano**

Lure  
**MAX 40g**  
Line  
**MAX PE 1.5**  
Length: 10ft 3in  
Closed Length: 1600mm  
Weight: 198g  
Price :

Avarice  
**110M Nano**

Lure  
**MAX 40g**  
Line  
**MAX PE 2**  
Length: 11ft  
Closed Length: 1726mm  
Weight: 213g  
Price :

Avarice  
**106MH Nano**

Lure  
**MAX 50g**  
Line  
**MAX PE 2**  
Length: 10ft 6in  
Closed Length: 1640mm  
Weight: 219g  
Price :

Avarice  
**110H Nano**

Lure  
**MAX 60g**  
Line  
**MAX PE 2.5**  
Length: 11ft  
Closed Length: 1730mm  
Weight: 253g  
Price :



AV 110M



AV 110M




AV 110M





RunnerExceed 105BXH



RunnerExceed 95TC



MonsterImpact 90H




MonsterImpact 113HH




MonsterImpact 113HH


### RunnerExceed Bending Curve Load 3kg <Main Model>




The picture illustrates the difference in the bending curve of the Runner Exceed series with a static load of 3kg. The new 95TC is a MH class rod comparable with the power of the 911MH, however the feeling of the rod is totally different. The 911MH built up with the Nano-alloy material in the blank is a more tenacious rod able to bend in easily. In contrast, the 95TC is a highly responsive rod with greater lifting power and has a sharper feel. In the comparison, you can see that the 95TC is bending more than the 911MH, however when casting and maneuvering the lure, the 95TC is able to control heavier lures. The difference in the bending curve can be attributed to the difference in length, blank material and design. If you would like a more automatic rod, we recommend the 911MH and the 95TC is a more manual maneuvering rod. Please refer to the graph below for "characteristics comparison".




### MonsterImpact Bending Curve Load 2kg




Here is an illustration of the 6 models in the MonsterImpact series with a static weight of 2kg. 91BH and 90H are designed for big-bait lures for lunker size seabass and Akame but have a light feeling like a seabass class rod. The 4 piece model of the 113HH is the most powerful of the lot with added strength and sharpness for Blackfin seabass and Blue-runners as its main targets. The other 101HH, 110HH and 110HH/B models are also developed to target both Blackfin seabass and Blue-runners. The 110HH and 110HH/B have the sharpest feel while possessing both power and tenacity. The 101HH is a similar power class to the above mentioned rods yet being more tenacious and bendy.




### RunnerExceed Bending Curve Load 5kg <Extream Model>




Presented here are static load of 5kg loaded onto the RunnerExceed Final Standup models. Final Standup are the ultimate land-based models to target the GT and other monstrous species off the rocks and the 105BHH and the 100SHH follow in the footsteps. Please refer to the comparison below to check for power settings. The 103H, 100SXH and 105BXH are equipped with overwhelming power and stiffness while the 104H, 100SHH and 105BHH are composed of the Nano blank that helps anglers endure the thrashing of the fish by loading the rod and utilizing its repulsive force to lift the fish. The 100SHH is especially a highly repulsive model with the unique composition of different types of carbon material. Although it is a powerful model, anglers will easily be able to cast and control their lures while possessing a contradictory sharp feel to its flexible blank.



### Avarice Bending Curve Load 2kg



Here are the bending curves of the Avarice series designed for blackfin seabass, loaded with a static weight of 2kg. As a reference, we have also included the MonsterImpact 101HH. The 110M is the long length power up version of the 103M. If you consider the 106MH and the 110H as having sharp casting for pinpoint shooting and being power models, you can say that the 110M is more flexible yet possessing the sharpness. The 103M is the most flexible and bendy of the series ideal for fishing around flat rocks. The 106MH is your standard blackfin model, with an extremely strong butt. The 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the 110H and the MonsterImpact 101HH, the butt power of the 110H is evidently stronger but the tip section is delicate for use with smaller minnows.





# SHORE CASTING GAME

Seabass / Flatfish / Cherry Salmon / other  
Horse-mackerel / Rock Fish / Seabream

*SilverStream*  
Siletto Northern Flows RED EYE  
*RealCrescent*



# SilverStream

## SilverStream / Shore Casting

Seabass / Flatfish / Cherry Salmon / other

### Stiletto • Flows • REDEYE

SilverStream has a lineup for various land-based fishing. "Stiletto" is a special model that has sharpened the high sensitivity performance to the limit. "Northern" which targets sea trout and sea salmon. 3 models in the Flows series to decipher the intricate current from its super sensitivity, 2 models in the Red-Eye series for the monstrous seabass and Akame (Japanese barramundi) and now the 2 models in the Northern series for use with metal jigs or jig-minnows to target the sea trout or sea salmon consist of our SilverStream lineup.



SS 81 Stiletto

### SilverStream 81 Stiletto

The SilverStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. The rod is ideal for nighttime wading where anglers are blind and require all senses in their body to feel for that change in current. Also when the target species are selective or feeding on small baitfish, this rod will assist anglers at the most critical times. If anglers have a clear goal and method, this rod will be your best weapon. The all 40t carbon blank not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. This ultra sensitivity not only transmits the sharp "bite" type information efficiently but also the softer and more subtle information of "water flow". Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.



SS 810 Flows

### SilverStream 810 Flows Nano


The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with a strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. It may seem a little too stiff when anglers initially take a hold, but once you are out in the field casting, retrieving and fighting the fish, it will bend nicely. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

### SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The balance of the rod is outstanding and anglers will not notice its 96 length. It also possesses a highly sensitive blank to feel for the slight change in currents. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

### SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through the strong head winds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures. Even with its long length, the blank made up with the new NANOALLOY® technology has enabled the rod to maintain its sharpness. The unique characteristic of the Nano blank also exerts the underlying power once the rod is loaded with a lunker size fish off rough rocks and heavy seas.



SS 103 Flows



SS 81 Stiletto

### SilverStream 87 RED EYE Nano


The 87 Red-Eye is a power rod we present to anglers targeting the monstrous seabass and the infamous Akame (Japanese red-eye barramundi) inhabiting the Shimanto River. It is not simply an over powered rod, but possesses a flexible tip enabling anglers to cast and control small to large minnows. The blank is tolerant and will lift the fish with its repulsive force while having great casting capabilities of large lures with the least amount of effort. Furthermore, the 87 is designed with a short length grip for easier usage in the wading game.

### SilverStream 97 RED EYE Nano

In contrast to the 87 Red-Eye, we have increased its power, ability to load the rod and castability. Although its concepts are the same as the 87, with the combined attributes of sensitivity and power, this model is most suited for a more extensive field. It's ideal to rip out massive Red-Eyes, but also seabass off the rocks, black-fin seabass nearing the estuaries, and lunker size seabass lurking around the tetrapod's. The response and high sensitivity required to instantaneously pull away the monstrous fish off the structures have been finely honed through the use of Nano material in the blank.

**ROD DETAIL** Please refer to [page 23](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



# SilverStream Northern


In the northern area of Japan, anglers are mesmerized by land-based sea trout fishing. It is vital for the rod to be able to cast great distances to cover the vast area while possessing the lightness to prevent any loss of fish from ripping the lips. The SilverStream Northern models are designed for use with jig-minnows and metal-jigs to cast out and cover a vast area to search for the fish. The long length rod which possess contradicting characteristics of lightness in the tip and outstanding butt power is not only designed for the sea-trout but also ideal to target flounders.

## SilverStream 106 Northern Nano


This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures.

## SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures near by and it also possesses the butt power to rip off the monstrous flounders from the seabed.



SS 112 Northern



SilverStream 106 Northern / Nano

Lure 30~50g  
Line MAX PE 1.5  
Length: 10ft 6in  
Closed Length: 1640mm  
Weight: 220g

Price :

SilverStream 112 Northern


Lure 30~60g  
Line MAX PE 1.5  
Length: 11ft 2in  
Closed Length: 1754mm  
Weight: 255g

Price :

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.

※Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

## SilverStream Bending Curve Load 1kg



Here are bending curves of the SilverStream series loaded with a static weight of 1kg. The 81 Stiletto is a high speed model to hookup the shortest bites through the super sensitive and super resilient characteristics built up with all 40t carbon. The 2 models of the Northern series are stiff rods built to cast heavy weight jigs and jig minnows, yet possessing sufficient flex to hookup the sea trout. The 3 models of the Flows series are all built to target seabass. The 810 is a regular to fast tapered highly sensitive model. The 96 is a stiff model suited for long range casting and the 103 is the long length model also able to target Flounders. The Redeye is a power model, designed to target both the seabass and Akame (Japanese barramundis) with a resilient and bendy characteristics. For your reference, we have also displayed the highly powerful MonsterImpact 90H suited for use with big lures. To cast with the Redeye, you can load the blank with the weight of the lure, whereas for the MI90H, you can cast by increasing you swing speed and utilizing the blanks stiffness/power.

Seabass Game Lineup New Arrival on Fall 2022



SS 60 PROTO

SS 74 PROTO

# SilverStream 2022 for BIG BAIT

## Big Pencil / Giant Bait Boat & Shore Seabass Game

The seabass game using gigantic big-baits are spreading like wildfire and anglers are lining up on the shoreline and on boats to get into the latest craze. At Ripple Fisher, we have previously released the big-bait rod as a limited edition in the SilverStream series but as of 2022, we will add 2 new models to our lineup. We have added the qualities required for this diverse and exciting big-bait seabass game. Please standby for release in Autumn 2022.

2022 New Model

### SilverStream 60 Big Pencil

This rod is designed to target seabass off-shore with the use of big-bait lures. Anglers will be able to cast and maneuver large pencils easily to induce bites from seabass feeding on massive bait-fish during specific seasons of the year. We are also planning to release a long-handle (sold separately). By attaching the long-handle, anglers will be able to easily cast and use the rod from the bow of the boat, in addition for use with land-based fishing. (The length of the rod with the long-handle will be 6.9ft)

2022 New Model

### SilverStream 74 Giant Bait

The 74 is a special model able to cast out super giant baits exceeding 300mm and 250g. The 74 is approximately two levels more powerful compared to the 60. While being able to over head cast super size joint-baits, anglers are also able to lightly control smaller 3oz lures. It is ideal to maneuver joint-baits with the sharp rod action and will outperform most rods off-shore and land-based.



# RealCrescent

## RealCrescent / Light Game

Horse-mackerel / Rock Fish / Seabream

The "Real Crescent" series have been finely honed to further enjoy the deep and technical light game fishing. They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, its beautiful bend curve and power will respond to each angler's needs for the light game. The new Real Crescent series are the next generation of basic light game rods.

We have carefully selected 4 models in the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



### RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon and ester lines.

### RealCrescent RC-65 / Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience a seamless usage through the fast tapered rod with a flexible tip, resilient belly and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs and even light wind techniques.

### RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream and for the light seabass game. The sharp tip section will transmit the vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs and metal jigs with a high response. The strong butt section of the rod can deal with the unexpectedly large rockfish and bream measuring over 50cm.



RC-67 / Bait Model

### RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.

### RealCrescent RC-57 / Overhead reel Model

Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

### RealCrescent RC-67 / Overhead reel Model


This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

### RealCrescent RC-77 / Overhead reel Model

This is the middle class overhead reel model to target various species of rockfish, bream and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "lift and fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.


**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.

※Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped




RealCrescent RC-55	RealCrescent RC-65	RealCrescent RC-75	RealCrescent RC-81	RealCrescent RC-57	RealCrescent RC-67	RealCrescent RC-77
Spinning Model	Spinning Model	Spinning Model	Spinning Model	Overhead reel Model	Overhead reel Model	Overhead reel Model
Lure JH 0.2~3g Line PE 0.2~0.4 FC-NY ~3lb	Lure JH 0.3~6g Plug 1.8~4.5g Line PE 0.2~0.4 FC-NY ~3lb	Lure Rig 2~14g Plug 2.5~11g Line PE 0.3~0.8	Lure 2~17g Line PE 0.4~0.8	Lure 0.5~5g Line PE 0.2~0.5	Lure 0.8~8g Line PE 0.3~0.6	Lure 2~15g Line PE 0.4~0.8
Length: 5ft 5in Closed Length: 853mm Weight: 54g	Length: 6ft 5in Closed Length: 1004mm Weight: 61g	Length: 7ft 5in Closed Length: 1157mm Weight: 79g	Length: 8ft 1in Closed Length: 1265mm Weight: 86g	Length: 5ft 7in Closed Length: 876mm Weight: 69g	Length: 6ft 7in Closed Length: 1025mm Weight: 78g	Length: 7ft 7in Closed Length: 1190mm Weight: 92g
Price :	Price :	Price :	Price :	Price :	Price :	Price :

## RealCrescent Bending Curve Load 250g



On the left, you can see a comparative diagram of the bend curve of the Real Crescent series with a static load of 250g. The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with flexibility of the whole rod. As for the overhead reel models, the RC-57 is designed for use with singular body jig-heads and the RC-67 is ideal for both the jig-head and small lures. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream game. In the diagram, you may notice that the RC-81 and RC-77 have a similar bending curve and power, however they have a totally different characteristics with the 77 being much stiffer while the 81 being more flexible.



# OCEAN

RippleFisher Off-Shore Game Lineup



# BOAT CASTING GAME

TUNA / King Fish / Yellow Tail / GT and Other

**BIG TUNA**  
*Aquila*  
*OceanRidge*  
*GTXpedition*





# OceanRidge BIG TUNA

## BIG TUNA / Tuna Boat Casting


Blue fin Tuna / Yellow fin Tuna

We have prepared a vast lineup to suit various situations in various locations for various size tuna in our BIGTUNA series. Each model is developed based on season, location, current, baitfish, size of target tuna in addition to anglers size/strength and style of fishing. What we seek in the BIGTUNA series are rods where the anglers are continuously in the advantageous position and the anglers strength is not drained during the long exhausting fight against the tuna. In order to do so, we have also had to consider the casting ability and fighting characteristics of the species.

In the BIGTUNA series which have evolved over the past 12 years to go against the ultimate target, we have models to "aggressively surface" the fish or "dodge" the attack of the fish. In the summer of 2022, the long length 87AS (Accuracy Shot) model will be added to the series, making the total of 7 models. These models can be separated into the "aggressively surface" 83, 85, 710 and 73 models and to the "dodge" the thrashing of the fish for 85F, 87AS and 76 models. The vast lineup of models will cater for anglers of all ages and sizes. We hope you take a close look and analyze yourself, your fishing style, target size and area to choose the right rod for you.

The BIGTUNA series are rods that will support your Tuna casting game in Japan or internationally with characteristics and performances able to overcome the grueling fight against the tuna.

\*Although the 76 is considered to be in the "dodge" the attack of the fish category, as it is a model to target the supersize tuna, the power the rod is similar to the "aggressively surface" models depending on your strength and build.



The length of rear grips of BIG TUNA series are longer than others to be held on lower position. To reduce the physical burden of anglers from long period of fight, we recommend you to choose gimbal ball which can be equipped on lower position.

### BIG TUNA 85F JAPAN Special / Light Class

This is a model capable of being high stuck while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small baits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

### 2022 New Model

### BIG TUNA 87AS JAPAN Special / Middle Class

As its name suggests, the AS (Accuracy Shoot) model is designed to accurately cast lures into the feeding fish. In addition to the steady blank kick-back after casting, we have equipped two RV guides on the butt enabling an extremely smooth line ejection from the reel through to the rod. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 40g size lures. This middle class rod will assist anglers with its taper design ideal to slowly but surely lift the fish from the deep while being able to high-stick the rod. It is an ideal rod to target Tuna around 50~60kg. We hope this new concept will open up new possibilities for your future fishing.

\*If you prefer a more speedy fight (same size fish) we recommend the 83. (87AS is 1 rank lighter compared to the 83. Furthermore, the 87AS is a totally different model and design to the 87 which has been discontinued.)

### BIG TUNA 83 JAPAN Special / Middle Class

This model was developed with "lure control" and "fight" as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG-TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

### BIG TUNA 85 JAPAN Special / Heavy Class

Remarkable characteristic of this model is sharpness without wobble when you cast. Comfortability for casting lure 50g to 100g and more without any stress and enough power are loaded on this 85. This can be recommended for blue fin tuna over 50kg on field as such as Tappi Aomori while taking advantage of sharpest feeling in this series. This is the power model that is well balanced while maintaining excellent casting feel.



### BIG TUNA 710 JAPAN Special / Heavy Class

This rod is sharp when casting while possessing the tenacity and added lifting power. Although it is possible for anglers to high stick this rod to conserve energy, the lifting power will allow anglers to take initiative of the fight before it ends up becoming a long drawn-out battle. You could say that this rod will only show its true evolutionary characteristics to experienced anglers.

### BIG TUNA 76 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

### BIG TUNA 73 JAPAN Special / Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi-mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna.



**ROD DETAIL** Please refer to [page 32](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped BRC (made of rubber) is on the end of grip of 85F,83,85,710 as a standard but you can select aluminum gimbal instead. If you are interested in it, please made inquiry to dealer in your region. Aluminum gimbal (※with rubber cap) is loaded on end of grip of 76 and 73 as a standard. ※Please refer to images of those 2 models on catalog.

Model	Lure	Line	Drag Max	Length	Closed Length	Weight	Price
OceanRidge BIG TUNA 85F JAPAN Special	18~120g	PE 3~6	10kg/45°	Length: 8ft 5in	1880mm	370g	
OceanRidge BIG TUNA 87AS JAPAN Special	40~150g	PE 5~8	15kg/45°	Length: 8ft 7in	1884mm	405g	
OceanRidge BIG TUNA 83 JAPAN Special	40~150g	PE 6~8	15kg/45°	Length: 8ft 3in	185mm	409g	
OceanRidge BIG TUNA 85 JAPAN Special	40~160g	PE 6~12	15kg/45°	Length: 8ft 5in	1850mm	434g	
OceanRidge BIG TUNA 710 JAPAN Special	40~160g	PE 6~12	15kg/45°	Length: 7ft 10in	1672mm	393g	
OceanRidge BIG TUNA 76 JAPAN Special	60~180g	PE 8~12	18kg/45°	Length: 7ft 6in	1575mm	398g	
OceanRidge BIG TUNA 73 JAPAN Special	60~180g	PE 8~12	18kg/45°	Length: 7ft 3in	1515mm	406g	

※Recently it has become possible to catch Blue-fin tuna in Japan, with weight exceeding 200kg. However, there are also dangers involved when targeting tuna exceeding 100kg in rough conditions. Although models such as the BIG TUNA 76 and 73 are designed to target "Blue-fin tuna over 200kg", the specifications have been set and explanations written down with the assumption that the angler has sufficient strength, training and experience in the field.



# BIG TUNA Series Detail

## BIG TUNA Series / About power categories

We have set the power category as follows in order for a more comprehensive understanding. The 85, 710, 73, 76 are all in the same line max category however the 73 and 76 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from the 85 and 710.


Power Category	Model	Line	Lure
Light Class / PE6 recommended	85F	PE3~6	18~120g
Middle Class / PE8 recommended	87AS	PE5~8	40~150g
	83	PE6~8	40~150g
Heavy Class / PE10 recommended	85	PE6~12	40~160g
	710	PE6~12	40~160g
Power Class / PE12 recommended	73	PE8~12	60~180g
	76	PE8~12	60~180g



The pin-thread color will be changed according to power category. The light class 85F will have silver, the middle class 87AS and 83 will have blue, the heavy class 85 and 710 will have red and the power class 73 and 76 will have champagne gold color pin threads.

In addition, the name of the models will be imprinted in the butt spacer for easier identification for those anglers who take numerous models on a boat.


## 87AS & 85F & 85 Bending Curve Load 6kg



### Static load comparison of NEW BIG TUNA 87AS & 85F & 85 (6kg load)

The picture illustrates the difference in the bending curve of the light class 85F (PE6), middle class 87AS (PE8) and heavy class 85 (PE10) with a static load of 6kg. All models are long length models ideal for long distance casting. You can see that the load of the 85 is towards the tip section, allowing for a more speedy fight in the "aggressively surface" the fish compared to the 85F and 87AS. \*we have not included the 83 in the illustration due to the shorter length. In comparison with the 87AS, the bending curve is milder with a one rank stronger power level.

## Heavy Class Bending Curve Load 10kg




### Static load comparison of BIG TUNA 85 & BIG TUNA 710 (10kg load)

These two models are the core of the series capable of use with various size lures for different bait sizes. The 85 is an extended model of the 710 with a sharper tip section when casting. Although the long length blank may feel stiffer, the butt section of the 710 is predominantly stronger.

### Precautions for comparing bending curves

※The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.


## Light-Middle Class Bending Curve Load 6kg



### Static load comparison of BIG TUNA 85F & BIG TUNA 83 (6kg load)

Although, BIG TUNA 83 that have been set as middle class is recommended for PE8, if you are in situation that you have to cast light and small lure when your target is feeding on small sardines PE6 will be recommended to get more distance. A still weight of 6kg is loaded onto 85F and 83 supposing that you fish with PE6. Both models have moderate flexibility on belly section so even though those got length, you can maintain your position while fighting easily.

## Power Class Bending Curve Load 15kg



### Static load comparison of BIG TUNA 76 and BIG TUNA 73 (10kg load)

These models will assist anglers for situations where large lures are required due to the targets feeding on large baits such as dolphin fish. At a 45° angle, both the 73 and 76 can be seen to have the same power. However, once the rod is lifted even higher, the 76 will start bending closer to the body, reducing the load on the angler. The 73 has a sharp casting feel while able to fight the fish speedily.

※The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.



BT 85 JS Photo by Sami



BT 85F JS



BT 83 JS

## About RippleFisher Boat Casting Rod

BIG TUNA *Aquila Ultimo OceanRidge GTXpedition*

### About the features of the series

#### BIG TUNA -Tuna rods

As Tuna do not directly run towards rocks like GT do and with the extreme load on the angler's body when fighting the mammoth Tuna, the rods can be characterized as being tenacious and bendy.

#### OceanRidge -GT rods

The tip section of these rods have been built stiff for easier use with large mouthed poppers when targeting GT. In addition, as GT run straight towards rocks to bust you off, the rods are built stiffer to efficiently lift and avoid rock formations by fully loading the rod with the angler's weight.

#### Ultimo -GT & Kingfish rods

With the flexible tip section, these models are especially designed to maneuver pencil baits and diving pencil type lures to target GT and Kingfish. They can be considered to be between the BigTuna and OceanRidge series, but the fight is more towards the GT fishing which requires a speedy response from the angler.


Ultimo series will be renewed in 2023.

#### Aquila -Kingfish & Tuna rods


The Aquila series are further subdivided into smaller categories depending on style and fishing conditions. Please refer to the figure on the right for characteristics of each category in the Aquila lineup.

## Boat Casting Series

Features of the boat casting series



### Angle of line and rod when fighting: (caution)



When you are fighting the fish and your target is far away with line on a diagonal angle, you can lift the rod to the angles shown in the figure on the left. However, when the fish is directly below the boat, be sure not to lift the rod too high. If the fish suddenly decides to dive down when your rod is lifted high, the load will focus on one point which may lead to the breakage of your rod. It is especially dangerous to high stick your rod when landing the fish. Please guide the fish into the net with your rod (grip) under your armpits.

●MLT / MST is condition-specific model  
MLT\* these are models especially designed for utilizing small lures when your targets are feeding on micro bait.

MST\* These models are especially designed for use with super large lures when your targets are feeding on large size baits such as dolphin fish.

●ST is the standard model  
The ST series are the most versatile models for boat casting to target Yellow-tails and Kingfish.

●The 3 piece EX modes have a sharp feel  
The EX models are 3 piece traveling models which are versatile, similar to the ST models. They are the stiffest models of the series.



# Aquila

## Aquila / Boat Casting

King Fish / Yellow Tail / Yellow fin Tuna

We have various models to the Aquila series, which have already been popular for the boat casting game. In recent years, the Kingfish and tuna games have become more subdivided.

In our lineup are 9 models. We have categorized them into four different series, ST, MLT, MST and EX. The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets.

The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX models have newly been introduced to the series, which are 3 piece pack rods for anglers traveling around the world.

In 2022, we have added the MST 82-9+ in the MST series to target the biggest of Kingfish around the world while utilizing super large lures.

The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish.

We don't simply make rods with "power", we make rods with "strength".



AQ-ST85-6

## Aquila ST

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 3 power classes of PE #3, #4 and #6 to cater for various species and situations.v

### Aquila ST 78-3

The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

### Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.

### Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting. (Previous name:85H)



AQ-MST85-7+

## Aquila MST

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingies. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7~8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight. The + symbol next to the power class indicates that the power and tenacity has

### Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~ 120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

### Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.

2022 New Model

### Aquila MST 82-9+


In the ever evolving Kingfish game, the need to use large lures has increased with the target feeding on large size bait-fish. The MST82-9+ was designed to enable anglers to fully-cast lures exceeding 240mm while easily controlling and maneuvering these mammoth lures. Furthermore, the Aquila MST series are especially designed to tenaciously bend-in while demonstrating outstanding lifting power when fighting against monstrous Kings in rough terrain and gushing currents. Although we have designed the rod with easy utility, it is the strongest of the series and one will require ample body strength and experience to maximize its true potential. Having said that, we are confident that this rod will help anglers in the toughest of conditions, against the biggest of fish while using these large lures. We present this rod for those who are seeking monster-class Kings around the world.



AQ-MST82-9+

**ROD DETAIL** Please refer to page 40 to compare the bending curve of static loading. Please refer to the list on page 58 to check details of rod specifications.

※A=Whole length of grip  
B=Length from reel foot to end of grip when reel is equipped



### Aquila ST 78-3

Lure / Comfort Weight  
**30~50g**  
Line  
**MAX PE 3**  
Drag Max  
**5kg/45°**  
Length: 7ft 8in  
Closed Length: 1780mm  
Weight: 224g  
Price :

### Aquila ST 80-4

Lure / Comfort Weight  
**40~80g**  
Line  
**MAX PE 4**  
Drag Max  
**7kg/45°**  
Length: 8ft  
Closed Length: 1782mm  
Weight: 300g  
Price :

### Aquila ST 85-6

Lure / Comfort Weight  
**40~110g**  
Line  
**MAX PE 6**  
Drag Max  
**12kg/45°**  
Length: 8ft 5in  
Closed Length: 1925mm  
Weight: 338g  
Price :

### Aquila MST 85-7+

Lure / Comfort Weight  
**40~120g**  
Line  
**MAX PE 7**  
Drag Max  
**14kg/45°**  
Length: 8ft 5in  
Closed Length: 1897mm  
Weight: 382g  
Price :

### Aquila MST 711-8+

Lure / Comfort Weight  
**80~180g**  
Line  
**MAX PE 8**  
Drag Max  
**16kg/45°**  
Length: 7ft11in  
Closed Length: 1752mm  
Weight: 369g  
Price :

### Aquila MST 82-9+

Lure / Comfort Weight  
**80~220g**  
Line  
**MAX PE 9**  
Drag Max  
**17kg/45°**  
Length: 8ft 2in  
Closed Length: 1815mm  
Weight: 400g  
Price :



AQ-MST82-9+



AQ-MST82-9+



AQ-MST82-9+



AQ-MST82-9+

## Aquila EX

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

## Aquila EX 79-3

The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

## Aquila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.

## Aquila MLT

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)



AQ-MLT82-2/4

## Aquila MLT 82-2/4


The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small ~ super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

## Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.

**ROD DETAIL** Please refer to page 40 to compare the bending curve of static loading. Please refer to the list on page 58 to check details of rod specifications.

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Aquila EX 79-3  
3pcs-Pack Rod

Lure / Comfort Weight  
**40~60g**  
Line  
**MAX PE 3**  
Drag Max  
**5kg/45°**  
Length: 7ft 9in  
Closed Length: 847mm  
Weight: 263g  
Price :

Aquila EX 83-6  
3pcs-Pack Rod

Lure / Comfort Weight  
**60~120g**  
Line  
**MAX PE 6**  
Drag Max  
**10kg/45°**  
Length: 8ft 3in  
Closed Length: 905mm  
Weight: 353g  
Price :

Aquila MLT 82-2/4

Lure / Comfort Weight  
**30~70g**  
Line  
**PE 2~4**  
Drag Max  
**7kg/45°**  
Length: 8ft 2in  
Closed Length: 1782mm  
Weight: 341g  
Price :

Aquila MLT 82-3/6


Lure / Comfort Weight  
**40~90g**  
Line  
**PE 3~6**  
Drag Max  
**10kg/45°**  
Length: 8ft 2in  
Closed Length: 1785mm  
Weight: 348g  
Price :



AQ-MLT82-3/6



AQ-MLT82-2/4



Aquila MLT 82-2/4

Aquila MLT 82-3/6

## Short Handle / Option Parts Aquila MLT UnderCast Handle

For the Aquila MLT series, we have prepared a specially designed short handle for those anglers who need to utilize under-arm casting when boarding large charter boats. The total length of the rod is approximately 7ft 10inches with the short handle. The short handle is sold separately and does not come with the rod.

## MLT 82-2/4 UnderCast Handle

Grip Length: 704mm  
Price :

## MLT 82-3/6 UnderCast Handle

Grip Length: 704mm  
Price :



AQ UnderCast Handle



# OceanRidge

OceanRidge / GT Boat Casting  
Giant Trevally

The OceanRidge series are GT rods especially designed with Ripple Fishers' brand characteristics. The lineup built up for the needs of the expert anglers require manual maneuvering and will bring out the true skills in anglers. These are not your ordinary lineup and will not suit all anglers. But rest assure that these rods will feel like a part of your body once anglers have established their style and skill.

The GT game is becoming tougher and tougher each year and sometimes require the use of supersize lures to induce a bite. Ocean Ridge series including the strongest GT78 is not simply an over powered rod but will become your biggest asset in specific situations and against monstrous GTs.

## OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx.60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

**Angler's Weight : 65kg-(Recommendation)**

## OceanRidge LC GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability.

**Angler's Weight : 70kg-(Recommendation)**


# OceanVoyager GTXpedition

GTXpedition / GT & Kingfish Boat Casting  
Giant Trevally / Kingfish

Ripplefisher's 3 piece pack rod, "GTXpedition" model has been reborn. When considering recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size.

By reviewing the bending of the new GTXpedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod.

We hope you can first handedly experience the ever improving technology at Ripplefisher.



GTX 81MH

## OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY® technology™ developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force.

**Angler's Weight : 70kg-(Recommendation)**

## OceanRidge FINAL SPIRIT GT 78

This is the most powerful and toughest GT rod Ripple Fisher has ever developed with stiff characteristics in the tip to belly section for easy use with large mouthed poppers and outstanding lifting power in the butt. The blank is highly responsive and once hardcore anglers put his/her full weight behind it, the repulsive force in the butt will efficiently lift the fish. It is an ideal rod for short popping of large mouthed poppers and controlling massive 300mm class pencil type lures when the GTs are feeding on super large baits. It is not a rod that you want to be using all day long, but a rod that you want to bring out in hairy situations with gushing currents and rugged terrain.

**Angler's Weight : 80kg-(Recommendation)**



## GTXpedition 81M

This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod.

**Angler's Weight : 55kg-(Recommendation)**

## GTXpedition 81MH

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. In contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod.

**Angler's Weight : 65kg-(Recommendation)**

**ROD DETAIL** Please refer to page 41 to compare the bending curve of static loading. Please refer to the list on page 58 to check details of rod specifications.

※Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

<p><b>OceanRidge Reversal GT 80 / Nano</b></p> <p>Lure <b>MAX 170g</b> Line <b>MAX PE 8</b> Drag Max <b>14kg/45°</b> Length: 8ft Closed Length: 1737mm Weight: 373g Price :</p>	<p><b>OceanRidge LC GT 82 / Nano</b></p> <p>Lure <b>MAX 190g</b> Line <b>MAX PE 8</b> Drag Max <b>14kg/45°</b> Length: 8ft 2in Closed Length: 1796mm Weight: 378g Price :</p>	<p><b>OceanRidge PF GT 711 / Nano</b></p> <p>Lure <b>MAX 210g</b> Line <b>MAX PE 10</b> Drag Max <b>15kg/45°</b> Length: 7ft 11in Closed Length: 1682mm Weight: 375g Price :</p>	<p><b>OceanRidge FINAL SPIRIT GT 78</b></p> <p>Lure <b>MAX 270g</b> Line <b>MAX PE 12</b> Drag Max <b>17kg/45°</b> Length: 7ft 8in Closed Length: 1645mm Weight: 393g Price :</p>	<p><b>OceanVoyager GTXpedition 81M / 3pcs</b></p> <p>Lure <b>MAX 140g</b> Line <b>MAX PE 6</b> Drag Max <b>10kg/45°</b> Length: 8ft 1in Closed Length: 887mm Weight: 380g Price :</p>	<p><b>OceanVoyager GTXpedition 81MH / 3pcs</b></p> <p>Lure <b>MAX 180g</b> Line <b>MAX PE 8</b> Drag Max <b>13kg/45°</b> Length: 8ft 1in Closed Length: 887mm Weight: 386g Price :</p>
---	---	--	---	---	--



**Aquila**



**OceanRidge GTXpedition**

OR-PF GT711



AQ-MST 711-8+



AQ-MLT 82-3/6




OR-LC GT82




OR-PF GT711


**Aquila Bending Curve Load 3kg**




Here are the comparisons of the Aquila series with a static load of 3kg. Aquila series have been categorized ST, MLT, MST and EX.ST which have versatility and well balanced, MLT which is loaded flexibility on tip and strength on butt, MST which is employed massive power to keep huge kingfish under control and EX which is multi piece rod for Aquila series. MLT have been built with specialized design to hunt big one with lighter line than notation on specification. Utilizing its flexible and sensitive tip section, you can cast wider range of weight of lure comfortably. Once fish is on, MLT series bend very well smoothly like seamless and parry an attack of monstrous blue runner and it can be held with higher angle than other models. It is designed to apply good amount of pressure on fish continuously. EX series have been achieved smoothness on bending curve like a seamless. Sharpness, lightness and well-balance that are hidden in blanks of EX series will make you forget that those are 3 pcs casting rod.



**OceanRidge & GTXpedition Bending Curve Load 6kg**



The picture illustrates the differences in the bending curve of the OceanRidge series and GTXpedition series with a static load of 6kg. When looking at the bending curve of the FS78 and LC82, it looks similar but the feel of the rod is totally different. The LC82 is designed to hook up and fight GT from a distance. The bending point is set far from the body thus will feel stiff when fighting GT in close range. In contrast, the FS78 bending point is set closer to the butt section allowing for a more powerful and responsive fight against GTs in close range. The GT Xpedition series are 3 piece rods ideal for your exotic trips to tropical countries overseas. The blank is extremely sharp and will allow anglers to utilize a wide range of lures. GT Expedition are also great to target massive Kingfish off-shore, especially for those anglers who prefer a sharp rod.



# Ultimo 2023

RippleFisher create a new generation of Boat-Casting Game.

In 2023, the Ultimo GT rod series will be reborn. The new Ultimo series have been developed as the flagship model with long distance casting abilities, lightness and power at the next level to target GT and Kingfish off-shore.

This new series have been developed as a more versatile rod for both Kingfish and GT compared to the old series which were developed more for GTs. Please standby for release in 2023 for the new generation of rods for your boat casting game.



New Ultimo 2023 Debut  
for Boat Casting / GT & KING FISH GAME





# BOAT JIGGING GAME

King Fish / Yellow Tail / Greater Amberjack  
Tuna / Marlin / Grouper and Other

*SELFISH*  
*OceanArrow*

SELFISH NS623  
Length: 7' Jig Capacity: 100-150g Line: Max Pcs





# Ocean Arrow SELFISH

## SELFISH / Jigging Game

King Fish / Yellow Tail / Greater Amberjack

Ripplefisher's jigging rod series, the "SELFISH". There will be 3 spinning models and 2 overhead reel models, each developed with their own new concepts. The already existing 613S, 614S and 597S models are for the vertical jigging game and the 3 new models will specialize in a natural swimming (NS) diagonal jigging. The 2 new overhead reel models are categorized as sensitive bait (SEB) models.

These added models are developed to keep up with the demands from the ever changing jigging scene. To slide the jig, swim the jig, naturally maneuver the jig to induce that "bite". All models have the inherited the characteristics of the SELFISH series with the slim, light and sharp feeling able to cut through the current, yet possessing a contradicting powerful butt section.

## ST Standard & Specialized

This is a model able to easily control the jigs and quickly switch your jerking patterns from high pitch, one pitch, short to long jerks mainly from boats which are controlled for vertical jigging. It is a highly sensitive model able to transmit the slightest of change even at high speed jerks.

### SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S Nano.

### SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellowtail over 10kg, amberjack or kingfish around 7~8kg under control with 614S Nano.

### SELFISH 597S Nano

This 597S Nano designed for vertical jigging to aim large size kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.

## NS Natural Swim

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

### SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

### SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

### SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.



## SEB Sensitive Bait

These are highly responsive overhead reel models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the overhead reel tackle set up.

### SELFISH SEB 633

The standard model of the SELFISH Overhead reel series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for overhead reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

### SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.

**ROD DETAIL** Please refer to [page 50](#) to compare the bending curve of static loading. Please refer to the list on [page 58](#) to check details of rod specifications.

※ Those with NANO notation, NANOALLOY® technology of TORAY is loaded.  
※ A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped







# OceanArrow

## OceanArrow / Jigging for Monster

Blue fin Tuna / Yellow fin Tuna / Marlin / Grouper

As of 2021, the OceanArrow series will be restarted as jigging models to target large species around the world. For jigging, it is not only vital for anglers to have the technique to induce bites but also be able to fight and efficiently surface the large predatory fish. The new OceanArrow series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

Both the 5930 and 6615 are set with a gimble butt end for an easier fight against the tough and heavy monsters at the other end of the line.

The new models of 5930 and 6615 are designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

With the ever changing environment and the evolution of tackle, we hope you can take hold of the big game jigging with our new OceanArrow series.

### OceanArrow 6615 / Spinning Model

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break-off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs.

Recommended size of tuna: Up to 50 kg

### OceanArrow 5930 / Spinning Model

This is a one piece spinning model designed to jig for large size Tuna and Marlin around the world. The short length rod able to be high sticked will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits.

Recommended size of tuna: More than 50 kg



OA-6615



OceanArrow 6615 (Armpit jerk)



OceanArrow 6615 (Gimbal jerk)

The 6615 and 5930 are both designed so anglers can high stick the rod during the long fight against the mammoth fish. Furthermore, the gimble settings at the butt end will help anglers jerk heavy weight jigs. The rod end gimble comes standard with these rods. You can choose whether to jerk the jig under your armpits or with the gimble on your fighting belt depending on style, depth and jig weight.



OceanArrow  
**6615**

Lure  
**JIG MAX 400g**  
Line  
**MAX PE 6**  
Drag Max  
**12kg/45°**  
Length: 6ft 6in  
Closed Length: 1295mm  
Weight: 362g  
Price :

OceanArrow  
**5930**

Lure  
**JIG MAX 800g**  
Line  
**MAX PE 8**  
Drag Max  
**15kg/45°**  
Length: 5ft 9in  
Closed Length: 1775mm  
Weight: 382g  
Price :

**ROD DETAIL** Please refer to page 50 to compare the bending curve of static loading. Please refer to the list on page 58 to check details of rod specifications.

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped





SEL NS 614





SEL NS 623

### SELFISH Bending Curve Load 1kg




Here is an illustration of the bending curves of the rods ranging from PE2 class to PE4 class of the Selfish series with a static load of 1kg. The illustration below displays the bending curve of rods above PE4 specifications with a static load of 3kg. The Selfish NS are flexible rods designed to naturally swim the jig with the belly section instead of flicking the jig with the tip section done with other types of jigging rods. The Selfish SEB are bait-casting models with stiffer tips that are not only able to rhythmically flick jigs with the tip but also able to naturally swim the jig with the belly section of the blank depending on the angle of your line. The ordinary models are equipped with the ability to conduct one pitch jerking to high pitch short jerking depending on your preference. It is designed for vertically jigging so once the angle of the line is too acute, it may cause the jig to lose the tension.

### SELFISH & OceanArrow Bending Curve Load 3kg



OceanArrow 6615 and 5930 models were designed with the focus on easing the fight against the heavy and continuous load of Tuna type species. Anglers will be able to endure the heavy load by high sticking the rod and continuously and efficiently pumping and lifting the fish. If you look at the bending curve, the 5930 seems to bend in more but this is due to the fact that the whole blank bends for one piece rods and that the 6615 is a grip jointed rod and the butt section has remained. As for power standards, the 5930 is superior. The picture below demonstrates the bending curve with a heavier load and you can see that the bending curve of the 6615 has become more acute. The 5930 is more suited for larger fish and will efficiently and easily lift the fish.

### OceanArrow Bending Curve Load 8kg



**Precautions for comparing bending curves**

※ The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.



# Other

RippleFisher Original Goods & Gears, Rod Color Custom

# RippleFisher Gear & Goods

RippleFisher GEAR & GOODS  
[https://ripplefisher.com/goodslst/cate\\_gear?lang=en](https://ripplefisher.com/goodslst/cate_gear?lang=en)



- GEARS** ※Please refer on page 58 to check details of Gear.
- A RF LAND BASE FISHING BAG**  
1940×140×140mm Color / Black Price /
  - B RF Water Proof Back Pack**  
Color / Black Price /
  - C RF Knot Tightener(2pcs set)**  
Large 167mm (Diameter 25mm) Small 149mm (Diameter 21mm) Color / Black Price /
  - D RF Multi Shaft**  
M Size Lt 2640mm (2pcs) L Size Lt 3900mm (3pcs)
  - E RF Extension Shaft**  
Lt 1360mm (Excluding the screw)
  - F RF MORI(Come with detachable spear shaft)**  
Lt 1800mm
  - G Harpoon quick release head with attached wire**  
ASANO Type S Price / ASANO Type MORIPPA Price /
  - H RF Reel & Spool Expedition bag**  
Size / W 410mm × D 300mm × H 160mm Color / Black Price /  
※Since it is under development, the size may change.
- GOODS**
- I RF FACE MASK**  
Size / Free Color / Geometric pattern / African design Price /
  - J RF Self-inflating Life Jacket**  
Size / Free Color / Black Price /
  - K RF Flat visor cap**  
Size / Free Color / Black Navy Dark heather Price /
  - L RF Mesh cap**  
Size / Free Color / Navy Moss gray Khaki Price /
  - M RF Wappen Round type**  
Size / Diameter 70mm Color / Black Price /
  - N RF Wappen Square type**  
Color / Black and Navy Size S: 22×80mm L: 40×120mm
  - O RF Rod belt (2pcs set)**  
Color / Black Size S: 220mm L: 345mm
  - P RF Shell Jacket**  
Size / M・L・O(XL)・BBO(XL-WIDE)  
Color / Black Orange×Black Gray×Black Price /
  - Q RF Dry polo shirts**  
Size / S・M・L・XL・3L Color / Black Navy White Price /
  - R RF Design T-shirt**  
Size / M・L・XL・3L Price /  
Color / Black×Purple Navy×Red White×Green
  - S RF Domed sticker**  
Size / 122mm×54mm Price /  
Color / Silver

- T RF Cutting sticker**  
Size / 32×160mm  
Price /  
Color / Neon pink  
Neon orange  
Gold  
Silver  
Navy  
White  
Illusion  
Pearl White

- U RF Cutting sticker**  
Size / 99×300mm  
Price /  
Color / Neon pink  
Neon orange  
Gold  
Silver  
Navy  
White




# RippleFisher Engineered GEARS Collection

## RF Land Base Fishing Bag Price:

This is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off on to the rocks. It can stow 3~4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.

- Size : 1940mm×140mm×140mm
- Weight : 2430g
- Storage guide: Up to products with a closed size of 1900 mm
- Name plate included / Material: Stainless steel SUS316L



## RippleFisher × Stream Trail RF Water Proof Back Pack Price:

Back-branded StreamTrail and A RippleFisher collaboration model. It is based on the largest "DRY TANK D2 60L" in the series. Large capacity, excellent water resistance, and abrasion resistance. This model has features. Tackle box, outdoor gear, and Leave room for items you don't want to get wet, etc. Can be stored, and can be used for fishing on rocky shores or offshore, or for expeditions. Both shore and offshore. It can be used in a wide range of applications. Also, the removable. Original rod holder pads are standard. By attaching the rod and leaving both hands free, you can. I'm not just talking about rock climbing and rock climbing. A light and safe approach is possible. In the lower part of the back as a drainage hole. It has a drain plug. You can store wet items and wash the whole thing. To keep it clean and to bring the fish home. It also works as a fish carry bag.



- Model : Stream Trail / DRY TANK 60L D2
- Size : W39×D34×H62.5cm Capacity : 60L
- Material: Tarpaulin, polyester (bag body)
- Color: Black

## RF Knot Tightener Price:

Knot tightener for tightening line systems. It is a set of large size and small size. Small size can be stored by opening the lid at the top of the large size body. Both large and small are equipped with line stoppers sandwiched between O-rings. Can be used not only for tightening but also as a line breaker. \* The body is made of carbon, and the bracket is made of aluminum. \*Made in JAPAN

- Size  
Large · Length : 167mm / Diameter : 25mm  
Small · Length : 147mm / Diameter : 21mm

※The main body is constructed of High-Tensile Carbon Fibre covered with galvanised rubber



\* If the rubber tube on the surface of the carbon part of the main unit deteriorates, it can be repaired. Please contact our after-sales service.



Photo by Jake and Navare

## RF Multi Shaft M / 2pcs Price:

- Expanded length : 2640mm Closed length : 1435mm ●Weight: 612g
- Tip diameter: 25mm (Measured top of metal part)
- Butt diameter: 30.5mm (Measured top of end rubber part)



The Multi Shaft is not only able to attach a landing net on the end, but also able to secure a large gaff at the end to help anglers land that dream fish. It is tough, light and able to retract when you are fishing from high ground. The light yet strong shaft is built up of carbon blank able to accurately gaff the fish from uneven footing. While you are able to retract the shaft when needed, you can still use it while it is stowed with the gaff still attached to the end. This will help anglers when walking along the rocks. Furthermore, the top cap and end cap can be removed for maintenance purposes after heavy usage. The rope attachment also comes standard for anglers who wish to use it as a fling-gaff. You can also purchase an "extension shaft" and screw it on to further extend the shaft when required.

Metal fittings Detail  
Bracket specifications  
Screw standard : W1/2  
Bracket part : Stainless SUS 316L  
(Excluding the rope attachment ring)



A screw in cap is attached to the tip of the shaft, and can be fixed to the main body by attaching a gaff.



## RF Extension Shaft Price:

- Length : 1360mm ●Weight : 217g ●Screw standard : W1/2 ●Bracket part : Stainless SUS 316L

## TUNA GAME OTHER ITEM RF MORI Price:

The RF-MORI are harpoon shafts for landing super large size Tuna. The shaft is built up of carbon material with special highly durable coating to prevent any corrosion from rain, salt water, UV rays and infrared radiation. The interior is filled with buoyant material and the harpoon point is made up of SUS316L stainless steel. Furthermore, the metal attachment at the point has been made of SUS304 stainless steel for hard use in the field. \*do not use this for other purposes as it may cause injury.



- Length : 1800mm ●Weight : Approx 545g
- material of spear part : Stainless SUS 316L / Attachment bracket material : SUS304 ●Screw standard : W1/2
- End cap : BRC ●Recommendation Harpoon head : ASANO Type MORIPPA / Type S MORIPPA

## Harpoon quick release head with attached wire Price:



# RippleFisher Color Custom

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color".

Please choose the color options below for you custom color.

**\*Please note that we do not accept custom request to change grip or guide options.**

## Blank Color

You can order color customization either whole blanks (from butt to top guide) or butt section only (range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08) to the "MAZIORA" color (09~11).


※You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.  
※If you choose the 08 (silver color), the logo print will be black.

### Custom Charge

#### Blank Color Custom

• 1pc model Full Paint	Color : 01~08	10,000Yen
	Color : 09~11	15,000Yen
<small>※The grip joint model also same price as 1pc model</small>		
• 2pc model Full Paint	Color : 01~08	12,000Yen
	Color : 09~11	18,000Yen
• 3pc model Full Paint	Color : 01~08	13,000Yen
	Color : 09~11	19,000Yen
• Only Butt section Paint	Color : 01~08	6,000Yen
	Color : 09~11	9,000Yen
• Multi Shaft	Color : 01~07	15,000Yen
	Color : 09~11	20,000Yen

※Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.



※04.Metal emerald blue is out of print and is a missing number.

- 01.Metal Smoke
- 02.Metal Ice Blue
- 03.Metal Blue
- 05.Metal Pink
- 06.Metal Red
- 07.Metal Orange
- 08.Silver
- 09.MAZIORA ANDROMEDA (Green base)
- 10.MAZIORA PLREADES II (Blue base)
- 11.MAZIORA TRAPEZIUM (Orange base)

## Blank Color • About coating range

• Blank Color • Full paint (1pc model and Grip joint model)



• Blank Color • Full paint (2pcs & 3pcs model)



• Blank Color • Only Butt section Paint (Please refer to images below about available range)



## Blank Color • Butt parts paint range for each model



Multi shaft M - L (08.Silver color orders are not accepted)

※The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.  
※SilverStream 81 Stiletto, RunnerExceed 100SHH LTD, RF MORI color custom is not accepted.

## Thread Pin-Color



The "thread pin color custom" designs will comply with the original product's position. If two colors are used in the standard product, a single color will be used for the custom color.

※If you order a "thread pin color custom", the whole rod will be customized with the color you ordered.  
※The thread color of the multi shaft cannot be changed.

### Custom Charge

Thread Pin color custom  
Color : 01~07 2,000Yen  
Color : 08 (No pin thread) 1,000Yen


#### How to order for color customization



- 01.Silver
- 02.Champagne Gold
- 03.Metallic Red
- 04.Metallic Copper
- 05.Metallic Pink
- 06.Metallic Blue
- 07.Metallic Gray
- 08.Black

## Thread Set Color

### Thread/01.Red Set Custom as an example



For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

※Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread. Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

※We do not accept requests to change or alter the color of the pin thread.  
※The thread color of the multi shaft cannot be changed.

### Custom Charge


Thread set color custom  
Color : 01~10 5,000Yen

#### Delivery date

With regards to your custom order delivery date, it will take roughly 10~14 months depending on our production schedule. (As a rule of thumb, we will set an order closing day on the 20th of every month, so it's about 10~14 months for delivery date from the order month.)

#### Changes and cancellation of custom order

Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.



2022 RippleFisher Rod Lineup Spec Details

←2022 New Model

	Series	Price	Sec	Reel	Lt [feet]	CL-Lt [mm]	Wt [g]	Lure	Line	Drag Max	Guides	Reel Seat	Lock	Joint	Grip End	Carbon %	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size
RunnerExceed P8	102M Nano PlugModel		2	S	10ft 2in	1590	290	Plug 20 ~ 70g	PE 1.5 ~ 3	5kg	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S · D:5000~6000
	104H Nano PlugModel		2	S	10ft 4in	1615	327	Plug 40 ~ 120g	PE 4 ~ 6	8kg	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S · D:8000~14000
	110H Nano Plug		2	S	11ft	1720	341	Plug 40 ~ 130g	PE 4 ~ 7	9kg	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S · D:8000~14000
	91MH Nano		2	S	9ft 11in	1560	306	MAX Jig 100g / MAX Plug 80g	MAX PE 4	6kg	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S · D:6000~8000
	95TC		2	S	9ft 5in	1495	290	MAX Jig 120g / Plug 30~90g	MAX PE 4	6kg	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	3.0	16.3	730	S · D:6000~8000
	103H		2	S	10ft 3in	1615	327	MAX Jig 130g / MAX Plug 90g	MAX PE 5	8kg	SIC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S · D:8000~14000
	107BH Nano		2	B	10ft 7in	1650	374	50 ~ 130g	MAX PE 6	8kg	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	S:LD8~10 / D:LD20~30 / SOM:50
	100SHH LIMITED		2	S	10ft	1579	405	MAX 150g	MAX PE 8	10kg	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S · D:14000~18000
	FINAL STAND UP 100SXH		2	S	10ft	1570	439	MAX 160g	MAX PE 10	10kg	OC	DPS22	D	Spigot	BRC	99.8	3.2	18.0	875	S · D:14000~20000
	FINAL STAND UP 105BXH		2	B	10ft 5in	1626	429	MAX 180g	MAX PE 10	10kg	OC	T-DPS22	D	Spigot	BRC	99.8	3.2	19.1	830	D:LD30~50 / AV:MCLX6 / SOM:50~80
MonsterImpact P12	90H		2	S	9ft	1410	193	18 ~ 70g	MAX PE 3	--	SIC-S/Ti/K	DPS18	U	Spigot	EVA	99.8	2.3	14.1	575	S:4000~5000 / D:LT4000C~6000
	91BH		2	B	9ft 1in	1428	212	20 ~ 130g	MAX PE 5	--	SIC-S/Ti/K	TCS18	D	Spigot	EVA	99.8	2.5	13.8	670	S:200~400 / D:1500~4000
	101HH Nano		2	S	10ft 1in	1585	270	MAX 60g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.7	660	S · D:5000~6000
	110HH / S		2	S	11ft	1735	274	MAX 60g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Put over	BRC	99.7	2.6	16.3	685	S · D:5000~6000
	110HH HIRA / B		2	B	11ft	1735	270	MAX 70g	BEST PE 2.5	--	SIC-S/Ti/K	TCS18	D	Put over	BRC	99.7	2.6	16.2	700	S:200~300 / D:1500~2000
Avarice P14	113HH -4pcs		4	S	11ft 3in	900	320	MAX 70g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.9	675	S · D:5000~6000
	103M Nano		2	S	10ft 3in	1600	198	MAX 40g	MAX PE 1.5	--	SIC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.1	14.9	620	S:4000~5000 / D:LT5000C~6000
	110M Nano		2	S	11ft	1726	213	MAX 40g	MAX PE 2	--	SIC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:LT5000C~6000
	106MH Nano		2	S	10ft 6in	1640	219	MAX 50g	MAX PE 2	--	SIC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.2	16.3	655	S:4000~5000 / D:LT5000C~6000
	110H Nano		2	S	11ft	1730	253	MAX 60g	MAX PE 2.5	--	SIC-S/Ti/K	DPS20	D	Spigot	EVA	99.8	2.4	16.9	660	S:4000~5000 / D:LT5000C~6000
SilverStream P20	81 Stiletto		2	S	8ft 1in	1275	126	7 ~ 28g	PE 0.6 ~ 1.2	--	TZ/Ti/K	DPS17	D	Spigot	EVA	99.7	1.9	10.5	465	S:2500~4000 / D:LT2500~4000C
	810 Flows Nano		2	S	8ft 10in	1400	160	MAX 32g	MAX PE 1.5	--	TZ/Ti/K	DPS18	D	Spigot	EVA	97.1	1.9	12.9	510	S:3000~4000 / D:LT2500~4000C
	96 Flows Nano		2	S	9ft 6in	1490	166	MAX 38g	MAX PE 1.5	--	TZ/Ti/K	DPS18	D	Spigot	EVA	97.0	2.4	13.1	555	S:3000~4000 / D:LT4000C~5000C
	103 Flows Nano		2	S	10ft 3in	1605	196	MAX 42g	MAX PE 1.5	--	TZ/Ti/K	DPS18	D	Spigot	EVA	96.8	2.1	14.3	595	S:3000~4000 / D:LT4000C~5000C
	87 RED EYE Nano		2	S	8ft 7in	1350	158	MAX 40g	MAX PE 2	--	SIC-S/Ti/K	DPS18	U	Spigot	EVA	99.7	2.0	13.2	555	S:4000~5000 / D:LT4000C~5000C
	97 RED EYE Nano		2	S	9ft 7in	1505	193	MAX 45g	MAX PE 2.5	--	SIC-S/Ti/K	DPS18	U	Spigot	EVA	99.7	2.0	14.9	585	S:4000~5000 / D:LT4000C~5000C
	106 Northern Nano		2	S	10ft 6in	1640	220	30 ~ 50g	MAX PE 1.5	--	SIC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.3	14.7	695	S:4000~5000 / D:LT4000C~5000C
	112 Northern		2	S	11ft 2in	1754	255	30 ~ 60g	MAX PE 1.5	--	SIC-S/Ti/K	DPS20	D	Put over	EVA	97.8	2.4	14.7	725	S:4000~5000 / D:LT4000C~5000C
	RC-55 / S		2	S	5ft 5in	853	54	JH 0.2 ~ 3g	PE 0.2-0.4 / FC-NY-3lb	--	TZ/Ti/K	VSS16	U	Put over	EVA	91.1	1.3	6.5	290	S:1000~2000 / D:LT1000~2000
	RC-65 / S		2	S	6ft 5in	1004	61	JH 0.3-6g / Plug 1.8-4.5g	PE 0.2-0.4 / FC-NY-3lb	--	TZ/Ti/K	VSS16	U	Put over	EVA	91.6	1.4	7.8	335	S:1000~2000 / D:LT1000~2000
RealCrescent P24	RC-75 / S		2	S	7ft 5in	1157	79	Rig 2-14g / Plug 2.5-11g	PE 0.3 ~ 0.8	--	TZ/Ti/K	VSS16	U	Put over	EVA	99.8	1.5	10.0	385	S:2000~2500 / D:LT2000~2500
	RC-81 / S		2	S	8ft 1in	1265	86	2 ~ 17g	PE 0.4 ~ 0.8	--	TZ/Ti/K	VSS16	U	Put over	EVA	97.4	1.5	10.5	395	S:2000~2500 / D:LT2000~2500
	RC-57 / B		2	B	5ft 7in	876	69	0.5 ~ 5g	PE 0.2 ~ 0.5	--	TZ/Ti/K	PMS17	D	Put over	EVA	91.6	1.3	6.9	325	Overhead reel for finesse
	RC-67 / B		2	B	6ft 7in	1025	78	0.8 ~ 8g	PE 0.3 ~ 0.6	--	TZ/Ti/K	PMS17	D	Put over	EVA	91.7	1.3	8.3	390	Overhead reel for finesse
	RC-77 / B		2	B	7ft 7in	1190	92	2 ~ 15g	PE 0.4 ~ 0.8	--	TZ/Ti/K	PMS17	D	Put over	EVA	99.6	1.5	10.2	415	For finesse and small Overhead reels
BIG TUNA P30	85F JAPAN Special		2	S	8ft 5in	1880	370	18 ~ 120g	PE 3 ~ 6	10kg	SIC-S/Ti/K	DPS20	D	GJ	BRC	95.5	2.5	14.3	867	S · D:8000~14000
	87AS JAPAN Special		2	S	8ft 7in	1884	405	40 ~ 150g	PE 5 ~ 8	15kg	SIC-S/Ti/K	DPS20	D	GJ	BRC	92.5	3.1	15.1	915	S · D:14000~18000
	83 JAPAN Special		2	S	8ft 3in	1785	409	40 ~ 150g	PE 6 ~ 8	15kg	OC	DPS20	D	GJ	BRC	93.2	3.3	14.6	915	S · D:14000~18000
	85 JAPAN Special		2	S	8ft 5in	1850	434	40 ~ 160g	PE 6 ~ 12	15kg	OC	DPS20	D	GJ	BRC	94.4	3.7	16.5	895	S · D:14000~20000
	710 JAPAN Special		2	S	7ft 10in	1672	393	40 ~ 160g	PE 6 ~ 12	15kg	OC	DPS20	D	GJ	BRC	92.9	3.4	16.0	910	S · D:14000~20000
	76 JAPAN Special		2	S	7ft 6in	1575	398	60 ~ 180g	PE 8 ~ 12	18kg	OC	DPS20	D	GJ	Gimbal	91.3	3.0	15.3	900	S · D:18000~30000
	73 JAPAN Special		2	S	7ft 3in	1515	406	60 ~ 180g	PE 8 ~ 12	18kg	OC	DPS20	D	GJ	Gimbal	91.6	3.6	15.1	915	S · D:18000~30000
	ST 78-3		2	S	7ft 8in	1780	224	C.Wt 30 ~ 50g	MAX PE 3	5kg	SIC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S · D:5000~6000
Aquila P34	ST 80-4		2	S	8ft	1782	300	C.Wt 40 ~ 80g	MAX PE 4	7kg	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S · D:8000
	ST 85-6		2	S	8ft 5in	1925	338	C.Wt 40 ~ 110g	MAX PE 6	12kg	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S · D:8000~18000
	MST 85-7+		2	S	8ft 5in	1897	382	C.Wt 40 ~ 120g	MAX PE 7	14kg	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	2.8	14.9	840	S · D:14000~18000
	MST 711-8+		2	S	7ft 11in	1752	369	C.Wt 80 ~ 180g	MAX PE 8	16kg	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S · D:14000~18000
	MST 82-9+		2	S	8ft 2in	1815	400	C.Wt 80 ~ 220g	MAX PE 9	17kg	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	92.9	3.3	15.0	860	S · D:18000
	EX 79-3		3	S	7ft 9in	847	263	C.Wt 40 ~ 60g	MAX PE 3	5kg	SIC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S · D:5000~6000
	EX 83-6		3	S	8ft 3in	905	353	C.Wt 60 ~ 120g	MAX PE 6	10kg	SIC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S · D:14000
	MLT 82-2/4		2	S	8ft 2in	1782	341	C.Wt 30 ~ 70g	PE 2 ~ 4	7kg	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S · D:6000~8000
	MLT 82-3/6		2	S	8ft 2in	1785	348	C.Wt 40 ~ 90g	PE 3 ~ 6	10kg	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S · D:8000~14000
	MLT 82-2/4 UC Hundle		1	S	2ft 3in	--	--	--	--	--	--	DPS20	D	GJ	BRC	--	--	--	--	S · D:6000~8000
MLT 82-3/6 UC Hundle		1	S	2ft 3in	--	--	--	--	--	--	DPS20	D	GJ	BRC	--	--	--	--	S · D:8000~14000	
OceanRidge P38	Reversal GT 80 Nano		2	S	8ft	1737	373	MAX 170g	MAX PE 8	14kg	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S · D:14000~18000
	LC GT 82 Nano		2	S	8ft 2in	1796	378	MAX 190g	MAX PE 8	14kg	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S · D:14000~18000
	PF GT 711 Nano		2	S	7ft 11in	1682	375	MAX 210g	MAX PE 10	15kg	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S · D:18000
	FINAL SPIRIT GT78		2	S	7ft 8in	1645	393	MAX 270g	MAX PE 12	17kg	OC	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S · D:18000~20000
GT Expedition P38	81M		3	S	8ft 1in	887	380	MAX 140g	MAX PE 6	10kg	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S · D:14000
	81MH		3	S	8ft 1in	887	386	MAX 180g	MAX PE 8	13kg	OC									