



MonsterImpact

MonsterImpact / Shore Casting for Monster
Blackfin-Seabass / BlueRunner / Red Eye / Seabass

The MonsterImpact series are developed to go after unsized targets and specific situations. We have eliminated any aspect of versatility, but have given it specialized power and taper to assist the anglers who are challenging their limits.

Once you are experienced and ready, we are positive that this rod will be a great asset to those anglers who have their sights on lunker size fish. The 90H and 91BH spinning models for Seabass and Akame (Japanese Barramundis') utilizing heavy weight big-bait lures. The rods are exceptionally light for its power class and are easily capable of landing meter plus Akame and super-size seabass feeding on large size baitfish. In addition, we have also produced a 4 piece 113HH model, giving a big advantage for anglers in the initial approach to the rocks or even traveling around the world.

MonsterImpact 90H / Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g.The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

MonsterImpact 91BH / Bait Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big-bait game.

MonsterImpact 101HH Nano / Spinning Model

101HH is designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft 1inch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

MonsterImpact 113HH /4pcs/ Spinning Model

The 113HH is a powerful pack-rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land-based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both powers in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.

Avarice

Avarice / Blackfin-Seabass Game
Blackfin-Seabass

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation. We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod. Anglers will cut through the strong headwinds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots.

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish.

Avarice 110M Nano


It possesses highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano


This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong headwinds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.



ROD DETAIL Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : Spinning Model MI90H-AV103M-AV110M **DPS18** / other are **DPS20**
Bait model MI91BH **TCS18** (Fuji)

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

<div><div>A 543 mm B 429 mm</div></div> <div>MonsterImpact 90H Spinning Model</div> <div>Lure 18~70g Line MAX PE 3</div> <div>Price : Length: 9ft Closed Length: 1410mm Weight: 193g Guide SiC-S Titanium frame K Guide + RV Guide(Fuji)</div>	<div><div>A 640 mm B 440 mm</div></div> <div>MonsterImpact 91BH Bait Model</div> <div>Lure 20~130g Line MAX PE 5</div> <div>Price : Length: 9ft 1in Closed Length: 1428mm Weight: 212g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 624 mm B 441 mm</div></div> <div>MonsterImpact 101HH / Nano Spinning Model</div> <div>Lure MAX 60g Line MAX PE 3</div> <div>Price : Length: 10ft 1in Closed Length: 1585mm Weight: 270g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 645 mm B 466 mm</div></div> <div>MonsterImpact 113HH / 4pcs Spinning Model</div> <div>Lure MAX 70g Line MAX PE 3</div> <div>Price : Length: 11ft 3in Closed Length: 900mm Weight: 320g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 584 mm B 425 mm</div></div> <div>Avarice 103M / Nano</div> <div>Lure MAX 40g Line MAX PE 1.5</div> <div>Price : Length: 10ft 3in Closed Length: 1600mm Weight: 198g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 597 mm B 425 mm</div></div> <div>Avarice 110M / Nano</div> <div>Lure MAX 40g Line MAX PE 2</div> <div>Price : Length: 11ft Closed Length: 1726mm Weight: 213g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 618 mm B 435 mm</div></div> <div>Avarice 106MH / Nano</div> <div>Lure MAX 50g Line MAX PE 2</div> <div>Price : Length: 10ft 6in Closed Length: 1640mm Weight: 219g Guide SiC-S Titanium frame K Guide(Fuji)</div>	<div><div>A 628 mm B 445 mm</div></div> <div>Avarice 110H / Nano</div> <div>Lure MAX 60g Line MAX PE 2.5</div> <div>Price : Length: 11ft Closed Length: 1730mm Weight: 253g Guide SiC-S Titanium frame K Guide(Fuji)</div>
--	---	--	---	--	--	---	--



SilverStream

SilverStream / Shore Casting
Seabass / Flatfish / Cherry Salmon / others

The SilverStream series are built up of a lineup of rods to target various species including Seabass, Flounders, Bream and Salmon from a land-based style.

Stiletto

The SilverStream Stiletto is a highly sensitive and delicate specialized model built with a high elasticity of 40t carbon for those hardcore seabass anglers. The blank characteristics have allowed anglers to sense the slightest change in current, drag on the lure and hook up the most minimal bites from the fish.

SilverStream 81 Stiletto

The SilverStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. Not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

Flows

The SilverStream Flows is a series to mainly go after Seabass and Flounders in river mouths and the surf. It is vital to be able to feel for the current in rivers, estuaries and the surf, and this Flows series are designed to do exactly that with its highly sensitive blank and outstanding castability. From close range to out far, anglers will be able to feel for the subtle changes in field conditions while not only simply reeling in your lure, but to also drifting your lure into the hit zone.

SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through strong headwinds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures.



Northern

In the northern area of Japan, anglers are mesmerized by land-based sea trout fishing. It is vital for the rod to be able to cast great distances to cover the vast area while possessing the lightness to prevent any loss of fish from ripping the lips.



The SilverStream Northern models are designed for use with jig-minnows and metal-jigs to cast out and cover a vast area to search for the fish. The long length rod which possess contradicting characteristics of lightness in the tip and outstanding butt power is not only designed for the sea-trout but also ideal to target flounders.

SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures.

SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures nearby and it also possesses the butt power to rip off the monstrous flounders from the seabed.



ROD DETAIL Please refer to the list on page 58 to check details of rod specifications.

Reel Seat : 81ST **DPS17** Flows Series **DPS18** Northern Series **DPS20**(Fuji)
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

 <div>A 437 mm B 305 mm</div>	 <div>A 481 mm B 347 mm</div>	 <div>A 526 mm B 392 mm</div>	 <div>A 567 mm B 413 mm</div>	 <div>A 663 mm B 480 mm</div>	 <div>A 688 mm B 505 mm</div>
SilverStream 81 Stiletto	SilverStream 810 Flows / Nano	SilverStream 96 Flows / Nano	SilverStream 103 Flows / Nano	SilverStream 106 Northern / Nano	SilverStream 112 Northern
Lure 7~28g Line PE 0.6~1.2	Lure MAX 32g Line MAX PE 1.5	Lure MAX 38g Line MAX PE 1.5	Lure MAX 42g Line MAX PE 1.5	Lure 30~50g Line MAX PE 1.5	Lure 30~60g Line MAX PE 1.5
Price :	Price :	Price :	Price :	Price :	Price :
Length: 8ft 1in Closed Length: 1275mm Weight: 126g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 8ft 10in Closed Length: 1400mm Weight: 160g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 9ft 6in Closed Length: 1490mm Weight: 166g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 10ft 3in Closed Length: 1605mm Weight: 196g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 10ft 6in Closed Length: 1640mm Weight: 220g Guide SIC-S Titanium frame K Guide(Fuji)	Length: 11ft 2in Closed Length: 1754mm Weight: 255g Guide SIC-S Titanium frame K Guide(Fuji)

SilverStream



SilverStream BIG BAIT

SilverStream / Big Bait Seabass Game
Seabass (Boat & Shore) / others

The seabass game using gigantic big-baits are spreading like wildfire and anglers are lining up on the shoreline and on boats to get into the latest craze.

SilberStream BIG BAIT series are We have added the qualities required for this diverse and exciting big-bait seabass game.

60 BIG PENCIL for manipulating big pencils freely, 74 GIANT BAIT for using giant baits over 30 cm.

In addition, the 60 has an optional long handle for a long cast.

Please open up new door of sea bass games in various fields with two models packed with performance that allows you to immerse yourself in the world of deep big lure sea bass games.

SilverStream 60 BIG PENCIL


This rod is designed to target seabass off-shore with the use of big-bait lures. Anglers will be able to cast and maneuver large pencils easily to induce bites from seabass feeding on massive bait-fish during specific seasons of the year. We are also planning to release a long-handle (sold separately). By attaching the long-handle, anglers will be able to easily cast and use the rod from the bow of the boat, in addition for use with land-based fishing. (The length of the rod with the long-handle will be 6.9ft)

SilverStream 74 GIANT BAIT

The 74 is a special model able to cast out super giant baits exceeding 300mm and 250g. The 74 is approximately two levels more powerful compared to the 60. While being able to overhead cast super size joint-baits, anglers are also able to lightly control smaller 3oz lures. It is ideal to maneuver joint-baits with the sharp rod action and will outperform most rods off-shore and land-based.

SilverStream BIG BAIT Bending Curve Load 2kg

Static load comparison



ROD DETAIL

Please refer to the list on **page 58** to check the details of rod specifications.

Reel Seat : TCS18 (Fuji)

※A=Whole length of grip

B=Length from trigger to end of grip when reel is equipped

SilverStream 60 BIG PENCIL Long Handle (60 Optional Parts : 60→69)

Longer handle for Silver Stream 60 Big pencil is available as an option.

※It is sold as just handle itself.

The whole length will be 6ft 9inch when the long handle is equipped.

The length from the trigger to the end of the grip will be extended 115mm, and to the top of the front grip will be extended 95mm. If you are required distance cast or wish to have more stability when you manipulate lure or fight with big fish, this long handle will support you, don't matter from shore or offshore.

Handle Length: 705mm

Weight: 163g

Price :

SilverStream 60 BIG PENCIL

Lure / Comfort Weight
40~150g
Line
MAX PE 6

Price :

Length: 6ft
Closed Length: 1425mm
Weight: 194g

Guide
SIC-S Titanium frame
LRV Guide(Fuji)

SilverStream
60 BIG PENCIL
Long Handle


SilverStream 74 GIANT BAIT

Lure / Comfort Weight
100~300g
Line
MAX PE 8

Price :

Length: 7ft 4in
Closed Length: 1550mm
Weight: 262g

Guide
SIC-S Titanium frame
LRV Guide(Fuji)





RealCrescent

RealCrescent / Light Game

Horse-mackerel / Rock Fish / Seabream and more

The “Real Crescent” series has been finely honed to further enjoy deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, beautiful bend curve, and power will respond to each angler’s needs for the light game. The new Real Crescent series is the next generation of basic light game rods.

We have carefully selected 4 models for the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)

Spinning model

RealCrescent RC-55 / Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon, and ester lines.

RealCrescent RC-65 / Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience seamless usage through the fast tapered rod with a flexible tip, resilient belly, and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs, Texas rigs, and even light wind techniques.

RealCrescent RC-75 / Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream, and for the light seabass game. The sharp tip section will transmit vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs, and metal jigs with a high response. The strong butt section of the rod can deal with unexpectedly large rockfish and bream measuring over 50cm.

RealCrescent RC-81 / Spinning Model

This is a long length model designed mainly for use with Carolina rigs and floating rigs, but is also great with 3-5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.



Overhead reel model

RealCrescent RC-57 / Bait Model



Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

RealCrescent RC-67 / Bait Model

This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

RealCrescent RC-77 / Bait Model








This is the middle class overhead reel model to target various species of rockfish, bream, and seabass. It is an ideal light game rod to cover various species and fishing styles using “bottom-dragging”, “Lift and Fall” techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.



ROD DETAIL Please refer to the list on **page 58** to check details of rod specifications.

Reel Seat : Spinning model **VSS16** / Overhead reel model **PMTS17** (Fuji)

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

 <div>A 275 mm B 193 mm</div>	 <div>A 318 mm B 236 mm</div>	 <div>A 368 mm B 286 mm</div>	 <div>A 378 mm B 296 mm</div>	 <div>A 299 mm B 185 mm</div>	 <div>A 368 mm B 254 mm</div>	 <div>A 392 mm B 280 mm</div>
RealCrescent RC-55 Spinning Model	RealCrescent RC-65 Spinning Model	RealCrescent RC-75 Spinning Model	RealCrescent RC-81 Spinning Model	RealCrescent RC-57 Overhead reel Model	RealCrescent RC-67 Overhead reel Model	RealCrescent RC-77 Overhead reel Model
Lure JH 0.2~3g Line PE 0.2~0.4 FC-NY ~3lb	Lure JH 0.3~6g Plug 1.8~4.5g Line PE 0.2~0.4 FC-NY ~3lb	Lure Rig 2~14g Plug 2.5~11g Line PE 0.3~0.8	Lure 2~17g Line PE 0.4~0.8	Lure 0.5~5g Line PE 0.2~0.5	Lure 0.8~8g Line PE 0.3~0.6	Lure 2~15g Line PE 0.4~0.8
Price :	Price :	Price :	Price :	Price :	Price :	Price :
Length: 5ft 5in Closed Length: 853mm Weight: 54g Guide TORZITE Titanium frame K Guide (Fuji)	Length: 6ft 5in Closed Length: 1004mm Weight: 61g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 7ft 5in Closed Length: 1157mm Weight: 79g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 8ft 1in Closed Length: 1265mm Weight: 86g Guide TORZITE Titanium frame K Guide(Fuji)	Length: 5ft 7in Closed Length: 1265mm Weight: 69g Guide TORZITE Titanium frame K Guide + RV Guide(Fuji)	Length: 6ft 7in Closed Length: 1025mm Weight: 78g Guide TORZITE Titanium frame K Guide + LRV Guide(Fuji)	Length: 7ft 7in Closed Length: 1190mm Weight: 92g Guide TORZITE Titanium frame K Guide + LRV Guide(Fuji)



Move on

All products designed by RippleFisher

Hand Craft
Ripple Fisher



RippleFisher Original
Goods, Gears & Custom Color Options



RippleFisher Engineered GEARS Collection

2023 NEW RF Reel & Spool System Bag

Price :

- Outer dimensions : 42×31.5×14.5 (cm)
- Color : Black
- Accessories : Partition(can be cut)
(Large size 40cm×5pcs, Medium size 19cm×2pcs, Small size 10cm×6pcs)



[Example of reel storage]

- **Casting (Large size class/SW)**
2 units of #14000 or 18000 class reels + 4 pcs of spare spools
- **Jigging (Medium size class / SW)**
2 units of #6000 class reels + 2 units of #8000 class reels + 1 pc of spare spool
- **Seabass**
3 units of #4000, C5000 to SW5000 class reels + 2 units of #200 to 400 class bait casting reels
- **Light game**
6 units of #1000-2500 class reels or 6 units of finesse bait casting reels + 5 pcs of spare spools



more detail

RF Land Base Fishing Bag

Price :

- Size : 1940mm×140mm×140mm
- Weight : 2430g
- Storage guide: Products with a closed size up to 1900 mm
- Name plate included / Material: Stainless steel SUS316L



This is an ideal rod bag to store your rods when going on land-based fishing trips. We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off onto the rocks. It can stow 3~4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.



more detail

RippleFisher × Stream Trail

RF Waterproof Back Pack

Price :

- Model : Stream Trail / DRY TANK 60L D2
- Size : W39×D34×H62.5cm Capacity : 60L
- Material: Tarpaulin, polyester (bag body)
- Color: Black



more detail

RF Knot Tightener

Price :



- Size
Large • Length : 167mm
/ Diameter : 25mm
Small • Length : 147mm
/ Diameter : 21mm

※The main body is constructed of High-Tensile Carbon Fibre covered with galvanized rubber



more detail

RF Multi Shaft

M / 2pcs Price :

- Expanded length : 2640mm Closed length : 1435mm ●Weight: 612g
- Tip diameter: 25mm (Measured top of metal part)
Butt diameter: 30.5mm (Measured top of end rubber part)



RF Extension Shaft

Price :

An extension shaft is also available as an option, so it can be used in various situations.



- Length : 1360mm ●Weight : 217g ●Screw standard : W1/2 ●Bracket part : Stainless SUS 316L



more detail

RF MORI

Price :

- Length : 1800mm ●Weight : Approx 545g
- material of spear part : Stainless SUS 316L / Attachment bracket material : SUS304 ●Screw standard : W1/2
- End cap : BRC ●Recommendation Harpoon head : ASANO Type MORIPPA / Type S MORIPPA



more detail

Harpoon quick release head with attached wire

Price :



- Length : Approx 525mm
- Harpoon head (2 types)
ASANO Type S
ASANO Type MORIPPA



more detail

2023 NEW RF Self-inflating Life Jacket / Waist belt type

Price :

- Waist belt type
YMG-9320RS
Color:Black
Size: Waist circumference
70~100cm



The U-shaped air chamber inflates smoothly and maintains a stable floating posture.



more detail

RF Self-inflating Life Jacket / Neck over type

Price :

- Neck over type
YMG-2520RS
Color:Black
Size:OSFA



more detail

RippleFisher Apparel & Goods Collection

[more detail](#)[more detail](#)[more detail](#)[more detail](#)[more detail](#)[more detail](#)

[more detail](#)

[more detail](#)

[more detail](#)

[more detail](#)

[more detail](#)

[more detail](#)

[more detail](#)



RippleFisher Custom Color Option

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to “the blank color”, “the thread pin color” and “the thread set color”. Please choose the color options for your customizations. The new colors for blank are added in 2023.

For details, please see pages 55-57.
※Please note that we do not accept custom request to change grip or guide options.

Color Custom Order Guide

①
Select the model

※The following models can not be customized
RunnerExceed 100SHH LTD
SilverStream 81 Stiletto
SilverStream BIG BAIT Series
RF MORI

②
Select whether to paint blank

●Change⇒③
●Doesn't change⇒⑤

③
Select blank paint range and color

●Paint the butt part
⇒P55
(Blank Color・Butt parts paint range for each model)
⇒P56 (Blank Color Lineup)
●Paint the full part
⇒P56 (Blank Color Lineup)

④
Select whether to change the thread color

●Change⇒⑤
●Doesn't change⇒⑥

⑤
Select “Pin color” or “Set color” and choose a color

●If you select Pin-Color
⇒P57 (Thread Pin-Color)
●If you select Pin-Color
⇒P57 (Thread Set Color)

⑥
Make an order to authorized dealer

You can download the order form from the QR code below.

●Delivery date
With regards to your custom order delivery date, it will take roughly 13~14 months depending on our production schedule.
●Changes and cancellation of custom order
Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.

RippleFisher Custom Color Detail page⇒

<https://ripplefisher.com/custom?lang=en>

Blank Color・About coating range

●Blank Color・Full paint (1pc model and Grip joint model)

●Blank Color・Full paint (2pcs&3pcs model)

●Blank Color・Only Butt section Paint (Please refer to images below about available range)

Blank Color・Butt parts paint range for each model

Ultimo

Aquila EX

OceanRidge

SELFISH NS 632

OceanArrow

RunnerExceed

MonsterImpact 113HH /4pcs

SilverStream

Mult shaft M・L (08.Silver color orders are not available)

Aquila ST/MLT/MST

BIG TUNA

GTX

SELFISH

MonsterImpact

Avarice

RealCrescent

※The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.
※SilverStream 81 Stiletto , RunnerExceed 100SHH LTD , RF MORI color custom is not available.

54

55



※04.Metal emerald blue is out of list and is a missing number.

BLANK COLOR LINEUP



● You can order color customization either whole blanks (from butt to top guide) or butt section only(range of model logo).Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08) and “Maziora” color (09 ~11) to the Clear Color(12~14).

※You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.

※If you choose the 08 (silver color), the logo print will be black.

※Ultimo can also choose colors 01 to 11 other than clear color.

※The clear colors are exclusive to Ultimo and cannot be selected for other models.

※Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.

※Color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI

Color custom Charge

Color Number 01~08

- 1piece full paint **10,000 yen** (01~08)
※1piece and 1&half model
- 2piece full paint **12,000 yen** (01~08)
- 3piece full paint **13,000 yen** (01~08)
- 4piece full paint **14,000 yen** (01~08)
- Only Butt section Paint **6,000 yen** (01~08)
- Multi Shaft **15,000 yen** (01~07)

Color Number 09~11 ※MAZIORA Color

- 1piece full paint **15,000 yen** (09~11)
※1piece and 1&half model
- 2piece full paint **18,000 yen** (09~11)
- 3piece full paint **19,000 yen** (09~11)
- 4piece full paint **20,000 yen** (09~11)
- Only Butt section Paint **9,000 yen** (09~11)
- Multi Shaft **20,000 yen** (09~11)

Color Number 12~14 ※Ultimo exclusive color

- Only Butt section Paint **6,000 yen** (12~14)

※Clear colors(#12 to 14) can only be painted on the butt part of the Ultimo series.
(Full paintings cannot be selected)

Thread Pin-Color

● The “thread pin color custom” designs will comply with the original product’s position.

※If two colors are used in the standard product, a single color will be used for the custom color.

※If you order a “thread pin color custom”, the whole rod will be customized with the color you ordered.

※The thread color of the multi shaft cannot be changed.

Thread Pin custom Charge

Color : 01~07 **2,000 yen**

Color : 08 (No pin thread) **1,000 yen**

※Pin-Thread color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI

Thread Set Color

● For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

※Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread.

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

※We do not accept requests to change or alter the color of the pin thread.

※The thread color of the multi shaft cannot be changed.

Thread Set Color custom Charge

• 01~10 **5,000 yen**

※Thread Set-color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI



01.Silver

02.Champagne Gold

03.Metallic Red

04.Metallic Copper


05.Metallic Pink

06.Metallic Blue


07.Metallic Gray

08.Black


※Without pin-thread




01.Red Set (Main・Red/Sub・Black)




06.Purple Set (Main・Purple/Sub・Black)




02.Pink Set (Main・Pink/Sub・Black)




07.Emerald Set (Main・Emerald/Sub・Black)




03.Gold Set (Main・Gold/Sub・Black)




08.Lime Set (Main・Lime/Sub・Black)




04.Blue Set (Main・Blue/Sub・Black)



09.Light Gray Set (Main・Light Gray/Sub・Dark Gray)



05.Light Blue Set (Main・Light Blue/Sub・Navy)



10.Sky Blue Set (Main・Sky Blue/Sub・Dark Blue)

Thread/01.Red Set Custom as an example ※Main color・Red/Sub color・Black



※No under thread applied model, main color (Red on 01) comes on top.

2023 RippleFisher Rod Lineup Spec Details

←2022 New Model

	Series	Price	JAN CODE	S E C	R F I	Lt [feet]	CL-Lt [mm]	Wt [g]	Lure	Line	Drag Max	Guides	Reel Seat	L O C	Joint	Grip End	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size and others	
Ultimo P8	82ML		4580397944157	2	S	8ft 2in	1790	358g	C.Wt 70~120g	MAX PE 6	12k	SIC-S/Ti/K※	DPS20	U	GJ	BRC	97.7	2.6	13.3	875	S・D:14000	
	83M		4580397944164	2	S	8ft 3in	1815	378g	C.Wt 80~140g	MAX PE 7	13k	SIC-S/Ti/K※	DPS20	U	GJ	BRC	97.6	2.8	14.3	865	S・D:14000~18000	
	710MH		4580397944171	2	S	7ft 10in	1685	376g	C.Wt 80~160g	MAX PE 8	15k	SIC-S/Ti/K※	DPS20	U	GJ	BRC	97.5	2.9	14.0	865	S・D:14000~18000	
	ST 78-3		4580397940081	2	S	7ft 8in	1780	224	C.Wt 30~50g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S・D:5000~6000	
	ST 80-4		4580397940098	2	S	8ft	1782	300	C.Wt 40~80g	MAX PE 4	7k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S・D:8000	
Aquila P14	ST 85-6		4580397945093	2	S	8ft 5in	1925	338	C.Wt 40~110g	MAX PE 6	12k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S・D:8000~18000	
	EX 79-3		4580397940050	3	S	7ft 9in	847	263	C.Wt 40~60g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S・D:5000~6000	
	EX 83-6		4580397940074	3	S	8ft 3in	905	353	C.Wt 60~120g	MAX PE 6	10k	SIC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S・D:14000	
	MST 85-7+		4580397945048	2	S	8ft 5in	1897	382	C.Wt 40~120g	MAX PE 7	14k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	2.8	14.9	840	S・D:14000~18000	
	MST 711-8+		4580397945055	2	S	7ft 11in	1752	369	C.Wt 80~180g	MAX PE 8	16k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S・D:14000~18000	
	MST 82-9+		4580397947363	2	S	8ft 2in	1815	400	C.Wt 80~220g	MAX PE 9	17k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	92.9	3.3	15.0	860	S・D:18000	
	MLT 82-2/4		4580397940104	2	S	8ft 2in	1782	341	C.Wt 30~70g	PE 2~4	7k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S・D:6000~8000	
	MLT 82-3/6		4580397940111	2	S	8ft 2in	1785	348	C.Wt 40~90g	PE 3~6	10k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S・D:8000~14000	
	MLT 82-2/4 UC Handle		4580397949985	1	S	2ft 3in	--	--	--	--	--	--	DPS20	D	GJ	BRC	--	--	--	--	S・D:6000~8000	
	MLT 82-3/6 UC Handle		4580397949978	1	S	2ft 3in	--	--	--	--	--	--	DPS20	D	GJ	BRC	--	--	--	--	S・D:8000~14000	
	BIG TUNA P19	85F JS		4580397945147	2	S	8ft 5in	1880	370	18~120g	PE 3~6	10k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC※	95.5	2.5	14.3	867	S・D:8000~14000
		87AS JS		4580397947370	2	S	8ft 7in	1884	405	40~150g	PE 5~8	15k	SIC-S/Ti/K※	DPS20	D	GJ	BRC※	92.5	3.1	15.1	915	S・D:14000~18000
83 JS			4580397948087	2	S	8ft 3in	1785	409	40~150g	PE 6~8	15k	OC	DPS20	D	GJ	BRC※	93.2	3.3	14.6	915	S・D:14000~18000	
85 JS			4580397945130	2	S	8ft 5in	1850	434	40~160g	PE 6~12	15k	OC	DPS20	D	GJ	BRC※	94.4	3.7	16.5	895	S・D:14000~20000	
710 JS			4580397945116	2	S	7ft 10in	1672	393	40~160g	PE 6~12	15k	OC	DPS20	D	GJ	BRC※	92.9	3.4	16.0	910	S・D:14000~20000	
76 JS			4580397945215	2	S	7ft 6in	1575	398	60~180g	PE 8~12	18k	OC	DPS20	D	GJ	Gimbal※	91.3	3.0	15.3	900	S・D:18000~30000	
73 JS			4580397945161	2	S	7ft 3in	1515	406	60~180g	PE 8~12	18k	OC	DPS20	D	GJ	Gimbal※	91.6	3.6	15.1	915	S・D:18000~30000	
OceanRidge P22	Reversal GT 80 Nano		4580397944096	2	S	8ft	1737	373	MAX 170g	MAX PE 8	14k	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S・D:14000~18000	
	LC GT 82 Nano		4580397944089	2	S	8ft 2in	1796	378	MAX 190g	MAX PE 8	14k	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S・D:14000~18000	
	PF GT 711 Nano		4580397944102	2	S	7ft 11in	1682	375	MAX 210g	MAX PE 10	15k	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S・D:14000~18000	
	FINAL SPIRIT GT78		4580397948926	2	S	7ft 8in	1645	393	MAX 270g	MAX PE 12	17k	OC	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S・D:18000~20000	
GTXpedition P22	GTXpedition 81M		4580397948094	3	S	8ft 1in	887	380	MAX 140g	MAX PE 6	10k	OC	DPS20	U	Spigot+GJ	BRC	92.1	3.2	14.3	920	S・D:14000	
	GTXpedition 81MH		4580397948100	3	S	8ft 1in	887	386	MAX 180g	MAX PE 8	13k	OC	DPS20	U	Spigot+GJ	BRC	93.3	3.9	15.2	920	S・D:14000~18000	
SELFISH P25	SELFISH 613S Nano		4580397941026	1	S	6ft 1in	1860	170	C.Wt 100~140g	PE 2.5 Class	4k	SIC-S/Ti/K	DPS18	U	--	EVA	92.5	2.4	8.7	615	S・D:5000~6000	
	SELFISH 614S Nano		4580397941033	1	S	6ft 1in	1860	180	C.Wt 130~170g	PE 3 Class	5k	SIC-S/Ti/K	DPS18	U	--	EVA	92.1	2.5	9.2	635	S・D:5000~8000	
	SELFISH 597S Nano		4580397941064	1	S	5ft 9in	1756	250	C.Wt 180~240g	PE 5 Class	8k	SIC-S+SIC/Ti/K	DPS20	U	--	BRC	99.8	3.1	9.2	735	S・D:8000~10000	
	SELFISH NS 632		4580397948117	1	S	6ft 3in	1910	126	C.Wt 80~130g	MAX PE 2	3k	SIC-S/Ti/K	DPS18	U	--	EVA	73.5	2.0	8.0	615	S・D:5000	
	SELFISH NS 623		4580397948124	1	S	6ft 2in	1890	159	C.Wt 100~150g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	U	--	EVA	89.4	2.2	8.6	625	S・D:5000~6000	
	SELFISH NS 614		4580397948131	1	S	6ft 1in	1865	174	C.Wt 120~180g	MAX PE 4	7k	SIC-S/Ti/K	DPS18	U	--	EVA	82.7	2.1	9.2	645	S・D:6000~8000	
	SELFISH SEB 633		4580397948148	1	B	6ft 3in	1915	182	C.Wt 120~180g	MAX PE 3	5k	SIC-S/Ti/K	TCS18	D	--	EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~20	
	SELFISH SEB 624		4580397948155	1	B	6ft 2in	1890	189	C.Wt 140~200g	MAX PE 4	7k	SIC-S/Ti/K	TCS18	D	--	EVA	94.7	2.4	8.7	680	S:2000 / D:30~35	
OceanArrow P29	6615		4580397948964	2	S	6ft 6in	1295	362	MAX 400g	MAX PE 6	12k	OC	DPS20	D	GJ	Gimbal※	91.6	3.2	12.0	885	S・D:10000~14000	
	5930		4580397948957	1	S	5ft 9in	1775	382	MAX 800g	MAX PE 8	15k	OC	DPS20	D	--	Gimbal※	82.6	3.8	11.9	815	S・D:10000~20000	
RunnerExceed P34	FSU 83HH		4580397942009	2	S	8ft 3in	1310	364	MAX 200g	MAX PE 8	10k	OC※	DPS22	D	Spigot	BRC	98.5	3.1	15.5	855	S・D:14000~20000	
	FSU 100SXH		4580397942061	2	S	10ft	1570	439	MAX 160g	MAX PE 10	10k	OC	DPS22	D	Spigot	BRC	99.8	3.2	18.0	875	S・D:14000~20000	
	FSU 105BXH		4580397942078	2	B	10ft 5in	1626	429	MAX 180g	MAX PE 10	10k	OC	T-DPS22	D	Spigot	BRC	99.8	3.2	19.1	830	D:LD30~50 / AV:MCLX6 / SOM:50~80	
	100SHH LIMITED		4580397948292	2	S	10ft	1579	405	MAX 150g	MAX PE 8	10k	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S・D:14000~18000	
	102M Nano PlugModel		4580397942030	2	S	10ft 2in	1590	290	Plug 20~70g	PE 1.5~3	5k	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S・D:5000~6000	
	104H Nano PlugModel		4580397942047	2	S	10ft 4in	1615	327	Plug 40~120g	PE 4~6	8k	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S・D:8000~14000	
	110H Nano Plug		4580397948179	2	S	11ft	1720	341	Plug 40~130g	PE 4~7	9k	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S・D:8000~14000	
	911MH Nano		4580397942016	2	S	9ft 11in	1560	306	MAX Jig 100g / MAX Plug 80g	MAX PE 4	6k	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S・D:6000~8000	
	95TC		4580397947356	2	S	9ft 5in	1495	290	MAX Jig 120g / Plug 30~90g	MAX PE 4	6k	SIC-S/Ti/K※	DPS20	U	Spigot	BRC	99.8	3.0	16.3	730	S・D:6000~8000	
	103H		4580397942023	2	S	10ft 3in	1615	327	MAX Jig 130g / MAX Plug 90g	MAX PE 5	8k	SIC-S/Ti/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S・D:8000~14000	
MonsterImpact P40	107BH Nano		4580397940012	2	B	10ft 7in	1650	374	50~130g	MAX PE 6	8k	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	S:LD8~10 / D:LD20~30 / SOM:50	
	90H		4580397948018	2	S	9ft	1410	193	18~70g	MAX PE 3	--	SIC-S/Ti/K※	DPS18	U	Spigot	EVA	99.8	2.3	14.1	575	S・D:4000~5000	
	91BH		4580397948933	2	B	9ft 1in	1428	212	20~130g	MAX PE 5	--	SIC-S/Ti/K	TCS18	D	Spigot	EVA	99.8	2.5	13.8	670	S:200~400 / D:1500~4000	
	101HH Nano		45803																			