



### FOR THE CHALLENGE OF EXCEEDING LIMITS

# Runner Exceed

### RunnerExceed Rocky Shore Casting

Kingfish / Yellowtail Greater Amberjack GT / Dogtooth Tuna and more

### MAIN MODEL

102M Nano Plug Model
104H Nano Plug Model
110H Nano Plug Model
911MH Nano
95TC
103H
107BH Nano
Overhead reel Model
EXTREME MODEL

FINAL STAND UP 83HH 100SHH LIMITED The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, and dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to "catch" your dream fish in the harshest environments.

Recently, the number of anglers targeting 20kg class kingfish have increased and are seeking not only the power in a rod, but also the least amount of strain on the angler. No matter how strong a rod may be, if the angler does not have the power to bend it, s/he will be in the disadvantage when fighting off the rocks. You can bend the rod and lift, stop the thrashing fish with its

You can bend the rod and lift, stop the thrashing fish with its power, or technically fight the fish with the use of the long-leader system utilizing the overhead reel tackle setup. Each and every angler will have their own style but there is one thing in common and that is the "strength" the RunnerExceed series have.

We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controlability, resilience and strength of the series when most needed during the fight.

"Main-models" target Blue runners such as Kingfish and amberjack yellowtail, and we even have models with a view to over 20 kg in Kingfish.

In addition, we also have "Extreme-models" for more rugged areas to target non-standard Big fish such as GT and Dogtooth tuna, opening the door for more rock shore games.

We dedicate this model to those anglers who are challenging themselves to the limit, as the lightness, controllability, resilience and overwhelming power in the rod have been designed to do exactly that.



# RunnerExceed MAIN MODEL

The Runner Exceed series are a wide range of rods to target the yellowtails in your local waters to the bigger and harder kingfish off the rocks. The 3 plugging models are ideal for use with diving pencils with the flexible yet powerful blank to apply ample pressure on the fish.

The 911MH and 103H are versatile models for use with both jigs and plugs and the 95TC is ideal in tough conditions where delicate maneuvering of the lure is required. We also have a 107BH for those over-head reel enthusiasts. Although your targets may be similar, the 7 choices of rods will open up new doors for different locations, field conditions, and styles of approach toward your rocky shore game fishing.

### RunnerExceed 102M Nano / PlugModel

This is the lighter plugging model of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencils, and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg.

### RunnerExceed 104H Nano / PlugModel

104H is While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section, allowing anglers to lift the rod higher to withstand the final thrust of the fish in close range.

### RunnerExceed 110H Nano / PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from 10~15kg in shallow waters.

### RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift 3~4kg fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next right arm.

### RunnerExceed 95TC

The 95TC is a technical model with a highly responsive blank design to maneuver the lure on a next level. The developmental concept of this model was to enable anglers to utilize various lures including sinking minnow, poppers, diving-pencils and jigs to induce bites in difficult conditions when the sea is flat and the lure is highly visible. The light weight 9.5ft length rod has a MH class strength for fighting 5~10kg blue runners off the rocks. With its outstanding casting distance and highly well balanced characteristics, anglers can utilize this as your main rod or back-up rod for your more exotic expeditions.

### **RunnerExceed 103H**

This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action


### RunnerExceed 107BH Nano / Overhead reel Model


The blank itself is extremely flexible and tenacious yet possesses a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long-leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on the bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10 kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller  $3 \text{kg} \sim 6 \text{kg}$  fish, yet possessing underling power for those monstrous fish





### RunnerExceed Bending Curve







Plug 20~70g
Line
PE 1.5~3
Drag Max
5kg/45°

Price :

Length: 10ft 2in Closed Length: 1590mm Weight: 290g Guide SiC-S Titanium frame K Guide(E) Plug 40~120g
Line
PE 4~6
Drag Max
8kg/45°

Lengt

Length: 10ft 4in Closed Length: 1615mm Weight: 327g Guide Ocean Guide(Fuji) Plug 40~130g
Line
PE 4~7
Drag Max
9kg/45°

Price :

Length: 11ft Closed Length: 1720mm Weight: 341g **Guide** SiC-S Titanium frame K Guide + Ocean Guide(Fuii)

MAX Jig 100g
MAX Plug 80g
MAX Plug 80g
MAX PE 4
Drag Max
Jorag Max
So 6kg/45°

Price :

Length: 9ft 11in Closed Length: 1560mm Weight: 306g Guide SiC-S Titanium frame K Guide + Ocean Guide(Fuji) MAX Jig 120g
Plug 30~90g
Line
MAX PE 4
Drag Max
6kg/45°

Drice

Length: 9ft 5in Closed Length: 1495m Weight: 290g Guide

120g MAX Plug 90g
~90g MAX Plug 90g
Line
PE 4 MAX PE 5
Drag Max
45° 8kg/45°

Price :

Length: 10ft 3in Closed Length: 1615mm Weight: 327g Guide e SiC-S Titanium frame K Guid

Price :

 10ft 3in
 Length: 10ft 7in

 th: 1615mm
 Closed Length: 1650m

 327g
 Weight: 374g

 de
 Guide

 rame K Guide
 Ocean Guide(Fuji)

42



RunnerExceed FINAL STAND UP **83HH** 

> MAX 200a MAX PE 8 Drag Max 10kg/45°

Length: 8ft 3in Closed Length: 1310m Weight: 364g

Length: 10ft Closed Length: 1579mr Weight: 405g **Guide** Ocean Guide(Fuji)

RunnerExceed

100SHH

MAX 150a

MAX PE 8

Drag Max 10kg/45°





### RunnerExceed **EXTREME MODEL**

In the countless fields out there around the world, there are places where astonishing size species exist and it is beyond human knowledge. It is impossible to target large GT, Dogtooth, Amberjacks, Kingfish, Yellowtail Tuna, etc from the rocks or piers with ordinary tackle.

The "Runner Exceed Extreme model" are highly well balanced rods equipped with outstanding castability. a smooth bending curve with exceptional power, and rod taper design that allows anglers to lift the rod tip during brutal fights against the monstrous targets by vour feet.

There is the super high elasticity Limited 100SHH LTD model which will effectively bend in once the rod is loaded allowing for a highly responsive fight against the fish.

The 83HH FINAL STAND UP is a short length model that challenges how to reduce burden of the angler's body and drive the landing advantageously when aiming for big fish using large lures.

We present these 2 models for anglers who are challenging themselves to the limit in the most difficult fishing conditions imaginable.

### RunnerExceed FINAL STAND UP 83HH

The 8.3ft short length blank with tenacious strength in the belly to butt section will effectively apply pressure on the fish once loaded. By shortening the overall length of the rod, it has allowed anglers to consistently apply pressure on the fish during the fight while being able to fully cast out large size lures with the least amount of effort. Furthermore, the short length will reduce the strain on the angler when utilizing large mouthed poppers, conserving the energy of the angler until the fight begins. We are confident that the 83HH will bring about great advantages to the anglers when unexpected monstrous fish attack your lure with its light controllability and highly responsive blank which will continuously and effectively apply pressure upon the fish.

### RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land-based GT rod.

ROD DETAIL Please refer to the list on page 58 to check the details of rod specifications.

\*A=Whole length of grip B=Length from reel foot(Trigger) to end of grip when reel is equipped

### **VARIOUS TARGET & STYLE**

# SilverStream

SilverStream / Shore & Boat Casting

Seabass / Flatfish / Cherry Salmon / others

81 Stiletto 810 Flows Nano 96 Flows Nano 103 Flows Nano **106 Northern Nano** 112 Northern **60 BIG PENCIL 74 GIANT BAIT** 

N

0

8

The SilverStream series are models that are consistently evolving with the concept to "enjoy" the highly sharpened style of fishing to target Seabass, flounders and sea-trout in your local waters.

Although some of the higher-powered models have been moved to the Monster Impact series, this does not necessarily mean that SilverStream models lack the power.


The concept for the SilverStream series was to collect the specialized models and further subdivide and enhance the performance of these models.

The 81 Stilleto is a model equipped with a highly sensitive blank to expedite the angler's reaction speed to swiftly hook up fish while the Flows series were developed to widely cast out lures for seabass and flounders in the surf and feel for the current through the sensitive blank. The Northern series are models developed to target the sea trout in the colder parts of the country with the use of jigs and jig-minnows by searching the vast surf with its outstanding

As you may have guessed from the naming, the BigBait series are models especially designed to target seabass and other species which are feeding on supersize baits (gizzard shads and mullets).

Although the SiverStream is a large category with various models, each model is specifically designed to shine in specific fields. They are not your ordinary rods, but rather rods designed for special situations for anglers with special needs. This is the performance we sought after in the SilverStream series.





The SilverStream series are built up of a lineup of rods to target various species including Seabass, Flounders, Bream and Salmon from a land-based style.

### SilverStream 81 Stiletto

The SivlerStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. Not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

### SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

### SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

### SilverStream 103 Flows Nano


The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through strong headwinds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures.

### SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures.

### SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures nearby and it also possesses the butt power to rip off the monstrous flounders from the seabed.



ROD DETAIL Please refer to the list on page 58 to check details of rod specifications.

Reel Seat: 81ST DPS17 Flows Series DPS18 Northern Series DPS20(Fuji) \*A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



MAX 32g

MAX PE 1.5

Length: 8ft 10in

Closed Length: 1400mm Weight: 160g

Guide TORZITE Titanium frame

Price

MAX 38g

MAX PE 1.5

Length: 9ft 6in Closed Length: 1490mm Weight: 166g

Guide TORZITE Titanium frame

Price:

7~28g

PE 0.6~1.2

Length: 8ft 1in Closed Length: 1275mn Weight: 126g

Guide TORZITE Titanium frame

SilverStream SilverStream 106 Northern / Nano

30∼50g MAX PE 1.5 Price:

Length: 10ft 6in Closed Length: 1640mm Weight: 220g Guide SiC-S Titanium frame

30~60g MAX PE 1.5 Price : Length: 11ft 2in Closed Length: 1754 Weight: 255g

112

Northern

Guide SiC-S Titanium frame

### SilverStream **BIG BAIT Series**

SilverStream BIG BAIT series are We have added the qualities required for this diverse and exciting big-bait seabass game. 60 BIG PENCIL for manipulating big pencils freely, 74 GIANT BAIT for using giant baits over 30 cm.

In addition, the 60 has an optional long handle for a long cast.Please open up new door of sea bass games in various fields with two models packed with performance that allows you to immerse yourself in the world of deep big lure sea bass games.

### SilverStream 60 BIG PENCIL

This rod is designed to target seabass off-shore with the use of big-bait lures. Anglers will be able to cast and maneuver large pencils easily to induce bites from seabass feeding on massive bait-fish during specific seasons of the year. We are also planning to release a long-handle (sold separately). By attaching the long-handle, anglers will be able to easily cast and use the rod from the bow of the boat, in addition for use with land-based fishing. (The length of the rod with the long-handle will be 6.9ft)

### Long Handle (60 Optional Parts : $60 \rightarrow 69$ )


Longer handle for Silver Stream 60 Big pencil is available as an option. ※It is sold as just handle itself.

The whole length will be 6ft 9inch when the long handle is equipped. The length from the trigger to the end of the grip will be extended 115mm, and to the top of the front grip will be extended 95mm. If you are required distance cast or wish to have more stability when you manipulate lure or fight with big fish, this long handle will support you, don't matter from shore or offshore.

### SilverStream 74 GIANT BAIT

The 74 is a special model able to cast out super giant baits exceeding 300mm and 250g. The 74 is approximately two levels more powerful compared to the 60. While being able to overhead cast super size joint-baits, anglers are also able to lightly control smaller 3oz lures. It is ideal to maneuver joint-baits with the sharp rod action and will outperform most rods off-shore and land-based.





\*\*A=Whole length of grip B=Length from trigger to end of grip SilverStream Long Handle Length: 705mm Weight: 163g Price : SilverStream SilverStream

SilverStream

ROD DETAIL

Please refer to the list

the details of

rod specifications. Reel Seat : TCS18 (Fuji)

**60** BIG PENCIL

Lure / Comfort Weight MAX PE 6

Price :

Length: 6ft Closed Length: 1425mm Weight: 194g

74 GIANT BAIT

Lure / Comfort Weight MAX PE 8

Price : Length: 7ft 4in Closed Length: 1550mn Weight: 262g

LRV Guide(Fuji)

MAX 42g

MAX PE 1.5

Length: 10ft 3in

Weight: 196g

Guide TORZITE Titanium frame

# RealCrescent

### RealCrescent / Light Game Horse-mackerel / Rock Fish / Seabream and more

The "Real Crescent" series has been finely honed to further enjoy deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it

The high sensitivity, lightness, beautiful bend curve, and power will respond to each angler's needs for the light game. The new Real Crescent series is the next generation of basic light game rods.

We have carefully selected 4 models for the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)





### Spinning model

### RealCrescent RC-55 Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY ® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon, and ester lines.

### RealCrescent RC-65 Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience seamless usage through the fast tapered rod with a flexible tip, resilient belly, and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs, and even light wind techniques.

### RealCrescent RC-75 Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream, and for the light seabass game. The sharp tip section will transmit vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs, and metal jigs with a high response. The strong butt section of the rod can deal with unexpectedly large rockfish and bream

### RealCrescent RC-81 Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the

### Overhead reel model

### RealCrescent RC-57 Overhead reel model


Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

### RealCrescent RC-67 Overhead reel model

This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

### RealCrescent RC-77 Overhead reel model

This is the middle class overhead reel model to target various species of rockfish, bream, and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "Lift and Fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power



The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with the flexibility of the whole rod. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream games

# ROD DETAIL Please refer to the list on page 58 to check details of rod specifications. Reel Seat : Spinning model VSS16 / Overhead reel model PMTS17 (Fuji) \*\*A=Whole length of grip B=Length from reel foot to end of grip when reel. RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent **RC-65 RC-77**

# **RC-55**

JH 0.2~3g PE 0.2~0.4 Price :

Length: 5ft 5in Closed Length: 853mm Weight: 54g

JH 0.3~6g Plug 1.8~4.5g PE 0.2~0.4 FC·NY ~3lb

Length: 6ft 5in

**RC-75** 

Rig 2~14g Plug 2,5~11g PE 0.3~0.8

Length: 7ft 5in

Guide TORZITE Titanium frame K Guide(Fuji)

**RC-81** 2~17g

PE 0.4~0.8

Length: 8ft 1in Closed Length: 1265mm Weight: 86g

## **RC-57**

0.5~5g PE 0.2~0.5

Length: 5ft 7in Closed Length: 876mn Weight: 69g **Guide** TORZ**I**TE Titanium fram

## **RC-67**

0.8~8g

### PE 0.3~0.6

Length: 6ft 7in Closed Length: 1025mn Weight: 78g

# 2~15g

PE 0.4~0.8

RealCrescent

Length: 7ft 7in Closed Length: 1190mr Weight: 92g


### **2024 NEW**

RIPPLEFISHER GEAR & APPAREL 2024

## RF Multi Container M / L

A simple and easy-to-handle container case that can store various items including large lures.
The inside is made of thick tarpaulin fabric, so hooks won't get stuck easily.

The entire case opens on both sides and expands into a box shape, making it easy to take out.



●Material • Outside: nylon / Inside: tarpaulin ●Comes with an external pocket for storing pliers, rings, etc. ●It has mesh ventilation holes that can be washed while closed.



RF Multi Container Outer dimensions: 260×100×100(mm)

RF Multi Container

Outer dimensions: 360×120×120(mm)

●Lure: Up to 240mm

●Lure: Up to 350mm

Price:

### **2024 NEW** RF GAME GLOVE \*\*Temporary name

Ripple Fisher original fishing gloves. By using NanoFront material, which has excellent durability, grip, and fit, and by placing anti-slip rubber, we have created a stronger grip for big targets. The material itself is thin and flexible, making it useful in a variety of situations, both offshore and shore.







for long periods of use.





Outer dimensions: 42×31.5×14.5(cm)
Accessories: Partition(can be cut)

(Large size 40cm×5pcs, Medium size 19cm×2pcs, Small size 10cm×6pcs)







Example of reel storage

Casting (Large size class/SW)

2 units of #14000 or 18000 class reels + 4 pcs of spare spools

Jigging (Medium size class / SW)

2 units of #6000 class reels

+ 2 units of #8000 class reels + 1 pc of spare spool

- 3 units of #4000, C5000 to SW5000 class reels + 2 units of #200 to 400 class bait casting reels ●Light game 6 units of #1000-2500 class reels or 6 units of finesse bait casting reels

### **RF Knot Tightener**



Size Large size Length : 167mm Diameter : 25mm

Small size Length : 147mm Diameter : 21mm \*The main body is constructed of High-Tensile Carbon Fibre covered



RippleFisher × Stream Trail

### **RF Waterproof Back Pack**

Large capacity, excellent water resistance, and abrasion resistance. This model has features.
Tackle box, outdoor gear, and Leave room for items you don't want to get wet, etc.



Size: W39×D34×H62.5cm

Capacity: 60L ●Material: Tarpaulin, polyester (bag body) ●Color: Black



more detail

### **RF Land Base Fishing Bag**

hard use on the rocks and handling on the boat when jumping off onto the rocks. It can stow 3~4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.



●Size:1940mm×140mm×140mm

■Name plate included / Material: Stainless steel SUS316L□

# **RF Multi Shaft** M / 2pcs Price:

Expanded length: 2640mm Closed length: 1435mm

Tip diameter: 25mm
(Measured top of metal part) Butt diameter: 30.5mm (Measured top of end rubber part

### L / 3pcs Price:

Expanded length: 3900mm Closed length: 1435mm Weight: 765a

Tip diameter: 22mm Measured top of metal part Butt diameter: 30.5mm (Measured top of end rubber part





### **RF Extension Shaft**

An extension shaft is also available as an option, so it can be used in various situations. ● length: 1360mm ● Weight: 217g ● Screw standard: W1/2 ● Bracket part: Stainless SUS 316L



### RF GAFF SHAFT Price:

● Length·Weigh: Approx 1025mm (Approx 373g) ● Target fish: Large blue runners, tunas ● Screw standard: Wit W1/2 \*Gaff is not included. Sold as a shaft.







● Length:1800mm ● Weight:Approx 545g ● Material of spear part:Stainless SUS 316L / Attachment bracket material:SUS304 ● Screw standard: W1/2

● End cap: BRC ● Recommendation Harpoon head: ASANO Type MORIPPA / Type S MORIPPA

### Harpoon quick release head with attached wire

Price:

Price:

● Length : Approx 525mm Harpoon head (2 types) ASANO Type S ASANO Type MORIPPA





Material:

■ Size: M · L · O · BBO

Color: Black • Red×Black

### **2024 NEW**

**RF Original T-Shirt** 









2024 NEW RippleFisher × ON-YO-NE Price:





ON-YO-NE Breathtech (3 layer)

### **2024 NEW RF VENTILATION HAT**

### Price: ■ Material: Outer Fabric-100% Nylon Inner Fabric-100% Polyester Size: One-size-fits-all / Charcoal Gray









### **RF Cool Hoodie shirts**

Price:

A hooded long-sleeve shirt for spring and autumn, made of stretchy fabric with a smooth texture. The quick-drying, cool touch and UV-blocking material are soft and comfortable to wear directly against your bare skin without an inner layer. I addition, the fabric is environmentally friendly and uses recycled nylon. It comes with a hood, so it is also useful for

### **RF Dry Polo Shirts**

RIBLETTE











● Material: Cotton 100%

Size: OSFA Color: Black / Navv

**RF Jet Cap** 



Price:

**RF Flat Visor Cap** 

Material: 91% Nylon / 9% Polyurethane

● Size: M・L・LL・3L

Price: ● Material: Cotton 100%

RF Self-inflating Life Jacket / Waist belt type

Riple 715-



more detail

● Size: OSFA Color: Black / Navy /Charcoal Gray



● Waist belt type ● YMG-9320RS

Size: Waist circumference 70~100cm

Color: Black



Price:

 Neck over type ● YMG-2520RS

Material: 100% Polyester Size: M·L·LL·3L
Color: Black/ White / Navy

Color: Black Size: OSFA



### **RF Original Wappen**

RunnerExcced\*KingFish/FINALSTANDUP\*GT Price:

Square types Color: Navy / Black L Size Price:







Price:

Oclor: Silver

Size: 54mm×122mm







**RF Domed Sticker** 









### **RF Cutting Sticker**

Material : Made of PVC, Water resistanNEW COLOR Matte black

■ 80cm:158mm×800mm 2colors : Blue/White/Matte black Price:

● 60cm:117mm×600mm 4colors: Blue/White/Gold/Silver/Matte black Price:

● 30cm:59mm×300mm 6colors:Blue/White/Gold/Silver Price:



### **RF Original Rod Belt**

L size Price: 345mm (x 2)

S size Price: 220mm (x 2)





of dome shaped transparent res that can be attached to tool boxes (top lid) such as Dokat and Meiho



Neon orange/Neon pink/Matte black


● 16cm: 32mm×160mm 7colors: Blue/White/Gold/Silver Neon orange/Neon pink/Pearl White/Matte blac



日	/	/	/	/	/	/	/	/
校正印								




### **Color Custom Order Guide**



RippleFisher Custom Color Detail page

https://ripplefisher.com/custom?lang=en



Blank Color · About coating range

### Blank Color · Butt parts paint range for each model

The painting range of only the butt part is the following red line range.



Mult shaft M · L (08.Silver color orders are not available) DATALA

order after a month have passed since we have received order from retail shop or

official agent. Thank you very much for your understanding.

\*The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

% SilverStream 81 Stiletto , RunnerExceed 100SHH LTD , RF MORI color custom is not available.



56

### **BLANK COLOR LINEUP**

You can order color customization either whole blanks (from butt to top guide) or butt section only(range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08  $\cdot$ 15  $\cdot$ 16) and "Maziora" color (09 ~11) to the Clear Color(12~14).

\*You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.

\*If you choose the 08 (silver color), the logo print will be black.

\*The clear colors are exclusive to Ultimo · BIG TUNA76/710RT/86 and cannot be selected for other models

\*Ultimo · BIG TUNA76/710RT/86 can also choose colors 01 to 11 other

### \*Color custom is not available

- · RunnerExceed 100SHH LTD
- · SilverStream 81 Stiletto
- · SilverStream BIG BAIT Series

### **Color custom Charge**

### Color Number 01~08 · 15 · 16

•1piece full paint **10,000 yen** (01~08·15·16) \*1piece and 1&half model

•2piece full paint **12,000 yen** (01~08 • 15 • 16)

•3piece full paint **13,000 yen** (01~08 • 15 • 16)

•4piece full paint **14,000 yen** (01~08 • 15 • 16)

•Only Butt section Paint **6,000 yen** (01~08•15•16)

• Multi Shaft **15,000 yen** (01~07·15·16)

### Color Number 09~11

**\*MAZIORA Color** 

•1piece full paint **15,000 yen** (09~11) %1piece and 1&half model

•2piece full paint **18,000 yen** (09~11)

•3piece full paint **19,000 yen** (09~11)

•4piece full paint **20,000 yen** (09~11)

•Only Butt section Paint 9,000 yen (09~11)

•Multi Shaft **20,000 yen** (09~11)

### Color Number 12~14

### **\*Ultimo & BIG TUNA86/710RT/70 exclusive color**

• Only Butt section Paint 6,000 yen (12~14)

\*Clear colors(#12 ~ 14) can only be painted on the butt part of the Ultimo series & BIG TUNA 86/710RT/70. (Full paintings cannot be selected)

\*Please note that we have been trying to our best but the color of this chart may differ from acutual color. It is also depend on type and setting of your moniter if you check it on web site. Thank you very much for your understanding.

# 01.Silver 02.Champagne Gold **03.Metallic Red 04.Metallic Copper 05.Metallic Pink** 06.Metallic Blue 07.Metallic Gray 08.Black

### **Thread Pin-Color**

The "thread pin color custom" designs will comply with the original product's position

\*If two colors are used in the standard product, a single color will be used for the custom color.

\*If you order a "thread pin color custom", the whole rod will be customized with the color you ordered.

\*The thread color of the multi shaft cannot be changed.

### Thread Pin custom Charge

**Thread Set Color** 

For custom thread set colors, you can choose the

thread colors (for guides and butt section) from the

following set colors. The set colors comprise of the

main color and the sub color. We do not accept

requests to change around the main color and sub

\*Depending on the model of the rod, the color of the

thread presented on top will differ if there is a under

Please refer to the sample pictures on the right. (for

the heavy game rods, there is a thread underneath the

guides. For light to medium game rods, most models do

\*We do not accept requests to change or alter the

\*The thread color of the multi shaft cannot be

**Thread Set Color custom Charge** 

**\*\*Thread Set-color custom is not available.** 

not have this thread underneath the guides.)

Color:  $01\sim07$  **2,000 yen** 

Color: 08 (No pin thread) 1,000 yen

### **\*Pin-Thread color custom is not available**

thread

changed.

color of the pin thread.

 $\cdot 01 \sim 10$  **5,000** yen

· RunnerExceed 100SHH LTD

· SilverStream BIG BAIT Series

· SilverStream 81 Stiletto

- · RunnerExceed 100SHH LTD · SilverStream 81 Stiletto
- · SilverStream BIG BAIT Series

# 01

01.Red Set (Main · Red/Sub · Black)

02.Pink Set (Main · Pink/Sub · Black)

03.Gold Set (Main · Gold/Sub · Black)

04.Blue Set (Main · Blue/Sub · Black)

05\_Light Blue Set (Main · Light Blue/Sub · Navy)

06.Purple Set (Main · Purple/Sub · Black)

No under threa

02


03

04

05

06


07.Emerald Set (Main · Emerald/Sub · Black)




08.Lime Set (Main · Lime/Sub · Black)




09.Light Gray Set (Main · Light Gray/Sub · Dark Gray)





10.Sky Blue Set (Main · Sky Blue/Sub · Dark Blue)





12.Silver Set (Main · Silver/Sub · Black)

Thread/01.Red Set Custom as an example \*Main color · Red/Sub color · Black Thread for decorations will be main color Under thread applied model -

Logo print part



\*No under thread applied model, main color (Red on 01) comes on top.

				S R	Lt	CL-Lt	Wt			Drag		Reel	L	1-:	Grip	Carbon	Tip	Butt	Position	
	Series	Price	JAN CODE	E e e	[feet]	[ mm ]	[g]	Lure	Line	Max	Guides	Seat	Č K	Joint	End	(%)	[ mm ]	[ mm ]	[ mm ]	Suitable reel size and others
	86 JAPAN Special		4580397945222	2 S	8ft 6in	1850	424	40~160g	PE 8∼12	15k	ос	DPS20	D	GJ	BRC*	89.9	3.3	15.9	920	S•D:18000~30000
	710RT JAPAN Special		4580397945239	2 5	_	1670	407	40~160g	PE 8~12	15k	OC	DPS20	D	GJ	BRC*	93.2	3.4	15.4	930	S • D:18000~30000
DIC TUNA	70 JAPAN Special 85F JAPAN Special		4580397945246 4580397945147	2 5	7ft 8ft 5in	1399	419% 370	80~220g 18~120g	PE 10~12 PE 3~6	18k 10k	OC SiC-S/Ti/K+OC	DPS20 DPS20	D	GJ	Gimbal  BRC  **	93.8 95.5	3.5	14.5	930 867	S • D:18000~30000 S • D:8000~14000
BIG TUNA P10	87AS JAPAN Special		4580397947370	2 5	8ft 7in	1884	405	40~150g	PE 5~8	15k	SiC-S/Ti/K*	DPS20	D	GJ	BRC*	92.5	3.1	15.1	915	S • D:14000~18000
	83 JAPAN Special		4580397948087	2 5	8ft 3in	1785	409	40~150g	PE 6∼8	15k	ОС	DPS20	D	GJ	BRC*	93.2	3.3	14.6	915	S • D:14000~18000
	76 JAPAN Special		4580397945215	2 5	_	1575	398	60~180g	PE 8∼12	18k	oc	DPS20	D	GJ	Gimbal:	91.3	3.0	15.3	900	S+D:18000~30000
	73 JAPAN Special		4580397945161	2 S	7ft 3in	1515	406	60~180g	PE 8~12	18k	OC	DPS20	D	GJ	Gimbal®	91.6	3.6	15.1	915	S • D:18000~30000
	ST 81/2 ST 78-3		4580397940142 4580397940081	2 5		1830 1780	218	C.Wt 17~45g C.Wt 30~50g	MAX PE 2 MAX PE 3	4k 5k	SiC-S/Ti/K SiC-S/Ti/K	DPS18 DPS18	D	GJ	BRC EVA	90.9	2.0	10.4	705	S • D:C5000~SW5000 S • D:5000~6000
	ST 80-4		4580397940098	2 5	_	1782	300	C.Wt 40~80g	MAX PE 4	7k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S+D:8000
	ST 85-6		4580397945093	2 5	8ft 5in	1925	338	C.Wt 40~110g	MAX PE 6	12k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S•D:8000~18000
Aquila P17	EX 79-3		4580397940050	3 S	7ft 9in	847	263	C.Wt 40~60g	MAX PE 3	5k	SiC-S/Ti/K	DPS18	U	Spigot+GJ	EVA	79.2	2.6	12.3	895	S • D:5000∼6000
	EX 83-6			3 5	_	905	353	C.Wt 60~120g	MAX PE 6	10k	SiC-S/Ti/K+OC	DPS20	U	Spigot+GJ	BRC	76.2	3.1	14.7	930	S • D:14000
	MST 85-7+ MST 711-8+			2 5	_	1897	382 369	C.Wt 40~120g C.Wt 80~180g	MAX PE 7 MAX PE 8	14k 16k	SiC-S/Ti/K+OC SiC-S/Ti/K+OC	DPS20 DPS20	U	GJ	BRC	95.2 95.5	3.0	14.9	840	S · D:14000~18000 S · D:14000~18000
	MST 82-9+			2 5	_	1815	400	C.Wt 80~220g	MAX PE 9	17k	SiC-S/Ti/K+OC	DPS20	U	GJ	BRC	92.9	3.3	15.0	860	S•D:18000
	MLT 82-2/4		4580397940104	2 5	_	1782	341	C.Wt 30~70g	PE 2~4	7k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S • D:6000~8000
	MLT 82-3/6		4580397940111	2 5	8ft 2in	1785	348	C.Wt 40∼90g	PE 3∼6	10k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S·D:8000~14000
	MLT 82-2/4 UC Hundle		4580397949985	1 5	_	-	-				-	DPS20	D	GJ	BRC	-	-	-	-	S•D:6000~8000
	MLT 82-3/6 UC Hundle 86M-B		4580397949978 4580397944188	1 5	_	1770	398	 C.Wt 60~160g	MAX PE 7	13k	SiC-S/Ti/K+OC	DPS20 T-DPS22	D	GJ	BRC	97.9	2.8	13.4	994	S • D:8000~14000 SOM:50~80 / S • D:400
U <b>l</b> timo	82ML		4580397944157		_	1790	362	C.Wt 70~120g	MAX PE 6	12k	SiC-S/Ti/K*	DPS20	U	GJ	BRC	97.7	2.6	13.3	875	S • D:14000
P22	83M		4580397944164	_	_	1815	376	C.Wt 80~140g	MAX PE 7	13k	SiC-S/Ti/K※	DPS20	U	GJ	BRC	97.6	2.8	14.3	865	S • D:14000∼18000
	710MH		4580397944171	2 5	7ft 10ir	1685	378	C.Wt 80~160g	MAX PE 8	15k	SiC-S/Ti/K※	DPS20	U	GJ	BRC	97.5	2.9	14.0	865	S • D:14000~18000
GTXpedition	GTXpedition 81M			3 S	_	887	380	MAX 140g	MAX PE 6	10k	oc	DPS20		Spigot+GJ	BRC	92.1	3.2	14.3	920	S • D:14000
P26	GTXpedition 81MH Reversal GT 80 Nano		4580397948100 4580397944096	3 5	_	887 1737	386 373	MAX 180g MAX 170g	MAX PE 8	13k 14k	OC OC	DPS20 DPS20	U	Spigot+GJ GJ	BRC	93.3	3.9	15.2	920 885	S • D:14000~18000 S • D:14000~18000
OceanRidge	LC GT 82 Nano		4580397944089	2 5	_	1796	378	MAX 190g	MAX PE 8	14k	OC OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	5 · D:14000 ~18000
P27	PF GT 711 Nano			2 5	_	1682	375	MAX 210g	MAX PE 10	15k	ос	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S•D:14000~18000
	FINAL SPIRIT GT78		4580397948926	2 5	7ft 8in	1645	393	MAX 270g	MAX PE 12	17k	oc	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	5 • D:18000~20000
	613S Nano		4580397941026	1 5	6ft 1in	1860	170	C.Wt 100~140g	PE 2.5 Class	4k	SiC-S/Ti/K	DPS18	U	-	EVA	92.5	2.4	8.7	615	S•D:5000~6000
	614S Nano 597S Nano		4580397941033 4580397941064	1 5	6ft 1in	1860 1756	180 250	C.Wt 130~170g C.Wt 180~240g	PE 3 Class PE 5 Class	5k 8k	SiC-S/Ti/K SiC-S+SiC/Ti/K	DPS18 DPS20	U	-	BRC	92.1 99.8	3.1	9.2	735	S·D:5000~8000 S·D:8000~10000
SELFISH	NS 632		4580397941004	1 5	6ft 3in	1910	126	C.Wt 80~130g	MAX PE 2	3k	SiC-S/Ti/K	DPS17	U	_	EVA	73.5	2.0	8.0	615	S • D:5000
P28	NS 623		4580397948124	1 5	_	1890	159	C.Wt 100~150g	MAX PE 3	5k	SiC-S/Ti/K	DPS18	U	-	EVA	89.4	2.2	8.6	625	S • D:5000~6000
	NS 614		4580397948131	1 5	6ft 1in	1865	174	C.Wt 120~180g	MAX PE 4	7k	SiC-S/Ti/K	DPS18	U	-	EVA	82.7	2.1	9.2	645	S • D:6000~8000
	SEB 633		4580397948148	1 8	_	1915	182	C.Wt 120~180g	MAX PE 3	5k	SiC-S/Ti/K	TCS18	D	-	EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~20
0	SEB 624		4580397948155 4580397948964	1 B		1890	189	C.Wt 140~200g	MAX PE 4	7k 12k	SiC-S/Ti/K	TCS18 DPS20	D	-	EVA Gimbal®	94.7	3.2	8.7 12.0	680 885	S:2000 / D:30~35 S • D:10000~14000
OceanArrow P30	5930		4580397948964	1 5	5ft 9in	1295	362	MAX 400g MAX 800g	MAX PE 6 MAX PE 8	12k	OC OC	DPS20	D	GJ	Gimbal:	91.6 82.6	3.8	11.9	815	S+D:10000~14000 S+D:10000~20000
	110HH		4580397942153	2 5	11ft	1720	278	15~60g	MAX PE 3		SiC-S/Ti/K	DPS20	D	Spigot	BRC	95.6	2.3	15.8	812	S • D:5000~6000
	110BHH		4580397942160	2 B	11ft	1720	277	15~70g	MAX PE 3		SiC-S/Ti/K	TCS18	D	Spigot	BRC	95.5	2.4	15.7	847	S+D:200~300
MonsterImpact	90H		4580397948018	_	_	1410	193	18~70g	MAX PE 3		SiC-S/Ti/K※	DPS18		Spigot	EVA	99.8	2.3	14.1	575	S+D:4000~5000
P34	91BH 101HH Nano		4580397948933 4580397942122	2 B	_	1428	212	20~130g	MAX PE 5 MAX PE 3		SiC-S/Ti/K SiC-S/Ti/K	TCS18 DPS20	D	Spigot	EVA BRC	99.8 99.8	2.5	13.8	670	S·D:200~300 S·D:5000~6000
	113HH -4pcs		4580397942122	_	_	_	320	MAX 60g MAX 70g	MAX PE 3		SiC-S/Ti/K	DPS20	-	Spigot Spigot	BRC	99.8	2.5	16.7	675	S • D:5000~6000
	103M Nano		4580397942085	_	_	_	198	MAX 40g	MAX PE 1.5		SiC-S/Ti/K	DPS18	-		EVA	99.8	2.1	14.9	_	S:4000~5000 / D:LT5000C~6000
Avarice	110M Nano		4580397948162	2 5	11ft	1726	213	MAX 40g	MAX PE 2		SiC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:LT5000C~6000
P39	106MH Nano		4580397942092	_	_	_		MAX 50g	MAX PE 2		SiC-S/Ti/K	DPS20			EVA	99.6	2.2	16.3	_	S:4000~5000 / D:LT5000C~6000
	110H Nano 102M Nano Plug Model		4580397942108 4580397942030	_	-	1730	253 290	MAX 60g Plug 20~70g	MAX PE 2.5 PE 1.5~3	5k	SiC-S/Ti/K SiC-S/Ti/K	DPS20 DPS20	-	Spigot	BRC	99.8 99.8	2.4	16.9	805	S:4000~5000 / D:LT5000C~6000 S • D:5000~6000
	104H Nano Plug Model		4580397942030	_	_	_	327	Plug 40~120g	PE 4~6	8k	OC 0C	DPS20	U	Spigot Spigot	BRC	99.8	2.5	16.7	805	5 · D:8000~14000
	110H Nano Plug Model		4580397948179	2 5	_	1720	341	Plug 40~130g	PE 4~7	9k	SiC-S/Ti/K+OC	DPS20		Spigot	BRC	99.8	2.6	16.8	795	S•D:8000~14000
DunnauFuasad	911MH Nano		4580397942016	2 S	9ft 11ir	1560	306	MAX Jig 100g / MAX Plug 80g	MAX PE 4	6k	SiC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S • D:6000~8000
RunnerExceed P40	95TC		4580397947356	_	_	1495	290	MAX Jig 120g / Plug 30~90g	MAX PE 4	6k	SiC-S/Ti/K*	DPS20	U	Spigot	BRC	99.8	3.0	16.3	730	S • D:6000~8000
	103H 107BH Nano		4580397942023 4580397940012	2 5	_	1615	327 374	MAX Jig 130g / MAX Plug 90g 50~130g	MAX PE 5 MAX PE 6	8k 8k	SiC-S/Ti/K+OC OC	DPS20 T-DPS22		Put over Spigot	BRC	99.3	3.1	17.4	765 830	S • D:8000~14000 SOM:50 / S • D:400
	100SHH LIMITED		4580397948292	2 5	_	1579	405	MAX 150g	MAX PE 8	10k	OC OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S • D:14000~18000
	FINAL STAND UP 83HH			2 5	_	1310	364	MAX 200g	MAX PE 8	10k	OC*	DPS22	D	Spigot	BRC	98.5	3.1	15.5	855	S • D:14000~20000
	81 Stiletto		4580397949992	2 5	8ft 1in	1275	126	7~28g	PE 0.6~1.2		TZ/Ti/K	DPS17	D	Spigot	EVA	99.7	1.9	10.5	465	S:2500~4000 / D:LT2500~4000C
	810 Flows Nano		4580397942627	2 5	8ft 10ir	1400	160	MAX 32g	MAX PE 1.5		TZ/Ti/K	DPS18	D	Spigot	EVA	97.1	1.9	12.9	510	S:3000~4000 / D:LT2500~4000C
	96 Flows Nano 103 Flows Nano		4580397942634 4580397942641	2 5	9ft 6in	1490	166	MAX 38g	MAX PE 1.5		TZ/Ti/K	DPS18 DPS18	D	Spigot	EVA	97.0 96.8	2.4	13.1	555 595	S:3000~4000 / D:LT4000C~5000C
SilverStream	106 Northern Nano		4580397942041	2 5	_	_	196 220	MAX 42g 30~50g	MAX PE 1.5 MAX PE 1.5		TZ/Ti/K SiC-S/Ti/K	DPS20	D	Spigot Spigot	EVA	99.6	2.3	14.7	695	S:3000~4000 / D:LT4000C~5000C S:4000~5000 / D:LT4000C~5000C
P45	112 Northern			2 5	_	1754	255	30~60g	MAX PE 1.5		SiC-S/Ti/K	DPS20	D	Put over	EVA	97.8	2.4	14.7	725	S:4000~5000 / D:LT4000C~5000C
	60 BIG PENCIL		4580397942672	2 B	6ft	1425	194	C.Wt 40~150g	MAX PE 6		SiC-S/Ti/LRV	TCS18	D	GJ	BRC	95.3	2.5	10.4	550	S • D:200∼300
	74 GIANT BAIT		4580397942689	2 B	7ft 4in	1550	262	C.Wt 100~300g	MAX PE 8		SiC-S/Ti/LRV	TCS18	D	GJ	BRC	95.7	2.7	12.1	840	S·D:300~400
	60 Long Handle		4580397942696	1 B	_	-	-				-	TCS18	D	GJ	BRC	-	-	-	-	
RealCresent	RC-55 / S			_	5ft 5in	853	54	JH 0.2~3g	PE 0.2~0.4 / FC · NY ~3lb		TZ/Ti/K	VSS16		Put over	EVA	91.1	1.3	6.5	290	S:1000~2000 / D:LT1000~2000
	RC-65 / S RC-75 / S		4580397948223 4580397948230	2 5	_	1004	61 79	JH 0.3~6g / Plug 1.8~4.5g Rig 2~14g / Plug 2.5~11g	PE 0.3~0.8		TZ/Ti/K TZ/Ti/K	VSS16 VSS16		Put over Put over	EVA	91.6 99.8	1.4	7.8	335 385	S:1000~2000 / D:LT1000~2000 S:2000~2500 / D:LT2000~2500
	RC-81 / S		4580397948247	_	_	1265	86	2~17g	PE 0.4~0.8		TZ/Ti/K	VSS16		Put over	EVA	97.4	1.5	10.5	395	5:2000~2500 / D:LT2000~2500
P48	RC-57 / B		4580397948254	2 E	5ft 7in	876	69	0.5~5g	PE 0.2~0.5		TZ/Ti/K※	PMTS17	D	Put over	EVA	91.6	1.3	6.9	325	Overhead reel for finesse
	RC-67 / B		4580397948261	_		1025	78	0.8~8g	PE 0.3~0.6		TZ/Ti/K※	PMTS17		Put over	EVA	91.7	1.3	8.3	390	Overhead reel for finesse
	RC-77 / B		4580397948278	_	_	1190	92	2~15g	PE 0.4~0.8		TZ/Ti/K※	PMTS17	D		EVA	99.6	1.5	10.2	415	For finesse and small Overhead reels
Multi Shaft P52	M / 2pcs L / 3pcs		4580397948032 4580397948049	2 -	2640mr		765				W 1/2 W 1/2		=	T type*	-	_	25.0	30.5	485 485	
	Extension Shaft		4580397948049 4580397948056	1 -	1360mn	_	217				W 1/2 W 1/2			T type*	_	_		22.2	_	
	1800		4580397948971	1 -	1800mr	_	545	Spear 333mm			W 1/2		-	-	BRC		1	1	1 .55	Recommendation Harpoon head
RF MORI	2000		4580397948988	1 -	_	_	580				W 1/2			-	BRC		Sp	ear mm		ASANO Type MORIPPA
P52																				Type S MORIPPA

Details of notation · Reel/S=Spinning B=Overhead reel Lure/Com-Wt=Comfort Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) K=K guide 

# After Service & Support

### Precautions for use

ODo not cast with a tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.

Olf you continue to reel in your rig (lure, popper, jig, etc) after it has reached the top guide, this will cause the rod to break.

Beware of power cables, overhead power lines, or phone lines. The material (carbo will easily pass through electricity causing serious injury or death.

Olf you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

### About the joint section of the rod

The joint section of the rod of Ripple Fisher has been adjusted with high precision. If ferrule wax has been put on or connected rods without wiping salt water off, might

cause fixation. Please make sure that fouling or moisture is wiped off when you connect.

If you force the joint section of the rod when joining together, this will cause cracking

or splitting of the joints.

If you use the rod while the joint section is still loose, this may cause breakage.

If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

Maintenance and storage

■ Wash the rod with running water to rid of any filth and salt. Then wipe off any excess water. If you store your rod without wiping off excess water, this may cause blisters on

Storage in well ventilated areas with no high temperature.

Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

### Contents in this catalog

Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
 Prices and specifications listed in this catalog may be altered without warning.
 The colors presented in the pictures may differ from the actual color.
 Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

### Requesting repairs

● Please be aware that personally modified rods will not be covered by warranty (even if it is within the warranty period).

■ If you are requesting a repair, please send in the whole rod (not just the section of the breakers).



Ripple Co.,LTD (Ripple Fisher)

1047 Iwajiri Nagomi-cho Tamana-gun Kumamoto Pref 865-0114 JAPAN

E-mail: info@ripplefisher.com

https://ripplefisher.com/











f

\*\*Please note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our English website (Staff blog), facebook news feed or production news.