

*Like no other*

RIPPLEFISHER / HANDCRAFTED IN JAPAN / SINCE 1997



**JUST ARMED WITH RIPPLEFISHER  
2024**

*Hand Craft*  
**Ripple Fisher**

FOR PROFESSIONAL ANGLERS

**ENG**  
English Version

# WORLD

The ocean is vast and full of unknowns.





# JOURNEY

Anglers head to the sea in search of encounters.

## Contents

### BOAT

P10 BIG TUNA / TUNA

P17 Aquila / BOAT CASTING

P22 Ultimo / GT & KINGFISH

P26 GTX pedition / GT & KINGFISH

P27 OceanRidge / GT

P28 SELFISH / JIGGING

P30 OceanArrow / JIGGING for MONSTER

### SHORE

P34 MonsterImpact / POWER METHOD for MONSTER

P39 Avarice / BLACKFIN SEABASS

P40 RunnerExceed / ROCKY SHORE CASTING

P45 SilverStream / SHORE & BOAT CASTING

P48 RealCrescent / LIGHT GAME

### OTHERS

P50 GEAR & GOODS

P54 ROD COLOR CUSTOM

P58 All Lineup Details

P59 Repair Service & About Us



**RIPPLEFISHER NOW**

**AND IN THE FUTURE**

The world has changed drastically today environmentally and also various world affairs. Things that we could not have imagined a few years ago. The environment around Ripplefisher has also taken a hit with these current affairs.

However, we must move on and continue what we do best. Keep producing fishing rods.

Fishing rods are “past” and “present” beings while they are in our hands at the manufacturing facility, however, this changes to the “future” once it belongs to the anglers.

Fishing gear only comes to life when it meets the water. When something we make may change the course of the future for someone out there in the world, it gives us great joy to be part of and is our driving force.

No matter how the world may change, good or bad, we would like to move forward and keep producing fishing rods.

This is all we can do and this is the reason why the existence of anglers around the world who are connected to the future are so important to us.

We believe there are two major ways to create a fishing rod.

The first is to create a rod which is in need by the world.

The second is to create a rod which does not exist in the world.

At Ripplefisher, we believe these two lines of thinking are vital as a manufacturer. Neither one is more important than the other. We need to keep asking ourselves various questions during the developmental process. What is it that we are creating? Will it lead to something new?

There are times where the testers and developmental staff are in conflict and its back to the drawing board. The Ripplefisher field testers are way more experienced in the field than us developers and they are one of the most important factor when creating fishing rods. However, as developers, we must not only materialize what the field testers request us, but even go further as to surprise them with our engineering.

It is vital as a fishing rod manufacturer to strive for greater technology and engineering by getting the field testers to fill our shoes where we lack and exceed their expectations where we flourish.

Once anglers around the world take hold of our rods and put line into water, we are confident that we will be able to gain your trust and confidence in our products.

Only when the Ripplefisher developmental/production staff, field testers and you, the end user come together as one, the rod will then lead us to future.

We will continue building rods to head for the future.

*Hand Craft*  
**Ripple Fisher**  
FOR PROFESSIONAL ANGLERS  
HANDCRAFTED IN JAPAN / SINCE 1997

*Like no other*



# BOAT

OFF SHORE FISHING

TUNA

**BIG TUNA**  
*JAPAN Special*

KINGFISH and MORE

**Aquila**

GIANT TREVALLY

**Ultimo**

*GTXpedition*

*OceanRidge*

JIGGING

**SELFISH**

*OceanArrow*

1 mile Fisher



OceanRidge

# BIG TUNA

JAPAN Special

BIG TUNA / Tuna Boat Casting  
Bluefin Tuna / Yellowfin Tuna

## NEW COMPOSITION 2024

- 85F JAPAN Special / Light Class
- 87AS JAPAN Special / Middle Class
- 83 JAPAN Special / Middle Class
- NEW 710RT** JAPAN Special / Heavy Class
- NEW 86** JAPAN Special / Heavy Class
- 76 JAPAN Special / Power Class
- 73 JAPAN Special / Power Class
- NEW 70** JAPAN Special / Power Class

# BIG TUNA

2024  
BIG TUNA  
NEW MODEL×3

## 70 POWER CLASS

## 710RT HEAVY CLASS

## 86 HEAVY CLASS

### NEW ARRIVAL

With the help and know-how of anglers and charter boat captains, our collective data has expanded and the evolution of tuna fishing has grown exponentially.

We can confidently say that tuna species, domestically or internationally are the biggest and strongest targets we face today.

So what can Ripplefisher do to help as a manufacturer realize the anglers' dreams and challenges? What do anglers seek? These are questions we ask ourselves daily and through countless trial and error, the BIG TUNA series was developed. Rod making is a continuous challenge and has allowed us to grow as a rod manufacturer. The "BIG TUNA" must be a series that will continue to effect anglers in the ever-changing environment and lead a path forward to the future.

In 2024, Ripplefisher will release 3 models with the above mentioned dreams and ideals.

**BIG TUNA 70 JAPAN Special / POWER CLASS**

**BIG TUNA 710RT JAPAN Special / HEAVY CLASS**

**BIG TUNA 86 JAPAN Special / HEAVY CLASS**

In recent years, there have been super-size tuna in the Japan sea and the style of fishing has evolved to utilize super strong line exceeding PE14 specifications with straight pumping. The BIG-TUNA 70 is our answer to such situations to eliminate all limitations we have previously placed upon ourselves.

The 710RT and 86 are "retuned" models of the previously released 710 and 85. It has been a decade since the foundation of the BIG TUNA models of 710 and 85 were released into the world. We have upgraded and optimized these models to cater for the ever-changing needs and environment around us.

We did not simply make it more bendy nor make it cast farther than before. Rather, through the combination of various different materials of carbon sheets and unique taper design with underlying butt power, we were able to realize a rod capable of enduring extreme load while the recovery force lifting the fish from the deep.

We hope you can first handedly experience the new lineup of the BIG TUNA series in 2024.



BIG TUNA 710RT JAPAN Special

## BIG TUNA POWER CATEGORY

Power Category	Model	Line Class	Lure	Drag Max
Light Class	<b>85F</b>	PE3~6	18~120g	10kg/45°
Middle Class	<b>87AS</b>	PE5~8	40~150g	15kg/45°
	<b>83</b>	PE6~8	40~150g	15kg/45°
Heavy Class	<b>NEW 86</b>	PE8~12	40~160g	15kg/45°
	<b>NEW 710 RT</b>	PE8~12	40~160g	15kg/45°
Power Class	<b>73</b>	PE8~12	60~180g	18kg/45°
	<b>76</b>	PE8~12	60~180g	18kg/45°
	<b>NEW 70</b>	PE10~12	80~220g	18kg/45°

We have set the power category as follows in order for a more comprehensive understanding.

The 86, 710RT, 73, 76, 70 are all in the same line max category however the 73, 76, 70 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from 86 and 710RT.

The 86 and 710RT models can be used in situations where a long cast is required or more sensitive action is required.

The 85F, 87AS, and 83 models are also useful for targeting yellowfin tuna, and the standard is 85F for tuna size 50kg or less, and 87AS and 83 for tuna size 80kg or less. Please consider the lure size to be used, the line, the size of the tuna, and the lure appeal required, and choose a model.

\*Even though the maximum line value is the same, the set drag value will vary depending on the model, so please keep this in mind when choosing a rod.



The rod design of the BIG TUNA series is color-coded with thread colors matching the power class on the left. Also, the model name is engraved on the spacer on the reel sheet of the grip.



BIG TUNA 87AS JAPAN Special



BIG TUNA 70 JAPAN Special



BIG TUNA 76 JAPAN Special

### Bluefin tuna 290kg

Tackle data

Rod: BIGTUNA 76 JAPAN SP

Reel: STELLA SW20000PG+MAX Spool

Line: Avani Casting PE SIX PE12

Leader: 220lb

Lure: Darts 250

Angler: Mr.Miyauchi

Boat: Ryukimaru

Fight time: 1hour 30minutes



# BIG TUNA 2024 LINEUP

## 4 POWER CLASS / NEW MODEL X3

### BIG TUNA 85F JAPAN Special Light Class

This is a model capable of being high stuck while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small baits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

### BIG TUNA 87AS JAPAN Special Middle Class

As its name suggests, the AS (Accuracy Shoot) model is designed to accurately cast lures into the feeding fish. In addition to the steady blank kick-back after casting, we have equipped two RV guides on the butt enabling an extremely smooth line ejection from the reel through to the rod. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 40g size lures. This middle class rod will assist anglers with its taper design ideal to slowly but surely lift the fish from the deep while being able to high-stick the rod.

※If you prefer a more speedy fight (same size fish) we recommend the 83. (87AS is 1 rank lighter compared to the 83. Furthermore, the 87AS is a totally different model and design to the 87 which has been discontinued.)

### BIG TUNA 83 JAPAN Special Middle Class

This model was developed with "lure control" and "fight" as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG-TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

### 2024 NEW BIG TUNA 86 JAPAN Special Heavy Class

If you require long and accurate casting with a heavy class tackle, this 86 will be your choice. In comparison to your ordinary heavy tackle, the flexible tip on the 86 will allow for easier casting of smaller lures when the bait-fish are small though the Tuna are huge. The bending point (pivot point) is closer to the body allowing anglers to take initiative during the fight.

### 2024 NEW BIG TUNA 710RT JAPAN Special Heavy Class

Compared to the characteristics of the original model, we have re-designed the model to suit the current tuna scene. Since we have designed the taper of the blank to be most productive in the butt section, anglers will be able to efficiently and effectively utilize the butt power to lift the tuna. It's not simply a more flexible model compared to its predecessor, but a highly well-balanced heavy class model able to effortlessly stimulate bites from casting top water lures while having the power to go head to head with the biggest of fish. This will be your ideal model if you are in situations where you need to cast lures all day long.

### BIG TUNA 76 JAPAN Special Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

### BIG TUNA 73 JAPAN Special Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi-mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna.

### 2024 NEW BIG TUNA 70 JAPAN Special Power Class

This is for those anglers with their sights on super monstrous Blue-fin tuna. It is model for anglers who need to "high-stick the rod" to load the blank or utilize the "straight pumping" fight style. The power of the rod is similar to the BT76 and BT73 but the breaking point is much greater compared to these two. With the shorter designed blank, the bending point is set closer to the body, drastically reducing the load and stress on the angler. It also has enough length and leverage to go around the bow or other obstacles on the boat for a smoother fight.

**BIG TUNA 85F**  
JAPAN Special  
LIGHT CLASS

Lure 18~120g  
Line PE 3~6  
Drag Max 10kg/45°

Price:  

Length: 8ft 5in  
Closed Length: 1884mm  
Weight: 370g

Guide SIC-S Titanium Frame K-Fuji + Ocean Guide(Fuji)

**BIG TUNA 87AS**  
JAPAN Special  
MIDDLE CLASS

Lure 40~150g  
Line PE 5~8  
Drag Max 15kg/45°

Price:  

Length: 8ft 7in  
Closed Length: 1884mm  
Weight: 409g

Guide SIC-S Titanium Frame K-Guide + SIC RV-Guide(Fuji)

**BIG TUNA 83**  
JAPAN Special  
MIDDLE CLASS

Lure 40~150g  
Line PE 6~8  
Drag Max 15kg/45°

Price:  

Length: 8ft 3in  
Closed Length: 1785mm  
Weight: 409g

Guide Ocean Guide(Fuji)

**BIG TUNA 86**  
JAPAN Special  
HEAVY CLASS

Lure 40~160g  
Line PE 8~12  
Drag Max 15kg/45°

Price:  

Length: 8ft 6in  
Closed Length: 1850mm  
Weight: 424g

Guide Ocean Guide(Fuji)

**BIG TUNA 710 RT**  
JAPAN Special  
HEAVY CLASS

Lure 40~160g  
Line PE 8~12  
Drag Max 15kg/45°

Price:  

Length: 7ft 10in  
Closed Length: 1670mm  
Weight: 407g

Guide Ocean Guide(Fuji)

**BIG TUNA 76**  
JAPAN Special  
POWER CLASS

Lure 60~180g  
Line PE 8~12  
Drag Max 18kg/45°

Price:  

Length: 7ft 6in  
Closed Length: 1575mm  
Weight: 398g

Guide Ocean Guide(Fuji)

**BIG TUNA 73**  
JAPAN Special  
POWER CLASS

Lure 60~180g  
Line PE 8~12  
Drag Max 18kg/45°

Price:  

Length: 7ft 3in  
Closed Length: 1515mm  
Weight: 406g

Guide Ocean Guide(Fuji)

**BIG TUNA 70**  
JAPAN Special  
POWER CLASS

Lure 80~220g  
Line PE 10~12  
Drag Max 18kg/45°

Price:  

Length: 7ft  
Closed Length: 1399mm  
Proto Weight: 419g

Guide Ocean Guide(Fuji)

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.


Reel Seat : DPS20 (Fuji)  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

**About grip end specifications**


BRC (made of rubber) is on the end of grip of 85F,87AS,83,86,710RT as a standard but you can select aluminum gimbal instead. If you are interested in it, please made inquiry to dealer in your region. Aluminum gimbal (※with rubber cap) is loaded on end of grip of 76,73 and 70 as a standard.

## BIG TUNA Bending Curve


Here are the bending curves of the different models in the BIG TUNA series with a static weight and differing angles. It will give you an understanding of the bending point and how much power is left in the butt section. *\*the picture may not illustrate the actual power of the rod due to the differing rod length and angle.*



The 85F and 87AS are more flexible able to cast small lures and designed for a more mellow fight with the fish, whereas the 83 and 86 are a more aggressive rod with the bending point towards the tip to efficiently lift and fight the fish. Compared with the same middle-class rods of 87AS, the 83 is a one rank stronger rod.



The illustration shows the comparison of the 2 heavy class rods. Both rods have a similar taper design but the difference lies in the length. By utilizing the length of the 86 blank, anglers will be able to cast farther than other shorter rods while the shorter 710RT is a model able to load the blank with the weight of the fish with ease.



The picture illustrates the comparison of the 3 power class models. When looking at the comparison with a 45 degree angle, the 73 and 76 look similar, however, the bending point of the 76 is closer to the angler, reducing the stress on the angler, while the 73 is further away enabling a more speedy fight against the fish. The newly added 70 has the strongest butt power with the bending point being close to the angler, drastically reducing the load on the angler. The three models are the same power class, yet having totally different characteristics. **※when choosing a tuna rod, please be sure to choose the most suited rod depending on your height, weight, strength and experience.**



# About RippleFisher Boat Casting Models

**BIG TUNA** *Aquila Ultimo OceanRidge GTXpedition*

## About the features of the series

### BIG TUNA -Tuna rods

As Tuna do not directly run towards rocks like GT do and with the extreme load on the angler's body when fighting the mammoth Tuna, the rods can be characterized as being tenacious and bendy.

### OceanRidge -GT rods

The tip section of these rods have been built stiff for easier use with large mouthed poppers when targeting GT. In addition, as GT run straight towards rocks to bust you off, the rods are built stiffer to efficiently lift and avoid rock formations by fully loading the rod with the angler's weight.

### Ultimo -GT & Kingfish rods


With the flexible tip section, these models are especially designed to maneuver pencil baits and diving pencil type lures to target GT and Kingfish. They can be considered to be between the BigTuna and OceanRidge series, but the fight is more towards the GT fishing which requires a speedy response from the angler.

### Aquila -Kingfish & Tuna rods


The Aquila series are further subdivided into smaller categories depending on style and fishing conditions. Please refer to the figure on the right for characteristics of each category in the Aquila lineup.

## Boat Casting Series

Features of the boat casting series



### Angle of line and rod when fighting: (caution)



When you are fighting the fish and your target is far away with line on a diagonal angle, you can lift the rod to the angles shown in the figure on the left. However, when the fish is directly below the boat, be sure not to lift the rod too high. If the fish suddenly decides to dive down when your rod is lifted high, the load will focus on one point which may lead to the breakage of your rod. It is especially dangerous to high stick your rod when landing the fish. Please guide the fish into the net with your rod (grip) under your armpits.

### ●MLT / MST is condition-specific model

**MLT** - these are models especially designed for utilizing small lures when your targets are feeding on micro bait.

**MST** - These models are especially designed for use with super large lures when your targets are feeding on large size baits such as dolphin fish.


### ●ST is the standard model

The ST series are the most versatile models for boat casting to target Yellow-tails and Kingfish.

### ●The 3 piece EX modes have a sharp feel

The EX models are 3 piece traveling models which are versatile, similar to the ST models. They are the stiffest models of the series.

## Boat Casting Models, Characteristic distribution table



## VARIOUS BOAT CASTING TACTICS

# Aquila

Aquila / Boat Casting

**Aquila Boat Casting**  
Spanish mackerel / Bonito  
Kingfish / Yellowtail  
Yellowfin Tuna

### NEW ST 81-2

ST 78-3

ST 80-4

ST 85-6

MLT 82-2/4

MLT 82-3/6

MST 85-7+

MST 711-8+

MST 82-9+

EX 79-3 / 3pcs

EX 83-6 / 3pcs



Aquila MST 82-9+





Aquila ST 81-2

## Aquila MST / MONSTER

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingfishes. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7-8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight.

※The + symbol next to the power class indicates that the power and tenacity has been added to the usual power class.

### Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g-120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

### Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.

### Aquila MST 82-9+

In the ever evolving Kingfish game, the need to use large lures has increased with the target feeding on large size bait-fish. The MST82-9+ was designed to enable anglers to fully-cast lures exceeding 240mm while easily controlling and maneuvering these mammoth lures. Furthermore, the Aquila MST series are especially designed to tenaciously bend-in while demonstrating outstanding lifting power when fighting against monstrous Kings in rough terrain and gushing currents. Although we have designed the rod with easy utility, it is the strongest of the series and one will require ample body strength and experience to maximize its true potential. Having said that, we are confident that this rod will help anglers in the toughest of conditions, against the biggest of fish while using these large lures. We present this rod for those who are seeking monster-class Kings around the world.



Aquila MST 82-9+



Aquila MST 85-7+

## Aquila ST / STANDARD

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 4 power classes of PE #2, #3, #4 and #6 to cater for various species and situations.

### 2024 NEW Aquila ST 81-2

The model was designed to capture the selective species such as Spanish mackerel and bonitos around the bay. Focusing on the castability and operability of small lures, we dedicate this rod for those anglers who continuously cast until they hookup a fish. Once you are onto a fish, the reliable butt section will allow for a speedy fight and will help you catch great numbers especially when the feeding time is limited. It is a sharp blank typically seen in the ST series, and the belly section with ample stiffness helps easily control and maneuver the lure. This will allow anglers to utilize jerking action with minnows to induce bites from the spooked predators.

### Aquila ST 78-3

The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

### Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.


### Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting.

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.

Reel Seat : ST81-2 · ST78-3 **DPS18** / Others are **DPS20** (Fuji)

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



2024 NEW	Aquila ST 81-2	Aquila ST 78-3	Aquila ST 80-4	Aquila ST 85-6	Aquila MST 85-7+	Aquila MST 711-8+	Aquila MST 82-9+
	STANDARD	STANDARD	STANDARD	STANDARD	MONSTER	MONSTER	MONSTER
	Lure / Comfort Weight 17~45g	Lure / Comfort Weight 30~50g	Lure / Comfort Weight 40~80g	Lure / Comfort Weight 40~110g	Lure / Comfort Weight 40~120g	Lure / Comfort Weight 80~180g	Lure / Comfort Weight 80~220g
	Line MAX PE 2	Line MAX PE 3	Line MAX PE 4	Line MAX PE 6	Line MAX PE 7	Line MAX PE 8	Line MAX PE 9
	Drag Max 4kg/45°	Drag Max 5kg/45°	Drag Max 7kg/45°	Drag Max 12kg/45°	Drag Max 14kg/45°	Drag Max 16kg/45°	Drag Max 17kg/45°
Price :							
	Length: 8ft 1in Closed Length: 1830mm Weight: 218g	Length: 7ft 8in Closed Length: 1780mm Weight: 224g	Length: 8ft Closed Length: 1782mm Weight: 300g	Length: 8ft 5in Closed Length: 1925mm Weight: 382g	Length: 8ft 5in Closed Length: 1897mm Weight: 382g	Length: 7ft 11in Closed Length: 1752mm Weight: 369g	Length: 8ft 2in Closed Length: 1815mm Weight: 400g
	Guide SIC-S Titanium Frame K Guide(Fuji)	Guide SIC-S Titanium Frame K Guide(Fuji)	Guide SIC-S Titanium Frame K Guide + SIC Ocean Guide(Fuji)	Guide SIC-S Titanium Frame K Guide + SIC Ocean Guide(Fuji)	Guide SIC-S Titanium Frame K Guide + SIC Ocean Guide(Fuji)	Guide SIC-S Titanium Frame K Guide + SIC Ocean Guide(Fuji)	Guide SIC-S Titanium Frame K Guide + SIC Ocean Guide(Fuji)

**ROD DETAIL** Please refer to the list on **page 58** to check details of rod specifications.

Reel Seat : EX79-3 **DPS18** / Others are **DPS20** (Fuji)  
 ※A=Whole length of grip  
 B=Length from reel foot to end of grip when reel is equipped

# Aquila MLT / MULTIPURPOSE

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

※The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)

## Aquila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small ~ super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

## Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.

# Aquila EX / EXPEDITION

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

## Aquila EX 79-3

The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

## Aquila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.



**Aquila MLT 82-2/4**  
 MULTIPURPOSE  
 Lure / Comfort Weight **30~70g**  
 Line **PE 2~4**  
 Drag Max **7kg/45°**  
 Price :  
 Length: 8ft 2in  
 Closed Length: 1782mm  
 Weight: 341g  
 Guide SIC-S Titanium frame K Guide + SIC Ocean Guide(Fuji)



**Aquila MLT 82-3/6**  
 MULTIPURPOSE  
 Lure / Comfort Weight **40~90g**  
 Line **PE 3~6**  
 Drag Max **10kg/45°**  
 Price :  
 Length: 8ft 2in  
 Closed Length: 1785mm  
 Weight: 348g  
 Guide SIC-S Titanium frame K Guide + SIC Ocean Guide(Fuji)



**MLT 82-2/4 UnderCast Handle**  
 Grip Length: 704mm  
 Price :

**MLT 82-3/6 UnderCast Handle**  
 Grip Length: 704mm  
 Price :



### Short Handle / Option Parts Aquila MLT UnderCast Handle


For the Aquila MLT series, we have prepared a specially designed short handle for those anglers who need to utilize under-arm casting when boarding large charter boats. The total length of the rod is approximately 7ft 10inches with the short handle. The short handle is sold separately and does not come with the rod.



**Aquila EX 79-3**  
 3pcs-Pack Rod  
 EXPEDITION  
 Lure / Comfort Weight **40~60g**  
 Line **MAX PE 3**  
 Drag Max **5kg/45°**  
 Price :  
 Length: 7ft 9in  
 Closed Length: 847mm  
 Weight: 263g  
 Guide SIC-S Titanium frame K Guide(Fuji)



**Aquila EX 83-6**  
 3pcs-Pack Rod  
 EXPEDITION  
 Lure / Comfort Weight **60~120g**  
 Line **MAX PE 6**  
 Drag Max **10kg/45°**  
 Price :  
 Length: 8ft 3in  
 Closed Length: 905mm  
 Weight: 353g  
 Guide SIC-S Titanium frame K Guide(Fuji)



**Precautions for comparing bending curves**  
 ※The bending curves presented in the diagram are all set with a reel while loading the blank with a static load. Please note that this diagram does not indicate the repulsive force of the rod. Also, the bending curve of the rod does not fully exhibit the rods characteristics. For a more comprehensive understanding of the rods true characteristics, please take into consideration the bending curve, rod specification and comparison of characteristics. The load on the body will feel different for each individual bending the rod. The Static load comparison is simply a reference.



## BOAT CASTING, NEW HORIZON

# Ultimo

RippleFisher create a new generation of Boat-Casting Game.

### Ultimo / Boat Casting

*Giant trevally / Kingfish*

**NEW 86M/B**

**82ML**

**83M**

**710MH**

The Ultimo series are the lightest in weight, highly well balanced, possess a light casting feel and armed with outstanding butt power to win over the massive fish.

We focused on its casting ability as the most important aspect which is obviously the key factor when venturing out for a casting game. The choice of carbon material and guide settings were vital and the light yet highly resilient blank possess the power suited for the needs of the recent evolution in the off-shore fishing scene.

There are 3 spinning models of 82ML, 83M and 710MH. All three models are unique from each other, yet all equipped with outstanding performance and can be said to the crown jewel of Ripplefisher for the off-shore boat game.

In 2024, after countless years of testing in the field, we will release the long awaited off-shore bait-casting rod "86M/B".

With this bait-casting setup, anglers will be able to utilize the long-leader system and ultrathick line which is of great advantage when targeting monstrous species. There are many other advantages to using the bait-tackle setup. The lightness of your tackle, the outstanding power of the winding ability of the reel, the ability to use a wide range of lures and last but not least, it is simply fun to cast with. In the ever-evolving boat casting scene, we sought after a rod which will make a difference in the scene. The addition of the 86M/B to the series is exactly this and will open up new opportunities for anglers around the world.

Our mission was to create rods which are lighter, cast farther, are stronger and most efficient when going head-to-head with monstrous species.



# Ultimo 2024 LINEUP

SPINNING MODEL X3 / OVERHEAD REEL MODEL X1

## 2024 NEW Ultimo 86M/B Overhead reel Model

The highly resilient blank was especially designed to cast farther, control and maneuver the rod and easily fight your target with ease. We were also very particular about the length of the rear-grip for smoother casting and the front-grip is assembled with a rubber grip to reduce any slippage. This has helped anglers properly grip the front-grip during the fight and prevent the reel from tilting downwards. The guides are large in diameter to help release the thick and long leader system with ease. With the many advantages as a bait-casting tackle, anglers will be able to consistently cast with ease and capitalize on the strong winding power of the reel. The model will open up new opportunities for anglers around the world and will not only be ideal for experts but also for beginner fishermen.

## Ultimo 82ML Spinning Model

This model is ideal for top water GT and Kingfish game for anglers to utilize diving pencils, as it is equipped with a sensitive flexible tip to reduce handling error of the lure and stiff blank characteristics seen in ML class rods. The blanks followability is extremely high as it will easily bend in as soon as the raging large fish starts running and it is designed to bring out its true strength of the butt with little strain on the angler. The lifting ability of the butt section of the rod will outperform its line-class specifications in highly rugged dangerous areas. Thanks to the medium light class blank design, the light casting feel and highly well balanced rod will assist anglers in the highly strenuous big casting game.


## Ultimo 83M Spinning Model

This will be your standard model with a total balance of casting feel, controllability and fighting performance factors required to target GT and Kingfish. Anglers will easily be able to sharply cast out diving pencils and poppers around 240mm while lightly and effectively maneuvering the lure through the manually handling blank. Once the rod is loaded with the weight of the fish, it will bend in nicely and allow anglers to put their weight behind the rod to efficiently lift the fish with the responsive strength of the blank. It is ideal for not only GT but also great for aggressively fighting the large kingfish in shallow areas.

## Ultimo 710MH Spinning Model


The sharp and stiff blank will allow anglers to easily handle large diving pencils, jerk up sinking pencils from the depths and efficiently and lightly produce splashes with medium mouthed poppers around 260mm in difficult conditions where the use of a variety of lures is required. The short length light feeling 7.10ft rod is well suited for casting from the stern of large fishing charter boats where there is little space to swing your rod around. The torque of the outstanding butt power will smoothly intensify with the weight transition of the angler enabling you to stop the massive fish and take initiative of the fight. It is a new generation power rod with contradicting characteristics of lightness and medium heavy power class which can easily be utilized by anglers with a smaller build.

## Ultimo Bending Curve Load 6kg Static load comparison



**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.

Reel Seat : Spinning Model DPS20 (Fuji) Overhead reel Model T-DPS22 (Fuji)  
 ※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



2024 NEW

### Ultimo 86M/B OVERHEAD REEL MODEL

Lure / Comfort Weight  
60~160g  
Line  
MAX PE 7  
Drag Max  
13kg/45°

Price :

Length: 8ft 6in  
Closed Length: 1770mm  
Weight: 398g

Guide  
SIC-S Titanium frame K Guide  
+ Ocean Guide(Fuji)

### Ultimo 82ML SPINNING MODEL

Lure / Comfort Weight  
70~120g  
Line  
MAX PE 6  
Drag Max  
12kg/45°

Price :

Length: 8ft 2in  
Closed Length: 1790mm  
Weight: 362g

Guide  
SIC-S Titanium frame K Guide  
+ SIC RV-Guide(Fuji)

### Ultimo 83M SPINNING MODEL

Lure / Comfort Weight  
80~140g  
Line  
MAX PE 7  
Drag Max  
13kg/45°

Price :

Length: 8ft 3in  
Closed Length: 1815mm  
Weight: 376g

Guide  
SIC-S Titanium frame K Guide  
+ SIC RV-Guide(Fuji)


### Ultimo 710MH SPINNING MODEL

Lure / Comfort Weight  
80~160g  
Line  
MAX PE 8  
Drag Max  
15kg/45°

Price :

Length: 7ft 10in  
Closed Length: 1685mm  
Weight: 378g


Guide  
SIC-S Titanium frame K Guide  
+ SIC RV-Guide(Fuji)




The logo for the Ultimo is metallic silver



the model name is in matt color under the butt guide.



Titanium ring attached under the reel-seat with model name engraved.



By inserting a resinous ring in the grip end rubber cap, it will drastically reduce the grip end being stuck in the gimble belt (fighting belt) during the fight, allowing for a smooth fight to landing of the fish.



The guide of overhead reel model 86M/B is SIC-S titanium frame K guide + Ocean guide. By increasing the guide diameter, thick line and long leader and various line-systems can be passes through smoothly.



The front grip of overhead reel model 86M/B is rubber grip type so that it is not slippery and easy to apply force, so it holds the rod firmly and prevents the reel from moving downward.

# OceanVoyager GTXpedition

GTXpedition / GT & Kingfish Boat Casting  
Giant Trevally / Kingfish

Ripplefisher's 3 piece pack rod, "GTXpedition" model has been designed to consider the recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size.

By reviewing the bending of the new GTXpedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod.

We hope you can first handedly experience the ever improving technology at Ripplefisher.

## GTXpedition 81M


This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod.

Angler's Weight : 55kg~(Recommendation)

## GTXpedition 81MH

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. In contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod.

Angler's Weight : 65kg~(Recommendation)



OceanVoyager  
**GTXpedition 81M / 3pcs**  
Lure **MAX 140g**  
Line **MAX PE 6**  
Drag Max **10kg/45°**  
Price :  
Length: 8ft 1in  
Closed Length: 887mm  
Weight: 380g  
Guide Ocean Guide(Fuji)

OceanVoyager  
**GTXpedition 81MH / 3pcs**  
Lure **MAX 180g**  
Line **MAX PE 8**  
Drag Max **13kg/45°**  
Price :  
Length: 8ft 1in  
Closed Length: 887mm  
Weight: 386g  
Guide Ocean Guide(Fuji)

# OceanRidge

OceanRidge / GT Boat Casting  
Giant Trevally

The OceanRidge series are GT rods especially designed with Ripple Fishers' brand characteristics. The lineup built up for the needs of the expert anglers require manual maneuvering and will bring out the true skills in anglers. These are not your ordinary lineup and will not suit all anglers. But rest assure that these rods will feel like a part of your body once anglers have established their style and skill.

The GT game is becoming tougher and tougher each year and sometimes require the use of supersize lures to induce a bite. Ocean Ridge series including the strongest GT78 is not simply an over powered rod but will become your biggest asset in specific situations and against monstrous GTs.

## OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx.60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

Angler's Weight : 65kg~(Recommendation)

## OceanRidge LC GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability.

Angler's Weight : 70kg~(Recommendation)

## OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY® technology developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force.


Angler's Weight : 70kg~(Recommendation)

## OceanRidge FINAL SPIRIT GT 78

This is the most powerful and toughest GT rod Ripple Fisher has ever developed with stiff characteristics in the tip to belly section for easy use with large mouthed poppers and outstanding lifting power in the butt. The blank is highly responsive and once hardcore anglers put his/her full weight behind it, the repulsive force in the blank will efficiently lift the fish. It is an ideal rod for short popping of large mouthed poppers and controlling massive 300mm class pencil type lures when the GTs are feeding on super large baits. It is not a rod that you want to be using all day long, but a rod that you want to bring out in hairy situations with gushing currents and rugged terrain.

Angler's Weight : 80kg~(Recommendation)

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.  
Reel Seat : DPS20 (Fuji)  
※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



OceanRidge  
Reversal  
**GT 80 / Nano**  
Lure **MAX 170g**  
Line **MAX PE 8**  
Drag Max **14kg/45°**  
Price :  
Length: 8ft  
Closed Length: 1737mm  
Weight: 373g  
Guide Ocean Guide(Fuji)

OceanRidge  
LC  
**GT 82 / Nano**  
Lure **MAX 190g**  
Line **MAX PE 8**  
Drag Max **14kg/45°**  
Price :  
Length: 8ft 2in  
Closed Length: 1796mm  
Weight: 378g  
Guide Ocean Guide(Fuji)

OceanRidge  
PF  
**GT 711 / Nano**  
Lure **MAX 210g**  
Line **MAX PE 10**  
Drag Max **15kg/45°**  
Price :  
Length: 7ft 11in  
Closed Length: 1682mm  
Weight: 375g  
Guide Ocean Guide(Fuji)

OceanRidge  
FINAL SPIRIT  
**GT 78**  
Lure **MAX 270g**  
Line **MAX PE 12**  
Drag Max **17kg/45°**  
Price :  
Length: 7ft 8in  
Closed Length: 1645mm  
Weight: 393g  
Guide Ocean Guide(Fuji)

# Ocean Arrow SELFISH

## SELFISH / Jigging Game

Kingfish / Yellowtail / Greater Amberjack

Ripplefisher's jigging rod series, the "SELFISH". There are 3 spinning models and 2 overhead reel models, each developed with their own concepts. 613S, 614S and 597S models are for the vertical jigging game and the 3 models which are specialized in a natural swimming (NS) diagonal jigging. The 2 overhead reel models are categorized as sensitive bait (SEB) models.

These models are developed to keep up with the demands from the ever changing jigging scene. To slide the jig, swim the jig, naturally maneuver the jig to induce that "bite". All models have the inherited characteristics of the SELFISH series with the slim, light and sharp feeling able to cut through the current, yet possessing a contradicting powerful butt section.



## SELFISH ST / Standard & Specialized

This is a model able to easily control the jigs and quickly switch your jerking patterns from high pitch, one pitch, short to long jerks mainly from boats which are controlled for vertical jigging. It is a highly sensitive model able to transmit the slightest of change even at high speed jerks.

### SELFISH 613S Nano

If you wish to jerk and manipulate heavier jigs with as comfortable feeling as when you use 622S, 613S is going to be the one. It transmits slightest changes of current and you will give the action to jig as soon as you want to. We believe that you will be able to find your own tactics and strategies with this SELFISH 613S Nano.

### SELFISH 614S Nano

This 614S Nano have been sharpened 622S and 613S to give more not only power and stiffness but also sensitivity and operability. Whole blank bend very well to absorb the impact of blue runner while applying enough pressure on fish. You will be able to keep big yellowtail over 10kg, amberjack or kingfish around 7~8kg under control with 614S Nano.

### SELFISH 597S Nano

This 597S Nano designed for vertical jigging to aim large size kingfish and Amberjacks. You will be able to jerk with high pitch in short stroke or jerk in long stroke with sharpness feeling. Yet you will feel kind of stiffness when you jerk, it will bend nicely and absorb the huge impact of great amberjack.

## SELFISH NS / Natural Swim

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

### SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

### SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

### SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.

## SELFISH SEB / Sensitive Bait

These are highly responsive overhead reel models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the overhead reel tackle set up.

### SELFISH SEB 633

The standard model of the SELFISH Overhead reel series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for overhead reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

### SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.  
 Reel Seat : Spinning model 597S **DPS20** others are **DPS18** (Fuji) Bait model **TCS18** (Fuji)  
 ※A=Whole length of grip B=Length from reel foot(Trigger) to end of grip when reel is equipped

Model	Category	Lure / Comfort Weight	Line	Drag Max	Price	Length	Weight	Guide	Frame
SELFISH 613S Nano	STANDARD MODEL	100~140g	PE 2.5 Class	4kg/45°		Length: 6ft 1in Closed Length: 1840mm	Weight: 170g	Guide	SiC-S Titanium frame
SELFISH 614S Nano	STANDARD MODEL	130~170g	PE 3 Class	5kg/45°		Length: 6ft 1in Closed Length: 1860mm	Weight: 180g	Guide	SiC-S Titanium frame
SELFISH 597S Nano	SPECIALIZED MODEL	180~240g	PE 5 Class	8kg/45°		Length: 5ft 9in Closed Length: 1756mm	Weight: 250g	Guide	SiC-S + SiC Titanium frame
SELFISH NS 632	NATURAL SWIM	80~130g	MAX PE 2	3kg/45°		Length: 6ft 3in Closed Length: 1910mm	Weight: 126g	Guide	SiC-S Titanium frame
SELFISH NS 623	NATURAL SWIM	100~150g	MAX PE 3	5kg/45°		Length: 6ft 2in Closed Length: 1890mm	Weight: 159g	Guide	SiC-S Titanium frame
SELFISH NS 614	NATURAL SWIM	120~180g	MAX PE 4	7kg/45°		Length: 6ft 1in Closed Length: 1865mm	Weight: 174g	Guide	SiC-S Titanium frame
SELFISH SEB 633	SENSITIVE BAIT	120~180g	MAX PE 3	5kg/45°		Length: 6ft 3in Closed Length: 1915mm	Weight: 182g	Guide	SiC-S Titanium frame
SELFISH SEB 624	SENSITIVE BAIT	140~200g	MAX PE 4	7kg/45°		Length: 6ft 2in Closed Length: 1890mm	Weight: 189g	Guide	SiC-S Titanium frame

# OceanArrow

OceanArrow / Jigging for Monster  
Bluefin Tuna / Yellowfin Tuna / Marlin / Grouper

For jigging, it is not only vital for anglers to have the technique to induce bites but also to be able to fight and efficiently surface the large predatory fish. The new OceanArrow series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

The 5930 and 6615 are designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

With the ever changing environment and the evolution of tackle, we hope you can take hold of the big game jigging with our new OceanArrow series.

## OceanArrow 6615 / Spinning Model

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break-off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs.

Recommended size of tuna: Up to 50 kg


## OceanArrow 5930 / Spinning Model

This is a one piece spinning model designed to jig for large size Tuna and Marlins around the world. The short length rod able to be high stuck will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits.

Recommended size of tuna: More than 50 kg



The 6615 and 5930 are both designed so anglers can high stick the rod during the long fight against the mammoth fish. Furthermore, the gimbal settings at the butt end will help anglers jerk heavy weight jigs. The rod end gimbal comes standard with these rods. You can choose whether to jerk the jig under your armpits or with the gimbal on your fighting belt depending on style, depth and jig weight.



※Both the 5930 and 6615 are set with a gimbal butt end for an easier fight against the tough and heavy monsters at the other end of the line.

**ROD DETAIL**  
Please refer to the list on **page 58** to check the details of rod specifications.  
Reel Seat : **DPS20** (Fuji)  
※A=Whole length of grip  
B=Length from reel foot to end of grip when reel is equipped



### OceanArrow 6615

Lure  
**JIG MAX 400g**  
Line  
**MAX PE 6**  
Drag Max  
**12kg/45°**

Price :

Length: 6ft 6in  
Closed Length: 1295mm  
Weight: 362g  
Guide  
Ocean Guide(Fuji)



### OceanArrow 5930

Lure  
**JIG MAX 800g**  
Line  
**MAX PE 8**  
Drag Max  
**15kg/45°**

Price :

Length: 5ft 9in  
Closed Length: 1775mm  
Weight: 382g  
Guide  
Ocean Guide(Fuji)


## SELFISH & OceanArrow Bending Curve



## OceanArrow Bending Curve

Load 8kg Static load comparison

As for power standards, the 5930 is superior. The image above demonstrates the bending curve with a heavier load and you can see that the bending curve of the 6615 has become more acute. The 5930 is more suited for larger fish and will efficiently and easily lift the fish.





# SHORE

SHORE FISHING

SHORE CASTING for MONSTER

***MonsterImpact***

BLACK FIN SEABASS

*Avarice*

ROCKY SHORE CASTING

***RunnerExceed***

SEABASS and MORE

*SilverStream*

LIGHT GAME

*RealCrescent*



MonsterImpact goes beyond limits.



110HH and 110BHH are back.



# MonsterImpact

## MonsterImpact / Shore Casting for Monster Blackfin-Seabass / BlueRunner / Red Eye / Seabass

The Monster Impact series are special models to target various species varying from Blackfin seabass, Akame (Japanese Barramundi), seabass and medium size Blue-runners.

The concept was to create rods that would "exceed your limits". The spinning and bait-casting models of the 110HH were the most representative of the series capable of targeting Blackfin seabass and Blue-runners ranging from 5~10kg.

In 2024, we will release the newly engineered 110HH built up of new material.

With conditions continuously changing when fishing of the rocks, it is absolutely imperative to be able to adapt to the surrounding conditions. The rod was designed from the ground up with the ability to not only go head-to-head with the large species but also have the controllability to technically maneuver and control your lure.

In addition to the highly versatile characteristics of the spinning 110HH and bait-casting model of the 110BHH, their outstanding castability will allow anglers to accurately hit their target when casting, giving anglers great advantages in the most difficult of conditions.

The flexible belly section will enable anglers to easily control top water lures and the powerful butt section will help prevent bust-offs nearing the end of the fight off the rocks, allowing for a smooth landing of the fish.

We are confident to present to the world, Ripplefisher's pride and joy, the new 110HH and 110BHH which will pave a new era as the pillar for the Monster Impact series.

In addition to these two models, we also have the 101HH to target Blackfin seabass and Blue-runners, the 113HH/4pcs which is highly portable, and the 90H/91BH for monstrous seabass and Akame (Japanese Barramundi). We hope you can experience first handedly RippleFishers new era in the power-rod scene.

### 2024 NEW MonsterImpact 110HH Spinning Model

The new Monster Impact 110HH is built up with new material and engineering technology with a flexible yet sharp blank feel. This has helped enhance the casting and control of lures while the sensitivity will transmit the vital information under the water. With its length and castability, it is an ideal rod for use when fishing off elevated large rocks and a stretch of shallow rocky grounds. It can not only cast small 9cm class minnows but also larger diving pencils for your Blue-runners. The flexible belly section will follow through once loaded and smoothly transfer to the highly resilient butt section to easily surface monstrous Blackfin seabass and medium size Blue-runners. We are confident that anglers will be able to enjoy the high performance and total balance of Ripplefishers state of the art technology through the newly redesigned Monster Impact 110HH.

### 2024 NEW MonsterImpact 110BHH Overhead reel Model

In highly strong headwinds and side winds, this highly responsive and powerful bait-casting model will help anglers seek a different approach compared to the spinning model. Its absolute casting technology will allow anglers to cast pinpoint accuracy in the tightest spots and anglers will not miss the split-second timing between large sets in the heavy seas. Its fighting response and butt power will enable for a powerful fight against medium size blue runners nearing the rocks. This model will be advantageous in the roughest of conditions and will allow anglers the ability to venture out to locations never set foot in before.



**2024 NEW**  
**MonsterImpact 110HH**  
SPINNING MODEL

Lure  
**15~60g**  
Line  
**MAX PE 3**

Price :

Length: 11ft  
Closed Length: 1720mm  
Weight: 278g  
Guide  
SiC-S Titanium frame  
K Guide(Fuji)

**2024 NEW**  
**MonsterImpact 110BHH**  
OVERHEAD REEL MODEL

Lure  
**15~70g**  
Line  
**MAX PE 3**

Price :

Length: 11ft  
Closed Length: 1720mm  
Weight: 277g  
Guide  
SiC-S Titanium frame  
K Guide(Fuji)

### ROD DETAIL Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : Spinning Model M190H **DPS18** / other are **DPS20**  
Overhead reel Model M191BH **TCS18** (Fuji)

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



**MonsterImpact 90H**  
SPINNING MODEL

Lure  
**18~70g**  
Line  
**MAX PE 3**

Price :

Length: 9ft  
Closed Length: 1410mm  
Weight: 193g  
Guide  
SiC-S Titanium frame K Guide  
+ RV Guide(Fuji)

**MonsterImpact 91BH**  
OVERHEAD REEL MODEL

Lure  
**20~130g**  
Line  
**MAX PE 5**

Price :

Length: 9ft 1in  
Closed Length: 1428mm  
Weight: 212g  
Guide  
SiC-S Titanium frame  
K Guide(Fuji)

**MonsterImpact 101HH / Nano**  
SPINNING MODEL

Lure  
**MAX 60g**  
Line  
**MAX PE 3**

Price :

Length: 10ft 1in  
Closed Length: 1585mm  
Weight: 270g  
Guide  
SiC-S Titanium frame  
K Guide(Fuji)

**MonsterImpact 113HH / 4pcs**  
SPINNING MODEL

Lure  
**MAX 70g**  
Line  
**MAX PE 3**

Price :

Length: 11ft 3in  
Closed Length: 900mm  
Weight: 320g  
Guide  
SiC-S Titanium frame  
K Guide(Fuji)

### MonsterImpact 90H Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red-Eye (Japanese barramundi) that are feeding on large bait-fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate spinning anglers.

### MonsterImpact 91BH Overhead reel Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big-bait game.

### MonsterImpact 101HH Nano Spinning Model

101HH is designed to target both the black-fin and blue runners but this 101HH is set more towards the blue-runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft 1inch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait-fish are extremely small when targeting the blue-runners with smaller lures.

### MonsterImpact 113HH / 4pcs Spinning Model

The 113HH is a powerful pack-rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land-based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both powers in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.





MonsterImpact 110HH




MonsterImpact 110HH




MonsterImpact 110BHH

### MonsterImpact & Avarice Bending Curve Load 2kg Static load comparison



MI 91BH and 90H are designed for big-bait lures for lunker size seabass and Akame but have a light feeling like a seabass class rod. Avarice 110H is a model for use in tough field conditions and is easily able to surface blue runners in the 5kg class. When comparing the MonsterImpact 101HH, the butt power of the 110H is evidently stronger but the tip section is delicate for use with smaller minnows.

## Shore Casting Models, Characteristic distribution table



# Avarice

## Avarice / Blackfin-Seabass Game Blackfin-Seabass

The Black-fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. The anglers have little advantage in these unforgiving conditions and the only way to overcome these factors are experience and the ability to analyze and make an efficient/good judgment in a given situation. We have added the sharpness by employing the Nano blank while fine tuning the standard capabilities as a black-fin seabass rod. Anglers will cut through the strong headwinds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots.

### Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish.

### Avarice 110M Nano

It possesses highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook-offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class blackfin seabass, but also 5kg class blue runners and snappers off the rocks.

### Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

### Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong headwinds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.



### Avarice 103M / Nano

Lure  
**MAX 40g**  
Line  
**MAX PE 1.5**

Price :

Length: 10ft 3in  
Closed Length: 1600mm  
Weight: 198g

Guide  
SiC-S Titanium frame  
K Guide (Fuji)

### Avarice 110M / Nano

Lure  
**MAX 40g**  
Line  
**MAX PE 2**

Price :

Length: 11ft  
Closed Length: 1726mm  
Weight: 213g

Guide  
SiC-S Titanium frame  
K Guide (Fuji)

### Avarice 106MH / Nano

Lure  
**MAX 50g**  
Line  
**MAX PE 2**

Price :

Length: 10ft 6in  
Closed Length: 1640mm  
Weight: 213g

Guide  
SiC-S Titanium frame  
K Guide (Fuji)

### Avarice 110H / Nano

Lure  
**MAX 60g**  
Line  
**MAX PE 2.5**

Price :

Length: 11ft  
Closed Length: 1730mm  
Weight: 253g

Guide  
SiC-S Titanium frame  
K Guide (Fuji)

**ROD DETAIL** Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : Spinning Model AV103M · AV110M **DPS18** / other are **DPS20**

※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

## Dogtooth tuna 78.9kg

### Tackle data

Rod: RunnerExceed FINAL STAND UP 83HH

Reel: STELLA 20000PG

Line: PE#10

Leader: Nylon 170lb

Lure: BAIU boogie D10

Hook : FRONT/GAMAKATSU SP-XH #6/0

Rear/VAN HOOK Beast Edge #6/0

Angler: Hideto Tanimoto



FOR THE CHALLENGE OF EXCEEDING LIMITS

# RunnerExceed

## RunnerExceed Rocky Shore Casting

Kingfish / Yellowtail  
Greater Amberjack  
GT / Dogtooth Tuna  
and more

### MAIN MODEL

**102M Nano Plug Model**

**104H Nano Plug Model**

**110H Nano Plug Model**

**911MH Nano**

**95TC**

**103H**

**107BH Nano  
Overhead reel Model**

### EXTREME MODEL

**FINAL STAND UP 83HH**

**100SHH LIMITED**

The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, and dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to "catch" your dream fish in the harshest environments.

Recently, the number of anglers targeting 20kg class kingfish have increased and are seeking not only the power in a rod, but also the least amount of strain on the angler. No matter how strong a rod may be, if the angler does not have the power to bend it, s/he will be in the disadvantage when fighting off the rocks.

You can bend the rod and lift, stop the thrashing fish with its power, or technically fight the fish with the use of the long-leader system utilizing the overhead reel tackle setup. Each and every angler will have their own style but there is one thing in common and that is the "strength" the RunnerExceed series have.

We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controllability, resilience and strength of the series when most needed during the fight.

"Main-models" target Blue runners such as Kingfish and amberjack yellowtail, and we even have models with a view to over 20 kg in Kingfish.

In addition, we also have "Extreme-models" for more rugged areas to target non-standard Big fish such as GT and Dogtooth tuna, opening the door for more rock shore games.

We dedicate this model to those anglers who are challenging themselves to the limit, as the lightness, controllability, resilience and overwhelming power in the rod have been designed to do exactly that.



RunnerExceed 110H NANO Plug Model

# RunnerExceed MAIN MODEL

The Runner Exceed series are a wide range of rods to target the yellowtails in your local waters to the bigger and harder kingfish off the rocks. The 3 plugging models are ideal for use with diving pencils with the flexible yet powerful blank to apply ample pressure on the fish. The 911MH and 103H are versatile models for use with both jigs and plugs and the 95TC is ideal in tough conditions where delicate maneuvering of the lure is required. We also have a 107BH for those over-head reel enthusiasts. Although your targets may be similar, the 7 choices of rods will open up new doors for different locations, field conditions, and styles of approach toward your rocky shore game fishing.

## RunnerExceed 102M Nano / PlugModel

This is the lighter plugging model of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencils, and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg.

## RunnerExceed 104H Nano / PlugModel

104H is While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section, allowing anglers to lift the rod higher to withstand the final thrust of the fish in close range.

## RunnerExceed 110H Nano / PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from 10~15kg in shallow waters.

## RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift 3~4kg fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next right arm.

## RunnerExceed 95TC

The 95TC is a technical model with a highly responsive blank design to maneuver the lure on a next level. The developmental concept of this model was to enable anglers to utilize various lures including sinking minnow, poppers, diving-pencils and jigs to induce bites in difficult conditions when the sea is flat and the lure is highly visible. The light weight 9.5ft length rod has a MH class strength for fighting 5~10kg blue runners off the rocks. With its outstanding casting distance and highly well balanced characteristics, anglers can utilize this as your main rod or back-up rod for your more exotic expeditions.

## RunnerExceed 103H



This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action.

## RunnerExceed 107BH Nano / Overhead reel Model

The blank itself is extremely flexible and tenacious yet possesses a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long-leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on the bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller 3kg~6kg fish, yet possessing underling power for those monstrous fish.



## RunnerExceed Bending Curve



**ROD DETAIL** Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : Spinning model **DPS20** / Overhead reel Model **T-DPS22** (Fuji)  
 ※A=Whole length of grip  
 B=Length from reel foot(Trigger) to end of grip when reel is equipped

Model	Lure	Line	Drag Max	Price	Length	Weight	Guide
RunnerExceed 102M / Nano Plug Model	Plug 20~70g	PE 1.5~3	5kg/45°		Length: 10ft 2in Closed Length: 1590mm	Weight: 290g	SIC-S Titanium frame K Guide(Fuji)
RunnerExceed 104H / Nano Plug Model	Plug 40~120g	PE 4~6	8kg/45°		Length: 10ft 4in Closed Length: 1615mm	Weight: 327g	Guide Ocean Guide(Fuji)
RunnerExceed 110H / Nano Plug Model	Plug 40~130g	PE 4~7	9kg/45°		Length: 11ft Closed Length: 1720mm	Weight: 341g	SIC-S Titanium frame K Guide + Ocean Guide(Fuji)
RunnerExceed 911MH / Nano	MAX Jig 100g MAX Plug 80g	MAX PE 4	6kg/45°		Length: 9ft 11in Closed Length: 1560mm	Weight: 306g	SIC-S Titanium frame K Guide + Ocean Guide(Fuji)
RunnerExceed 95TC	MAX Jig 120g Plug 30~90g	MAX PE 4	6kg/45°		Length: 9ft 5in Closed Length: 1495mm	Weight: 290g	SIC-S Titanium frame K Guide + SIC RV Guide(Fuji)
RunnerExceed 103H	MAX Jig 130g MAX Plug 90g	MAX PE 5	8kg/45°		Length: 10ft 3in Closed Length: 1615mm	Weight: 327g	SIC-S Titanium frame K Guide + Ocean Guide(Fuji)
RunnerExceed 107BH / Nano Overhead reel Model	50~130g MAX PE 6		8kg/45°		Length: 10ft 7in Closed Length: 1650mm	Weight: 374g	Guide Ocean Guide(Fuji)

### 83HH DETAILS

For the Runner Exceed Final Stand Up 83HH, we have adopted the RV guide for the butt guide to boost casting distance. Furthermore, for more speedy and effective fight, we have designed the front grip with a "rib-line". The spigot joint section creates a smooth bending curve required during the fight.



#### RunnerExceed FINAL STAND UP 83HH

Lure  
**MAX 200g**  
Line  
**MAX PE 8**  
Drag Max  
**10kg/45°**

Price :

Length: 8ft 3in  
Closed Length: 1310mm  
Weight: 365g

Guide  
Ocean Guide  
• SIC RV-Guide(Fuji)

#### RunnerExceed 100SHH LIMITED

Lure  
**MAX 150g**  
Line  
**MAX PE 8**  
Drag Max  
**10kg/45°**

Price :

Length: 10ft  
Closed Length: 1579mm  
Weight: 405g

Guide  
Ocean Guide(Fuji)



## RunnerExceed EXTREME MODEL

In the countless fields out there around the world, there are places where astonishing size species exist and it is beyond human knowledge. It is impossible to target large GT, Dogtooth, Amberjacks, Kingfish, Yellowtail Tuna, etc from the rocks or piers with ordinary tackle.

The "Runner Exceed Extreme model" are highly well balanced rods equipped with outstanding castability, a smooth bending curve with exceptional power, and rod taper design that allows anglers to lift the rod tip during brutal fights against the monstrous targets by your feet.

There is the super high elasticity Limited 100SHH LTD model which will effectively bend in once the rod is loaded allowing for a highly responsive fight against the fish.

The 83HH FINAL STAND UP is a short length model that challenges how to reduce burden of the angler's body and drive the landing advantageously when aiming for big fish using large lures.

We present these 2 models for anglers who are challenging themselves to the limit in the most difficult fishing conditions imaginable.

### RunnerExceed FINAL STAND UP 83HH

The 8.3ft short length blank with tenacious strength in the belly to butt section will effectively apply pressure on the fish once loaded. By shortening the overall length of the rod, it has allowed anglers to consistently apply pressure on the fish during the fight while being able to fully cast out large size lures with the least amount of effort. Furthermore, the short length will reduce the strain on the angler when utilizing large mouthed poppers, conserving the energy of the angler until the fight begins. We are confident that the 83HH will bring about great advantages to the anglers when unexpected monstrous fish attack your lure with its light controllability and highly responsive blank which will continuously and effectively apply pressure upon the fish.

### RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue-runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land-based GT rod.

**ROD DETAIL** Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : Spinning model DPS22

※A=Whole length of grip B=Length from reel foot(Trigger) to end of grip when reel is equipped

## VARIOUS TARGET & STYLE

# SilverStream

SilverStream / Shore & Boat Casting

Seabass / Flatfish / Cherry Salmon / others

The SilverStream series are models that are consistently evolving with the concept to "enjoy" the highly sharpened style of fishing to target Seabass, flounders and sea-trout in your local waters.

Although some of the higher-powered models have been moved to the Monster Impact series, this does not necessarily mean that SilverStream models lack the power.

The concept for the SilverStream series was to collect the specialized models and further subdivide and enhance the performance of these models.

The 81 Stiletto is a model equipped with a highly sensitive blank to expedite the angler's reaction speed to swiftly hook up fish while the Flows series were developed to widely cast out lures for seabass and flounders in the surf and feel for the current through the sensitive blank. The Northern series are models developed to target the sea trout in the colder parts of the country with the use of jigs and jig-minnows by searching the vast surf with its outstanding castability.

As you may have guessed from the naming, the BigBait series are models especially designed to target seabass and other species which are feeding on supersize baits (gizzard shads and mullets).

Although the SilverStream is a large category with various models, each model is specifically designed to shine in specific fields. They are not your ordinary rods, but rather rods designed for special situations for anglers with special needs. This is the performance we sought after in the SilverStream series.

- 81 Stiletto**
- 810 Flows Nano**
- 96 Flows Nano**
- 103 Flows Nano**
- 106 Northern Nano**
- 112 Northern**
- 60 BIG PENCIL**
- 74 GIANT BAIT**



SilverStream 81 Stiletto

# SilverStream Stiletto/Flows/Northern

The SilverStream series are built up of a lineup of rods to target various species including Seabass, Flounders, Bream and Salmon from a land-based style.

## SilverStream 81 Stiletto

The SilverStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. Not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

## SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

## SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures. The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

## SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through strong headwinds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black-fin models, while also having the power required to swing through with heavier lures.

## SilverStream 106 Northern Nano


This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures.

## SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures nearby and it also possesses the butt power to rip off the monstrous flounders from the seabed.

**ROD DETAIL** Please refer to the list on page 58 to check details of rod specifications.

Reel Seat : 81ST DPS17 Flows Series DPS18 Northern Series DPS20(Fuji)  
 ※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



**SilverStream 81 Stiletto**

Lure 7~28g  
Line PE 0.6~1.2

Price :

Length: 8ft 1in  
Closed Length: 1275mm  
Weight: 126g  
Guide TORZITE Titanium frame K Guide(Fuji)

**SilverStream 810 Flows Nano**

Lure MAX 32g  
Line MAX PE 1.5

Price :

Length: 8ft 10in  
Closed Length: 1400mm  
Weight: 160g  
Guide TORZITE Titanium frame K Guide(Fuji)

**SilverStream 96 Flows Nano**

Lure MAX 38g  
Line MAX PE 1.5

Price :

Length: 9ft 6in  
Closed Length: 1490mm  
Weight: 166g  
Guide TORZITE Titanium frame K Guide(Fuji)

**SilverStream 103 Flows Nano**

Lure MAX 42g  
Line MAX PE 1.5

Price :

Length: 10ft 3in  
Closed Length: 1605mm  
Weight: 196g  
Guide TORZITE Titanium frame K Guide(Fuji)

**SilverStream 106 Northern Nano**

Lure 30~50g  
Line MAX PE 1.5

Price :


Length: 10ft 6in  
Closed Length: 1640mm  
Weight: 220g  
Guide SIC-S Titanium frame K Guide(Fuji)

**SilverStream 112 Northern**

Lure 30~60g  
Line MAX PE 1.5

Price :

Length: 11ft 2in  
Closed Length: 1754mm  
Weight: 255g  
Guide SIC-S Titanium frame K Guide(Fuji)



# SilverStream BIG BAIT Series

SilverStream BIG BAIT series are We have added the qualities required for this diverse and exciting big-bait seabass game. 60 BIG PENCIL for manipulating big pencils freely, 74 GIANT BAIT for using giant baits over 30 cm. In addition, the 60 has an optional long handle for a long cast. Please open up new door of sea bass games in various fields with two models packed with performance that allows you to immerse yourself in the world of deep big lure sea bass games.

## SilverStream 60 BIG PENCIL

This rod is designed to target seabass off-shore with the use of big-bait lures. Anglers will be able to cast and maneuver large pencils easily to induce bites from seabass feeding on massive bait-fish during specific seasons of the year. We are also planning to release a long-handle (sold separately). By attaching the long-handle, anglers will be able to easily cast and use the rod from the bow of the boat, in addition for use with land-based fishing. (The length of the rod with the long-handle will be 6.9ft)



## Long Handle (60 Optional Parts : 60→69)


Longer handle for Silver Stream 60 Big pencil is available as an option. ※It is sold as just handle itself. The whole length will be 6ft 9inch when the long handle is equipped. The length from the trigger to the end of the grip will be extended 115mm, and to the top of the front grip will be extended 95mm. If you are required distance cast or wish to have more stability when you manipulate lure or fight with big fish, this long handle will support you, don't matter from shore or offshore.

## SilverStream 74 GIANT BAIT

The 74 is a special model able to cast out super giant baits exceeding 300mm and 250g. The 74 is approximately two levels more powerful compared to the 60. While being able to overhead cast super size joint-baits, anglers are also able to lightly control smaller 3oz lures. It is ideal to maneuver joint-baits with the sharp rod action and will outperform most rods off-shore and land-based.



**SilverStream BIG BAIT Bending Curve Load 2kg Static load comparison**



**ROD DETAIL**

Please refer to the list on page 58 to check the details of rod specifications.

Reel Seat : TCS18 (Fuji)  
 ※A=Whole length of grip B=Length from trigger to end of grip



**SilverStream 60 BIG PENCIL**

Lure / Comfort Weight 40~150g  
Line MAX PE 6

Price :

Length: 6ft  
Closed Length: 1425mm  
Weight: 194g  
Guide SIC-S Titanium frame LRV Guide(Fuji)

**SilverStream 74 GIANT BAIT**

Lure / Comfort Weight 100~300g  
Line MAX PE 8

Price :

Length: 7ft 4in  
Closed Length: 1550mm  
Weight: 262g  
Guide SIC-S Titanium frame LRV Guide(Fuji)



# RealCrescent

## RealCrescent / Light Game

Horse-mackerel / Rock Fish / Seabream and more

The "Real Crescent" series has been finely honed to further enjoy deep and technical light game fishing.

They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, beautiful bend curve, and power will respond to each angler's needs for the light game. The new Real Crescent series is the next generation of basic light game rods.

We have carefully selected 4 models for the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)



### Spinning model

#### RealCrescent RC-55 Spinning Model

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon, and ester lines.

#### RealCrescent RC-65 Spinning Model

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience seamless usage through the fast tapered rod with a flexible tip, resilient belly, and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina rigs, and even light wind techniques.

#### RealCrescent RC-75 Spinning Model

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream, and for the light seabass game. The sharp tip section will transmit vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs, and metal jigs with a high response. The strong butt section of the rod can deal with unexpectedly large rockfish and bream measuring over 50cm.

#### RealCrescent RC-81 Spinning Model

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig-heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.

### Overhead reel model

#### RealCrescent RC-57 Overhead reel model


Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig-head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

#### RealCrescent RC-67 Overhead reel model

This is the most basic model for the light game overhead reel-tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress-free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

#### RealCrescent RC-77 Overhead reel model

This is the middle class overhead reel model to target various species of rockfish, bream, and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom-dragging", "Lift and Fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those monstrous fish off the bottom with its outstanding butt power.



The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with the flexibility of the whole rod. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream games.

ROD DETAIL Please refer to the list on page 58 to check details of rod specifications.

Reel Seat : Spinning model VSS16 / Overhead reel model PMTS17 (Fuji)  
 ※A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



RealCrescent  
**RC-55**  
 Spinning Model

Lure  
 JH 0.2~3g  
 Line  
 PE 0.2~0.4  
 FC-NY ~3lb

Price :  
 Length: 5ft 5in  
 Closed Length: 853mm  
 Weight: 54g  
 Guide  
 TORZITE Titanium frame  
 K Guide (Fuji)

RealCrescent  
**RC-65**  
 Spinning Model

Lure  
 JH 0.3~6g  
 Plug 1.8~4.5g  
 Line  
 PE 0.2~0.4  
 FC-NY ~3lb

Price :  
 Length: 6ft 5in  
 Closed Length: 1004mm  
 Weight: 61g  
 Guide  
 TORZITE Titanium frame  
 K Guide (Fuji)

RealCrescent  
**RC-75**  
 Spinning Model

Lure  
 Rig 2~14g  
 Plug 2.5~11g  
 Line  
 PE 0.3~0.8

Price :  
 Length: 7ft 5in  
 Closed Length: 1157mm  
 Weight: 79g  
 Guide  
 TORZITE Titanium frame  
 K Guide (Fuji)

RealCrescent  
**RC-81**  
 Spinning Model

Lure  
 2~17g  
 Line  
 PE 0.4~0.8

Price :  
 Length: 8ft 1in  
 Closed Length: 1265mm  
 Weight: 86g  
 Guide  
 TORZITE Titanium frame  
 K Guide (Fuji)

RealCrescent  
**RC-57**  
 Overhead reel model

Lure  
 0.5~5g  
 Line  
 PE 0.2~0.5

Price :  
 Length: 5ft 7in  
 Closed Length: 876mm  
 Weight: 69g  
 Guide  
 TORZITE Titanium frame  
 K Guide + RV Guide (Fuji)

RealCrescent  
**RC-67**  
 Overhead reel model

Lure  
 0.8~8g  
 Line  
 PE 0.3~0.6

Price :  
 Length: 6ft 7in  
 Closed Length: 1025mm  
 Weight: 78g  
 Guide  
 TORZITE Titanium frame  
 K Guide + LRV Guide (Fuji)

RealCrescent  
**RC-77**  
 Overhead reel model

Lure  
 2~15g  
 Line  
 PE 0.4~0.8

Price :  
 Length: 7ft 7in  
 Closed Length: 1190mm  
 Weight: 92g  
 Guide  
 TORZITE Titanium frame  
 K Guide + LRV Guide (Fuji)



RIPPLEFISHER GEAR & APPAREL 2024

## 2024 NEW RF Multi Container M / L

A simple and easy-to-handle container case that can store various items including large lures. The inside is made of thick tarpaulin fabric, so hooks won't get stuck easily. The entire case opens on both sides and expands into a box shape, making it easy to take out.

- Material - Outside: nylon / Inside: tarpaulin
- Comes with an external pocket for storing pliers, rings, etc.
- It has mesh ventilation holes that can be washed while closed.



more detail



### RF Multi Container M

- Outer dimensions: 260×100×100(mm)
- Lure: Up to 240mm

Price:



### RF Multi Container L

- Outer dimensions: 360×120×120(mm)
- Lure: Up to 350mm

Price:

## 2024 NEW RF GAME GLOVE ※Temporary name

Ripple Fisher original fishing gloves. By using NanoFront material, which has excellent durability, grip, and fit, and by placing anti-slip rubber, we have created a stronger grip for big targets. The material itself is thin and flexible, making it useful in a variety of situations, both offshore and shore.



●The NanoFront material used in the palm and fingertips is a high-strength ultra-fine fiber material that provides a high grip even when wet. Anti-slip rubber is placed at the base joint of the finger, which provides support during long fights with big targets. The back of the hand uses a stretch honeycomb with high elasticity and excellent water absorption and quick drying properties. One side of the finger is made of mesh, which is highly breathable and comfortable even for long periods of use.



more detail



## RF Reel & Spool System Bag

Price:

- Outer dimensions: 42×31.5×14.5(cm)
- Accessories: Partition(can be cut)  
(Large size 40cm×5pcs, Medium size 19cm×2pcs, Small size 10cm×6pcs)



more detail

Example of reel storage

- Casting (Large size class/SW)  
2 units of #14000 or 18000 class reels + 4 pcs of spare spools
- Jigging (Medium size class / SW)  
2 units of #6000 class reels  
+ 2 units of #8000 class reels + 1 pc of spare spool

- Seabass  
3 units of #4000, C5000 to SW5000 class reels  
+ 2 units of #200 to 400 class bait casting reels
- Light game  
6 units of #1000-2500 class reels or 6 units of finesse bait casting reels  
+ 5 pcs of spare spools



## RF Knot Tightener

Price:



- Size  
Large size  
Length : 167mm Diameter : 25mm  
Small size  
Length : 147mm Diameter : 21mm

※The main body is constructed of High-Tensile Carbon Fibre covered with galvanized rubber



more detail

## RF Land Base Fishing Bag

We have given the bag ample strength for hard use on the rocks and handling on the boat when jumping off onto the rocks. It can stow 3-4 long big game rods (RunnerExceed Final Standup etc.) Furthermore, it is able to fit the RF multi shaft and other goodies you may want to take on fishing trips.

Price:



more detail

- Size : 1940mm×140mm×140mm
- Weight : 2430g
- Storage guide: Products with a closed size up to 1900 mm
- Name plate included / Material: Stainless steel SUS316LD

## RippleFisher × Stream Trail RF Waterproof Back Pack

Large capacity, excellent water resistance, and abrasion resistance. This model has features. Tackle box, outdoor gear, and leave room for items you don't want to get wet, etc.

Price:



- Size:  
W39×D34×H62.5cm  
Capacity : 60L
- Material: Tarpaulin, polyester (bag body)
- Color: Black



more detail

## RF Multi Shaft

M / 2pcs Price:

- Expanded length: 2640mm Closed length: 1435mm
- Weight: 612g
- Tip diameter: 25mm (Measured top of metal part)
- Butt diameter: 30.5mm (Measured top of end rubber part)

L / 3pcs Price:

- Expanded length: 3900mm Closed length: 1435mm
- Weight: 765g
- Tip diameter: 22mm (Measured top of metal part)
- Butt diameter: 30.5mm (Measured top of end rubber part)



more detail

## RF Extension Shaft

Price:

An extension shaft is also available as an option, so it can be used in various situations.

- Length: 1360mm ● Weight: 217g ● Screw standard: W1/2 ● Bracket part: Stainless SUS 316L



more detail

## RF GAFF SHAFT

Price:

- Length · Weigh : Approx 1025mm (Approx 373g) ● Target fish: Large blue runners, tunas ● Screw standard: Wit W1/2
- \*Gaff is not included. Sold as a shaft.



more detail

## RF MORI

Price:

- Length : 1800mm ● Weight : Approx 545g
- Material of spear part : Stainless SUS 316L / Attachment bracket material : SUS304 ● Screw standard : W1/2
- End cap : BRC ● Recommendation Harpoon head : ASANO Type MORIPPA / Type S MORIPPA




more detail

## Harpoon quick release head with attached wire

Price:

- Length : Approx 525mm
- Harpoon head ( 2 types )  
ASANO Type S  
ASANO Type MORIPPA



## 2024 NEW

### RF Original T-Shirt

Price:

- Material: Cotton 100%
- Size : M · L · XL · 3L
- Color: Black / White / Khaki



more detail



## 2024 NEW

### RippleFisher × ON-YO-NE RF Shell Jacket 2024

Price:

- Material: ON-YO-NE Breathtech (3 layer)
- Size : M · L · O · BBO
- Color : Black · Red · Black



more detail



## 2024 NEW

### RF VENTILATION HAT

Price:

- Material: Outer Fabric-100% Nylon Inner Fabric-100% Polyester
- Size : One-size-fits-all
- Color: Black / Navy / Charcoal Gray



more detail

RippleFisher × ON-YO-NE

### RF Inner Jacket

Price:

- Color: Black
- Size: M, L, O, XO, XXO
- Material: 85% Nylon 15% Polyurethane



more detail



## RF Cool Hoodie shirts

Price:

● A hooded long-sleeve shirt for spring and autumn, made of stretchy fabric with a smooth texture. The quick-drying, cool touch and UV-blocking material are soft and comfortable to wear directly against your bare skin without an inner layer. In addition, the fabric is environmentally friendly and uses recycled nylon. It comes with a hood, so it is also useful for preventing sunburn on the neck.



- Material: 91% Nylon / 9% Polyurethane
- Size : M · L · LL · 3L
- Color: Black / Smokey Blue



more detail

## RF Dry Polo Shirts

Price:



more detail

- Material: 100% Polyester
- Size : M · L · LL · 3L
- Color: Black / White / Navy

## RF Self-inflating Life Jacket / Neck over type

Price:

- Neck over type
- YMG-2520RS
- Color: Black
- Size: OSFA



more detail



## RF Original Wappen

Round 2 types  
RunnerExceed×KingFish/FINALSTANDUP×GT

Price:

Square types Color : Navy / Black

L Size Price :

S Size Price :



more detail

## RF Original Rod Belt

L size Price:

345mm (x2)

S size Price:

220mm (x2)

- Material: Neoprene



more detail

## RF Domed Sticker

Price:

- Color: Silver
- Size : 54mm×122mm



more detail

A three-dimensional sticker made of dome shaped transparent resin that can be attached to tool boxes (top lid) such as Dokat and Meihou, lure cases, and even cars.

## RF Flat Visor Cap

Price:

- Material: Cotton 100%
- Size : OSFA
- Color: Black / Navy / Charcoal Gray



more detail

## RF Jet Cap

Price:

- Material: Cotton 100%
- Size : OSFA
- Color: Black / Navy



more detail



## RF Self-inflating Life Jacket / Waist belt type

Price:

- Waist belt type ● YMG-9320RS
- Color: Black
- Size: Waist circumference 70-100cm



more detail

The U-shaped air chamber inflates smoothly and maintains a stable floating posture.



## RF Cutting Sticker

- Material : Made of PVC, Water resistant
- NEW COLOR Matte black

- 80cm : 158mm×800mm
- 2colors : Blue/White/Matte black

Price :

- 60cm : 117mm×600mm
- 4colors : Blue/White/Gold/Silver/Matte black

Price :

- 30cm : 59mm×300mm
- 6colors : Blue/White/Gold/Silver Neon orange/Neon pink/Matte black

Price :

- 16cm : 32mm×160mm
- 7colors : Blue/White/Gold/Silver Neon orange/Neon pink/Pearl White/Matte black

Price :



more detail




# RippleFisher Custom Color Option

Ripple Fisher's products can be ordered in custom colors, except for some limited edition products. The custom options are limited to "the blank color", "the thread pin color" and "the thread set color". Please choose the color options for your customizations. The new colors for blank are added in 2024.

For details, please see pages 55-57.  
 ※Please note that we do not accept custom request to change grip or guide options.

## Color Custom Order Guide



● **Delivery date**  
 With regards to your custom order delivery date, it will take roughly 13-14 months depending on our production schedule.

● **Changes and cancellation of custom order**  
 Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.


RippleFisher Custom Color Detail page→  
<https://ripplefisher.com/custom?lang=en>

### Blank Color · About coating range



### Blank Color · Butt parts paint range for each model

The painting range of only the butt part is the following red line range.



※The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.  
 ※SilverStream 81 Stiletto, RunnerExceed 100SHH LTD, RF MORI color custom is not available.



## BLANK COLOR LINEUP



● You can order color customization either whole blanks (from butt to top guide) or butt section only (range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08·15·16) and "Maziora" color (09~11) to the Clear Color (12~14).

※ You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.

※ If you choose the 08 (silver color), the logo print will be black.

※ The clear colors are exclusive to Ultimo · BIG TUNA 76/710RT/86 and cannot be selected for other models.

※ Ultimo · BIG TUNA 76/710RT/86 can also choose colors 01 to 11 other than clear color.

※ Color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI

### Color custom Charge

#### Color Number 01~08 · 15 · 16

- 1piece full paint **10,000 yen** (01~08 · 15 · 16)  
※ 1piece and 1&half model
- 2piece full paint **12,000 yen** (01~08 · 15 · 16)
- 3piece full paint **13,000 yen** (01~08 · 15 · 16)
- 4piece full paint **14,000 yen** (01~08 · 15 · 16)
- Only Butt section Paint **6,000 yen** (01~08 · 15 · 16)
- Multi Shaft **15,000 yen** (01~07 · 15 · 16)

#### Color Number 09~11 ※ MAZIORA Color

- 1piece full paint **15,000 yen** (09~11)  
※ 1piece and 1&half model
- 2piece full paint **18,000 yen** (09~11)
- 3piece full paint **19,000 yen** (09~11)
- 4piece full paint **20,000 yen** (09~11)
- Only Butt section Paint **9,000 yen** (09~11)
- Multi Shaft **20,000 yen** (09~11)

#### Color Number 12~14

※ Ultimo & BIG TUNA 86/710RT/70 exclusive color

- Only Butt section Paint **6,000 yen** (12~14)

※ Clear colors (#12 ~ 14) can only be painted on the butt part of the Ultimo series & BIG TUNA 86/710RT/70. (Full paintings cannot be selected)

※ Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.

※ 04. Metal emerald blue is out of list and is a missing number.

## Thread Pin-Color

● The "thread pin color custom" designs will comply with the original product's position.  
※ If two colors are used in the standard product, a single color will be used for the custom color.

※ If you order a "thread pin color custom", the whole rod will be customized with the color you ordered.

※ The thread color of the multi shaft cannot be changed.


### Thread Pin custom Charge

Color : 01~07 **2,000 yen**

Color : 08 (No pin thread) **1,000 yen**

※ Pin-Thread color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI



- 01. Silver
- 02. Champagne Gold
- 03. Metallic Red
- 04. Metallic Copper
- 05. Metallic Pink
- 06. Metallic Blue
- 07. Metallic Gray
- 08. Black



01. Red Set (Main · Red/Sub · Black)



07. Emerald Set (Main · Emerald/Sub · Black)



02. Pink Set (Main · Pink/Sub · Black)



08. Lime Set (Main · Lime/Sub · Black)




03. Gold Set (Main · Gold/Sub · Black)



09. Light Gray Set (Main · Light Gray/Sub · Dark Gray)



04. Blue Set (Main · Blue/Sub · Black)



10. Sky Blue Set (Main · Sky Blue/Sub · Dark Blue)



05. Light Blue Set (Main · Light Blue/Sub · Navy)



11. Copper Set (Main · Copper/Sub · Black)




06. Purple Set (Main · Purple/Sub · Black)



12. Silver Set (Main · Silver/Sub · Black)

Thread/01. Red Set Custom as an example ※ Main color · Red/Sub color · Black



※ No under thread applied model, main color (Red on 01) comes on top.

## Thread Set Color



● For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

※ Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread.

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

※ We do not accept requests to change or alter the color of the pin thread.

※ The thread color of the multi shaft cannot be changed.

### Thread Set Color custom Charge

· 01~10 **5,000 yen**

※ Thread Set-color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream 81 Stiletto
- SilverStream BIG BAIT Series
- RF MORI



2024 RippleFisher Rod Lineup Spec Details ← 2024 New Model

	Series	Price	JAN CODE	S	R	Lt	CL-Lt	Wt	Lure	Line	Drag Max	Guides	Reel Seat	Lock	Joint	Grip End	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size and others	
BIG TUNA P10	86 JAPAN Special	4580397945222	2	S	8ft 6in	1850	424	424	40~160g	PE 8~12	15k	OC	DPS20	D	GJ	BRC	89.9	3.3	15.9	920	S-D:18000~30000	
	710RT JAPAN Special	4580397945239	2	S	7ft 10in	1670	407	407	40~160g	PE 8~12	15k	OC	DPS20	D	GJ	BRC	93.2	3.4	15.4	930	S-D:18000~30000	
	70 JAPAN Special	4580397945246	2	S	7ft	1399	419	419	80~220g	PE 10~12	18k	OC	DPS20	D	GJ	Gimbal	93.8	3.5	14.5	930	S-D:18000~30000	
	85F JAPAN Special	4580397945147	2	S	8ft 5in	1880	370	370	18~120g	PE 3~6	10k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	95.5	2.5	14.3	867	S-D:8000~14000	
	87AS JAPAN Special	4580397947370	2	S	8ft 7in	1884	405	405	40~150g	PE 5~8	15k	SIC-S/Ti/K	DPS20	D	GJ	BRC	92.5	3.1	15.1	915	S-D:14000~18000	
	83 JAPAN Special	4580397948087	2	S	8ft 3in	1785	409	409	40~150g	PE 6~8	15k	OC	DPS20	D	GJ	BRC	93.2	3.3	14.6	915	S-D:14000~18000	
	76 JAPAN Special	4580397945215	2	S	7ft 6in	1575	398	398	60~180g	PE 8~12	18k	OC	DPS20	D	GJ	Gimbal	91.3	3.0	15.3	900	S-D:18000~30000	
	73 JAPAN Special	4580397945161	2	S	7ft 3in	1515	406	406	60~180g	PE 8~12	18k	OC	DPS20	D	GJ	Gimbal	91.6	3.6	15.1	915	S-D:18000~30000	
	ST 81/2	4580397940142	2	S	8ft 1in	1830	218	218	C.Wt 17~45g	MAX PE 2	4k	SIC-S/Ti/K	DPS18	D	GJ	BRC	90.9	2.0	10.4	885	S-D:C5000~SW5000	
	ST 78-3	4580397940081	2	S	7ft 8in	1780	224	224	C.Wt 30~50g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S-D:5000~6000	
Aquila P17	ST 80-4	4580397940098	2	S	8ft	1782	300	300	C.Wt 40~80g	MAX PE 4	7k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S-D:8000	
	ST 85-6	4580397945093	2	S	8ft 5in	1925	338	338	C.Wt 40~110g	MAX PE 6	12k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.2	2.5	14.8	815	S-D:8000~18000	
	EX 79-3	4580397940050	3	S	7ft 9in	847	263	263	C.Wt 40~60g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	U	Spigot	EVA	79.2	2.6	12.3	895	S-D:5000~6000	
	EX 83-6	4580397940074	3	S	8ft 3in	905	353	353	C.Wt 60~120g	MAX PE 6	10k	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	76.2	3.1	14.7	930	S-D:14000	
	MST 85-7+	4580397945048	2	S	8ft 5in	1897	382	382	C.Wt 40~120g	MAX PE 7	14k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.2	2.8	14.9	840	S-D:14000~18000	
	MST 711-8+	4580397945055	2	S	7ft 11in	1752	369	369	C.Wt 80~180g	MAX PE 8	16k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	95.5	3.0	14.7	840	S-D:14000~18000	
	MST 82-9+	4580397947363	2	S	8ft 2in	1815	400	400	C.Wt 80~220g	MAX PE 9	17k	SIC-S/Ti/K+OC	DPS20	U	GJ	BRC	92.9	3.3	15.0	860	S-D:18000	
	MLT 82-2/4	4580397940104	2	S	8ft 2in	1782	341	341	C.Wt 30~70g	PE 2~4	7k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S-D:6000~8000	
	MLT 82-3/6	4580397940111	2	S	8ft 2in	1785	348	348	C.Wt 40~90g	PE 3~6	10k	SIC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S-D:8000~14000	
	MLT 82-2/4 UC Hundle	4580397949985	1	S	2ft 3in	---	---	---	---	---	---	---	DPS20	D	GJ	BRC	---	---	---	---	S-D:6000~8000	
Ultimo P22	MLT 82-3/6 UC Hundle	4580397949978	1	S	2ft 3in	---	---	---	---	---	---	DPS20	D	GJ	BRC	---	---	---	---	S-D:8000~14000		
	86M-B	4580397944188	2	S	8ft 6in	1770	398	398	C.Wt 60~160g	MAX PE 7	13k	SIC-S/Ti/K+OC	T-DPS22	D	GJ	BRC	97.9	2.8	13.4	994	SOM:50~80 / S-D:400	
	82ML	4580397944157	2	S	8ft 2in	1790	362	362	C.Wt 70~120g	MAX PE 6	12k	SIC-S/Ti/K	DPS20	U	GJ	BRC	97.7	2.6	13.3	875	S-D:14000	
	83M	4580397944164	2	S	8ft 3in	1815	376	376	C.Wt 80~140g	MAX PE 7	13k	SIC-S/Ti/K	DPS20	U	GJ	BRC	97.6	2.8	14.3	865	S-D:14000~18000	
	710MH	4580397944171	2	S	7ft 10in	1685	378	378	C.Wt 80~160g	MAX PE 8	15k	SIC-S/Ti/K	DPS20	U	GJ	BRC	97.5	2.9	14.0	865	S-D:14000~18000	
	GTxpeditio P26	GTxpeditio 81M	4580397948094	3	S	8ft 1in	887	380	380	MAX 140g	MAX PE 6	10k	OC	DPS20	U	Spigot	BRC	92.1	3.2	14.3	920	S-D:14000
		GTxpeditio 81MH	4580397948100	3	S	8ft 1in	887	386	386	MAX 180g	MAX PE 8	13k	OC	DPS20	U	Spigot	BRC	93.3	3.9	15.2	920	S-D:14000~18000
	OceanRidge P27	Reversal GT 80 Nano	4580397944096	2	S	8ft	1737	373	373	MAX 170g	MAX PE 8	14k	OC	DPS20	U	GJ	BRC	99.2	3.9	16.0	885	S-D:14000~18000
		LC GT 82 Nano	4580397944089	2	S	8ft 2in	1796	378	378	MAX 190g	MAX PE 8	14k	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S-D:14000~18000
		PF GT 711 Nano	4580397944102	2	S	7ft 11in	1682	375	375	MAX 210g	MAX PE 10	15k	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S-D:14000~18000
SELFISH P28	FINAL SPIRIT GT 78	4580397948926	2	S	7ft 8in	1645	393	393	MAX 270g	MAX PE 12	17k	OC	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S-D:18000~20000	
	613S Nano	4580397941026	1	S	6ft 1in	1860	170	170	C.Wt 100~140g	PE 2.5 Class	4k	SIC-S/Ti/K	DPS18	U	---	EVA	92.5	2.4	8.7	615	S-D:5000~6000	
	614S Nano	4580397941033	1	S	6ft 1in	1860	180	180	C.Wt 130~170g	PE 3 Class	5k	SIC-S/Ti/K	DPS18	U	---	EVA	92.1	2.5	9.2	635	S-D:5000~8000	
	597S Nano	4580397941064	1	S	5ft 9in	1756	250	250	C.Wt 180~240g	PE 5 Class	8k	SIC-S/SIC/Ti/K	DPS20	U	---	BRC	99.8	3.1	9.2	735	S-D:8000~10000	
	NS 632	4580397948117	1	S	6ft 3in	1910	126	126	C.Wt 80~130g	MAX PE 2	3k	SIC-S/Ti/K	DPS17	U	---	EVA	73.5	2.0	8.0	615	S-D:5000	
	NS 623	4580397948124	1	S	6ft 2in	1890	159	159	C.Wt 100~150g	MAX PE 3	5k	SIC-S/Ti/K	DPS18	U	---	EVA	89.4	2.2	8.6	625	S-D:5000~6000	
	NS 614	4580397948131	1	S	6ft 1in	1865	174	174	C.Wt 120~180g	MAX PE 4	7k	SIC-S/Ti/K	DPS18	U	---	EVA	82.7	2.1	9.2	645	S-D:6000~8000	
	5EB 633	4580397948148	1	B	6ft 3in	1915	182	182	C.Wt 120~180g	MAX PE 3	5k	SIC-S/Ti/K	TCS18	D	---	EVA	88.4	2.4	8.2	680	S:1500~2000 / D:15~20	
	5EB 624	4580397948155	1	B	6ft 2in	1890	189	189	C.Wt 140~200g	MAX PE 4	7k	SIC-S/Ti/K	TCS18	D	---	EVA	94.7	2.4	8.7	680	S:2000 / D:30~35	
	OceanArrow P30	6615	4580397948964	2	S	6ft 6in	1295	362	362	MAX 400g	MAX PE 6	12k	OC	DPS20	D	GJ	Gimbal	91.6	3.2	12.0	885	S-D:10000~14000
5930		4580397948957	1	S	5ft 9in	1775	382	382	MAX 800g	MAX PE 8	15k	OC	DPS20	D	---	Gimbal	82.6	3.8	11.9	815	S-D:10000~20000	
110HH		4580397942153	2	S	11ft	1720	278	278	15~60g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	95.6	2.3	15.8	812	S-D:5000~6000	
MonsterImpact P34	110BHH	4580397942160	2	B	11ft	2070	277	277	15~70g	MAX PE 3	--	SIC-S/Ti/K	TCS18	D	Spigot	BRC	95.5	2.4	15.7	847	S-D:200~300	
	90H	4580397948018	2	S	9ft	1410	193	193	18~70g	MAX PE 3	--	SIC-S/Ti/K	DPS18	U	Spigot	EVA	99.8	2.3	14.1	575	S-D:4000~5000	
	91BH	4580397948933	2	B	9ft 1in	1428	212	212	20~130g	MAX PE 5	--	SIC-S/Ti/K	TCS18	D	Spigot	EVA	99.8	2.5	13.8	670	S-D:200~300	
	101HH Nano	4580397942122	2	S	10ft 1in	1585	270	270	MAX 60g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.7	660	S-D:5000~6000	
	113HH -4pcs	4580397948940	4	S	11ft 3in	900	320	320	MAX 70g	MAX PE 3	--	SIC-S/Ti/K	DPS20	D	Spigot	BRC	99.8	2.5	16.9	675	S-D:5000~6000	
	Avarice P39	103M Nano	4580397942085	2	S	10ft 3in	1600	198	198	MAX 40g	MAX PE 1.5	--	SIC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.1	14.9	620	S:4000~5000 / D:LTS000C~6000
		110M Nano	4580397948162	2	S	11ft	1726	213	213	MAX 40g	MAX PE 2	--	SIC-S/Ti/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:LTS000C~6000
		106MH Nano	4580397942092	2	S	10ft 6in	1640	219	219	MAX 50g	MAX PE 2	--	SIC-S/Ti/K	DPS20	D	Spigot	EVA	99.6	2.2	16.3	655	S:4000~5000 / D:LTS000C~6000
110H Nano		4580397942108	2	S	11ft	1730	253	253	MAX 60g	MAX PE 2.5	--	SIC-S/Ti/K	DPS20	D	Spigot	EVA	99.8	2.4	16.9	660	S:4000~5000 / D:LTS000C~6000	
102M Nano Plug Model		4580397942030	2	S	10ft 2in	1590	290	290	Plug 20~70g	PE 1.5~3	5k	SIC-S/Ti/K	DPS20	U	Spigot	BRC	99.8	2.6	16.5	805	S-D:5000~6000	
104H Nano Plug Model		4580397942047	2	S	10ft 4in	1615	327	327	Plug 40~120g	PE 4~6	8k	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S-D:8000~14000	
RunnerExceed P40	110H Nano Plug Model	4580397948179	2	S	11ft	1720	341	341	Plug 40~130g	PE 4~7	9k	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S-D:8000~14000	
	911MH Nano	4580397942016	2	S	9ft 11in	1560	306	306	MAX Jig 100g / MAX Plug 80g	MAX PE 4	6k	SIC-S/Ti/K+OC	DPS20	U	Spigot	BRC	99.8	3.0	17.1	730	S-D:6000~8000	