







RIPPLE FISHER

<Explanation of Ripple Fisher's Jigging Rods>

Ripple Fisher's jigging category will consist of three categories, including Selfish, Ocean Arrow, and the newly added Agile, which will be available in the fall of 2025. Each series has its own characteristics and bending depending on the anglers MORE ABOUT **JIGGING** MODELS purpose and target. This page explains in detail the characteristics of each series for your reference when choosing a rod.



Characteristics of each series of Ripple Fisher's Jigging Models

SELFISH

Selfish series is divided into categories that can be used for three different actions: bouncing the jig, swimming, and lightly maneuvering. All categories are equipped with the sensitivity to decipher the slightest changes in the current for anglers to control the action of the lure for that instantaneous moment. Rather than seeking the performance of light one-pitch jerking, we were after rods which allow anglers to enjoy the process of technical jigging maneuvers by sensing for the changes under the water. We proudly recommend the Selfish series for anglers who wish to delve deeper into the technical jigging game.

Decan Auron

The Ocean Arrow series has a taper design that provides power and strength required for serious battles with sizeable fish. This series consists of three categories, the BFT, DTT and AMJ. The BFT is characterized by a "fight oriented" design that emphasizes the anglers ability to fight comfortably. The DTT, which is characterized by a "high-powered" design that can forcibly stop the powerful fish busting you

And the AMI which is characterized by a "multi-nurnose" rod that provides torque with a light feel to it.

The new Agile series was developed to allow anglers to further enjoy jigging through the use of lighter line setups. There are no restrictions on the field or target and the anglers imagination and technique can bring out infinite possibilities with these rods. All rods in the series and built up of blanks which are highly versatile allowing anglers to maximize the benefits of light lines. You may choose it as your main weapon or as a spare tackle for your more exotic

SELFISH POWER CLASS **SELFISH Series** HIGH **MEDIUM ◄** SOFT+POWER HARD+POWER

NS NATURAL SWIM

A specialized series for swimming the jig naturally, the angler will have full control of the jig without bouncing it too much. A model that flexibly responds to a wide variety of sea conditions and areas, and captures selective situations.

Specialized for drift jigging
 Responds well to lightweight and small jigs, ideal for use with swimming type jigs. It is also great for jigging in the shallows where anglers might lightly cast to search a vast area.

SEB SENSITIVE BAIT

This is a highly responsive bait-casting model equipped with outstanding operational performance to easily control the jig. This model specializes in the light operability of the rod which is one of the greatest advantages of bait-casting setups.

Usage Scenarios

 Well balanced for vertical Jigging and drift jigging For situations where accurate jig placement is required on small bommies and reef tops. Also ideal for patterns which require precise adjustment in action and range for tuna species.




A highly responsive model that specializes in flicking up jigs and switching on the natural instincts of predators. This is a model which allows anglers to control the iigs at their will with the least amount of effort.

·Specialized in vertical jigging

Usage Scenarios For situations where heavy weight jigs are frequently used in fast flowing current and deeper areas. For species that respond favorably to sliding jig






*Static load comparison does not represent all rod characteristics such as force of recovery. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guideline only.

Compatible jig weight quick reference table

*The comfort weight described in the SELFISH series is considered to be the most manageable weight, but actually, it is possible to use a wider variety of weights. Please refer to the graph below.




In the table above, the darker the colour gets, the easier it is to use the rod. For jigging, the ideal jig weight will vary depending on the depth, shape of jig, and tidal condition, so please use this as a reference only. Since the stiffness in the AJ series is strong, anglers will be able to utilize lighter jigs when the tidal pressure is low with the minimum output of the rod action. The NS series can be used for swimming actions of lighter jigs in shallow areas with little water pressure with the belly section of the rod while the butt section will help anglers maneuver heavier jigs.

Occan Artrow



When the fish is far away and the line is slanted, depending on the stiffness and tenacity of the rod series, it is possible to hold the rod up to the angle shown in the diagram above and apply pressure to the fish. If the fish is close to under the boat, please try not to set the rod too high. If you do so while the fish turning under the boat, a huge load will be applied to the blanks and it may cause of breakage. Please do not keep the rod too high angle, especially when landing, so control the fish by holding the rear grip under the arm.



*Static load comparison does not represent all rod characteristics such as force of recovery. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guideline only.

POWER CLASS MEDIUM **LIGHT** ◀

Agile was created to enjoy the subdivided game of light jigging in a Ripple Fisher like way. Even if it is called light jigging collectively, it is not easy to cover all of them due to the types of lures and regional characteristics. What we wanted from Agile was to use application rather than expertise, and not to limit the degree of freedom of the angler. Adapt to the situation with a wide variety of lures and enjoy the wide and deep world of light jigging.

A model designed specifically for bluefin tuna. The 5930 is effective for luring your target with heavy drag jigs and inducing bites through free falling of the jig. If the tides are not cooperative and complex, you can use the 6615 to lightly cast your jig. In addition, the rod can be high sticked during a fight to reduce the stress on the angler for long gruelling fights. The rod feels like the BIG TUNA casting rod but the short length of the rod allows for an easier fight for the angler. However, you must be careful not to apply too much pressure with lighter line class as the power of the rod may cause a line breakage.

AMJ AMBERJACK

A model designed for multiple targets such as amberjack, yellowfin tuna and grouper. It combines easy handling of jigs in deep areas while being able to withstand the powerful thrashing of large species. Compared to the DTT, the rod has less stiffness and will allow anglers to easily handle jigs while being tenacious for various species in the depth. As the rod bends tenaciously compared to the Selfish series, you can differentiate your style of fishing.

DOGTOOTH TUNA

A model designed specifically for bluefin tuna. It boasts overwhelming blank rigidity to apply maximum pressure on the bluefin tuna that swim straight towards the rocks. In addition, by making it a short length rod, it allows lighter handling of heavy jigs. We recommend you choose the DTT when targeting large fish at drop-offs and points with rouged rocks, and BFT for deep areas with relatively flat bottoms.




To get to know OceanArrow more

- The Ocean Arrow has very strong torque and outstanding butt power compared to the Selfish. Therefore, we recommend the Selfish series for anglers who easily tire from jigging all day and the Ocean Arrow series for those who need to stop the violent species from busting you off on rocks or areas with massive sharks.
- The Ocean Arrow BFT series is designed for anglers to high-stick the rod during the fight. In addition, the rod end is designed with a special gimbal allowing easier jerking of heavy weight jigs from the fighting belt. Depending on the situation and jig weight, anglers can jig from your













AS YOU LIKE

To perform the ideal action

When it comes to jigging, casting distance is not an issue. It is generally the elevation or sinking of your jig that attract the fish and you can vary your jerking or alternate the speed of your jig. Jigging is so simply yet profound. It is interesting as your fishing results vary greatly depending on your technique and the high reproducibility of your results. How can you set yourself apart from your fellow anglers on board? It's a good idea to look for patterns and try different methods and techniques. By feeling the invisible changes in the sea and interpreting them, you can add action to the jig, and lure the fish. This is the real challenge and fun of jigging.

Ripple Fisher's jigging rod series "SELFISH" is a series that places emphasis on fully enjoying jigging and the process of catching fish. This rod series can be used easily all day, with excellent operability and sensitivity. After the fish is hooked, the slender yet highly resilient blank bends as a whole, lifting the fish quickly while suppressing the fish's thrust. The AJ (Aggressive Jerk), a new category in the SELFISH series in 2025, is characterized by its high jig operability and highly responsive blank. These rods are good at giving accent to the action through stillness and motion of your jig while feeling for the movement of the currents. This series allows the angler to use the rods at their will and enjoy the whole process of jigging as a whole.

The NS rods allows you to move the jigs naturally while the SEB rods are designed for technical maneuvering with bait-casting set ups. The SELFISH series consists of these three subdivided categories and are rods that will allow you to enjoy a variety of jigging techniques.



SELFISH 2025 LINEUP 3 CATEGORY / NEW MODEL × 3

SELFISH AJ / Aggressive Jerk

The Aggressive Jerk series excels at high speed and sliding action jigs. These specialized models allow the angler to tirelessly do vertical jigging without losing the sensitivity even in deep waters or areas with fast flowing currents.

2025 NEW SELFISH AJ 604

This model allows you to take advantage of the rod's repulsion and high action response without exerting unnecessary force. This is especially helpful in areas with fast flowing currents. It is also able to bring about reaction bites from super high speed jerking with your spinning setup or pinpoint jigging on top of manmade fishing reefs and physically stopping them from busting you off.

2025 NEW SELFISH AJ 5105

This is a high-resilience model specialized for vertical jigging in areas with fast flowing currents at depths of 100m or more. While it is a highly powerful rod, it also retains the light maneuverability of the SELFISH series and high sensitivity to gauge the tidal pressure. Even when aiming pinpoint on rough terrain or around manmade fishing reefs, the short length rod allows for a quick response while boasting outstanding butt power for hooking fish in deep areas. Anglers will be able to comfortably fight massive species and areas where there are plentiful sharks.

SELFISH SEB / Sensitive Bait

These are highly responsive overhead reel models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the overhead reel tackle set up.

2025 NEW SELFISH SEB 615

It is a bait model that supports a wide range of methods, such as pinpoint targeting in the fast flowing currents and deep waters, as well as loose action involving fine pitch adjustment unique to bait-casting reels. At depths of 100 m or more, the belly to butt section of the rod can be used as a fulcrum to bring out the high repulsive force of the blank allowing for a more lively action of your jig. Despite having a slender blank, it has enough butt power to control the intense running of the fish during the fight


SELFISH SEB 633

he standard model of the SELFISH Overhead reel series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for overhead reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jigging in your local waters or exotic fishing trips.

SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.





SELFISH NS / Natural Swim

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

SELFISH NS 623

This is a model developed with the focus on its ability to intridue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7~8kg Kingfish.

SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.

About Comfort Weight

When inputting action to a jig, the load on the rod will vary depending on the jig weight, water depth, and the speed of the tide. Therefore, for SELFISH, we have indicated a range of jig weights that will not impair action input under any circumstances. Since this is not the maximum weight of jigs, slight fluctuations in the lower and upper limits are not a problem. Please judge the day's conditions such as wind and tide, then pick the appropriate jig weight,

ROD DETAIL Please refer to the list on page 62 to check details of rod specifications.

Reel Seat :Spinning Model NS632 **DPS17** / AJ5105 **DPS20** / others are **DPS18** (Fuji) Bait Model **TCS18** (Fuji)

*A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



SELFISH SELFISH AJ 5105 AJ 604

AGGRESSIVE JERK AGGRESSIVE JERK Lure / Comfort Weight 150~230g 180~320g MAX PE 4 MAX PE 5

7kg/45°

Length: 6ft Closed Length: 1840mr Weight: 190g

Price

10kg/45° Price:

Length: 5ft 10in

180~280g MAX PE 5 10kg/45° Price:

SELFISH

SEB 615

SENSITIVE BAIT

Length: 6ft 1in osed Length: 1870 Weight: 186g Length: 6ft 3in Closed Length: 1915 Weight: 182g

120~180g MAX PE 3 5kg/45° Price:

Guide SiC-S Titanium frame

SELFISH

SEB 633

SENSITIVE BAIT

7kg/45° Price: Length: 6ft 2in Closed Length: 1890mm Weight: 189g

SELFISH

SEB 624

Lure / Comfort Weight

140~200g

MAX PE 4

SENSITIVE BAIT NATURAL SWIM Lure / Comfort Weight 80~130g MAX PE 2 3kg/45°

Price

SELFISH

NS 632

Length: 6ft 3in

Price:

Lure / Comfort Weight 100~150g MAX PE 3 5kg/45°

SELFISH

NS 623

NATURAL SWIM

7kg/45° Length: 6ft 2in

Price: Length: 6ft 1in Closed Length: 1865mm Weight: 174g Guide SiC-S Titanium frame

NS 614

NATURAL SWIM

Lure / Comfort Weight

120~180g

MAX PE 4

Occan Artrow

OceanArrow / Jigging for Monster

Tuna / Marlin / Amberiack / Grouper

The Ocean Arrow series is for jigging large species anywhere in the world. For jigging, it is imperative to be able to maneuver the jig to induce the bite. However, when targeting supersize fish, you not only need to be able to induce that bite through your jig control but also be able to withstand the power and lift the monstrous species from the depths. From 2025, the Ocean Arrow series will be subdivided into three categories, and the necessary elements will be adjusted according to the target to create a more sophisticated lineup. In order to fight endurance species like bluefin tuna, BFT pursues a combination of tenacity and strength that would allow anglers to fight comfortably for a long time. On the other hand, the DTT is a model that emphasizes tension and power to stop powerful species (ie. Dogtooth tuna) that run you off on underwater canyons. The AMJ is a medium-heavy model that is easy to handle, while having a reassuring butt power against amberjack and large rock fish.

OceanArrow BFT/Bluefin Tuna

Specializing in tuna that allows you to keep the rod high angle during fights and easily endure long fights.

Target: Tuna / Billfish Category: Heavy Class

OceanArrow 6615

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs.

Recommended size of tuna: Up to 50 kg

OceanArrow 5930

This is a one piece spinning model designed to jig for large size Tuna and Marlins around the world. The short length rod able to be high sticked will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits. Recommended size of tuna: More than 50 kg

2025 NEW OceanArrow 5930B

This is a one-piece bait model for targeting tuna. The blank is the same as the 5930 spinning, and the stiffness has increased by making it a bait casting model. This model features a regular tapered action, which is suitable not only for vertical jigging, but also for live bait fishing and trolling. Even when jigging in strong currents or deep trenches, anglers will be able to comfortably utilize long iigs of 200 ~ 800g.

Recommended size of tuna: More than 50 kg

OceanArrow AMJ / Amberjack

A highly versatility that can be used for amberjack, yellowfin tuna, and large grouper. Target: Amberjack, Large groupers, etc. Category: Medium Heavy Class

2025 NEW OceanArrow 5910B

This is a grip jointed two-piece bait-casting model designed for various species such as amberjack and grouper. It is highly portable and allows anglers to swiftly jerk their jigs in fast flowing currents of exotic fishing destinations. It is also equipped with outstanding butt power to stop the fish from running you off on the rocks.

OceanArrow DTT / Dogtooth Tuna

A category aiming for monsters with outstanding blank rigidity and lift speed. Target : Dogtooth Tuna Category : Heavy Class

2025 NEW OceanArrow 5320

It is a regular fast-taper action model designed to target monster-sized dog tooth tuna. This rod has strong overall stiffness and a very high action response thanks to its short length, making it possible to operate heavy jigs lightly even in strong currents. It is equipped with ample butt power to forcibly stop fish that run towards the rocks during a fight. We recommend anglers to put their weight behind the rod during the fight to maximize its potential.



OceanArrow 6615

JIG MAX 400a MAX PE 6 Drag Max 12kg/45°

Lenath: 6ft 6in Closed Length: 1295mm Weight: 362g



ROD DETAIL Please refer to the list on page 62 to check details of rod specifications.

: Spinning Model DPS20 (Fuji) Bait Model T-DPS22 (Fuji) **A=Whole length of grip

B=Length from reel foot to end of grip when reel is equipped

- About specs of end of grip -

The standard specification for the Open Arrow series are equipped an aluminum jumble (with rubber cap). You can also specify BRC specifications when ordering Grip end specifications can be changed even for purchased products. "From January 2025, the grip end specifications will be changed and the replacement cost will be changed." Please confact us for details.

Lenath: 5ft 9in

Closed Length: 1777mm Weight: 354g

Guide Super Ocean Guide(Fuj

JIG MAX 800g MAX PE 8 Drag Max 15kg/45°

Length: 5ft 9in Closed Length: 1775mm Weight: 382g **Guide** Super Ocean Guide(Fuji)

200~800g 180~350g MAX PE 8 MAX PE 5 15kg/45° 10kg/45° Price

Length: 5ft 9in Closed Length: 1140mm Weight: 297g **Guide** Super Ocean Guide(Fuji



200~600g MAX PE 6 12kg/45°

Length: 5ft 3in Closed Length: 1624mm Weight: 316g **Guide** Super Ocean Guide(Fu









RIPPLE FISHER MORE ABOUT **BOAT CASTING** MODELS

<Explanation of Ripple Fisher's Boat Casting Rods>

Ripple Fisher's boatcasting category consists of a total of five categories: Big Tuna, Aquila, Ultimo, Ocean Ridge and GTX. Each series has its own characteristics, and is used for different purposes. This page explains in detail the characteristics and condition of each series for your reference.

SI-2 or continuent * Aguila

The Aquila series is mainly for targeting kingfish, yellowfin tuna, and mackerel, and is in the middle class power of Ripple Fisher's offshore lineup. The series is divided into four categories: the "MLT" for small bait patterns, the "MST" for large bait patterns, the "ST" for the super sharp blanks, and the "EX" for multi-piece models.

BIG TUNA Blue fin tuna/ Yellow fin tuna

The BIG TUNA series is characterized by its resilient blanks that have the torque and power required to fight large bluefin tuna to yellowfin tuna. The lineup includes a power model that allows for a speedy fight, and a flexible model that allows for a slow fight, with a total of eight models in the lineup, so anglers are sure to find a model that suits their physical strength.

Vitimo GT · Kingfish(Large)

The Ultimo series is designed for using diving pencils and diving poppers to target GT and large yellowtail. It has a flexible tip, which enables anglers to easily control lures without them jumping out of the surface, and the high versatility allows you to use a wide variety of lures. In addition, the powerful 4 models in the lineup will allow anglers to put their body weight behind the rod to expedite their fight against your monstrous targets

GT · Kingfish


The GTX series is a 3 piece pack rod series for targeting GT and large kingfish. It is a highly versatile design that can handle a variety of lures, from poppers to diving pencils. These rods come in handy when traveling overseas or to remote islands where your baggage is limited. They have a smooth bending curve that you wouldn't expect from a 3 piece rod.

OccanRidge

The OceanRidge series is designed for targeting GTs with poppers. The tips of these series are built stiff to enable anglers to create a big splash with the popper. The four models are powerful for anglers to put their weight on the rod to efficiently lift the GT away from the rocks. Among them, the FinalSpirit is a model with even more stiffness.

Characteristics of Boat casting series

Boat Casting Series



so, please see the table below for more information.

BIG TUNA

MLT

MLT 82-3/6

LARGE LURE

SMALL LURE

OceanRidge

Mease be sure to read "About th

MST

MST 85-7+

ST

ST 85-6

EX 83-6

Aquila

categories with clear concepts. Choose the one that best suits your situation



MULTIPURPOSE

This model was developed to utilize small pencil type lures for tiny bait patterns such as whitebait.

MONSTER

This model was developed to utilize large lures up to 220g when your targets are feeding on large baits such as dolphin fish or needlefish

NT STANDARD

the portability of a 3 piece rod with uncompromising rod performance.

EXPEDITION An expedition model that combines

A highly balanced and versatile model

developed to target a wide range of fish.

Aguila PE6~ Example: Characteristics of Aquila PE6 class

Comparing Aquila's PE6 class in each category with the boat casting category,

OccanRidge

We recommend using different rods according to the bait pattern and target size of the BIG TUNA series, but here we will explain how to choose a rod that suits your strength and how to position yourself to maximize the blank's formance. *For detailed characteristics of each model, please see the BIG TUNA page.

BIG TUNA FIGHT STYLE

Slow Fight

Use a rod that will bend deeply. Hold the rod upright and use the blank's bending force to slowly bring the fish to the less body weight or physical strength.

Speedy Fight

16

For those who are confident in physical strength or who have sufficient body weight, it is recommended to use a stiffer rod which will have a shallower bend for a speedier fight.



◆The 83, 86, 710RT, and 76 are middle class models They are easy to use for people with a certain level o ouild and physical strength.

◆The 73 and 70 are classified as speedy fight rods because they bend relatively little. When used by heavy or physically fit anglers, they achieve speedy results.

Depending on the size of your fish, it may not suit the rods repulsive force



This is Ripple Fisher's all out casting rod series that combines superior casting distance imperative for the casting game, with contradicting characteristics of light handling and outstanding lifting power



	Characteristics	Target Fish / Expected Situations
82ML ~PE6	Specialized for the swimming action of diving pencils To be used with 180-240mm diving pencils. Light weight and comfortable light casting feel	For kingfish, yellowfin tuna, and light GT High precision casting on surface feeding frenzies Luring game with emphasis on superior distance and efficiency
83M ~PE7	Quick action Sharp and exhilarating operation of the rod For diving pencils and diving poppers	For large kingfish and GT Stronger restoring force than the Aquila series, enabling anglers to put their weight behind the rod High lift power for kingfish in shallow areas and fast flowing currents
710MH ∼PE8	Suitable for medium to large lures over 220mm High response and excellent casting Ideal for performing long jerks with bubbling lures	For large kingfish and large GT Easy to search a wide area with large, appealing diving pencils and poppers Easy to use from the stern with its short length for maneuverability and casting
86M/B ∼PE7	All-purpose High manual performance unique to bait-casting tackle Great line release enabling the use of various line-systems	For large kingfish and GT allows for a long leader system ideal for SS Assist and sea-hunter (super strong abrasive line) systems for an aggressive fight

Lure compatibility table

	LARGE Mouth Popper	MEDIUM Mouth Popper	SMALL Mouth Popper	DIVING Popper	DIVING Stick Bait	SINKING Pencil
82ML	_	_	\triangle	0	0	0
83M	_	Δ	0	0	0	0
710MH	Δ	0	0	0	0	0
86M/B	_	Δ	0	0	0	0

OccanVoyager



While it has been designed with a short storage size of 887mm for your exotic adventures to the remote parts of the world, its castability and fighting performance is comparable to that of a 2 piece model. This multi piece series is the crown jewel of Ripple Fisher's technical capabilities.





	Characteristics	Target Fish / Expected Situations
81M ~ PE6 Wt:55kg~	Easy to bend, excellent repulsion, light casting feel Specialized for quick operation of diving pencils and diving poppers Highly responsive fighting characteristics through the repulsive blank	For kingfish and GT great for species that respond well to high-speed action of diving pencils High lift power for kingfish in shallow areas and fast flowing currents
81MH ~ PE8 Wt:65kg~	Stiff and crisp cast feel Sharp handling performance of sinking pencil and medium-mouthed poppers allows for aggressive fighting against target with its powerful stiffness	For large kingfish and large GT Easy to search a vast area with large lures and poppers with high appeal For GT in shallow areas and fast flowing currents

MEDIUM Mouth Popper DIVING Stick Bait DIVING Popper MOUTH Popper \bigcirc 0 0

0

 \bigcirc

Wt: = Recommended Angler's Weight



This series is specialized for GT games, and features overwhelmingly high repulsive This series is specialized for GT games, and features overwhelmingly high repulsive blank compared to others. The butt section has outstanding power to fight against GT for a short and efficient fight, so we have set a recommended angler weight.




	Characteristics	Target Fish / Expected Situations
R80 ~PE8 Wt:65kg~	The most versatile of the series Strong stiffness and lifting power, yet easy to load the weight of the fish Ideal as your first rod in the OR series	For spooked fish that require delicate approach with smaller 100g lures For angles who frequently use with diving pencils and poppers
LC82 ~PE8 Wt:70kg~	Specialized for long distance casting High pivotal point for sharp casting feel and maneuverability high tenacity for excellent lure control and lifting power	Great long distance casting ability for areas boats cannot access or approach Situations where you are forced to cast against the wind
PF711 ~PE10 Wt:70kg~	Short length and easy to bend Able to lightly perform long jerks with bubble-biting lures over 150g Suitable for well built and heavy anglers	Great for fishing in deep water areas using sinking lures Or for short, efficient fights in shallow and fast flowing areas For anglers targeting species larger than 40kg
FS78 ~PE12 Wt:80kg~	The strongest lifting power and strength of the GT series The strongest stiffness makes it easy to operate large-mouthed poppers Suitable for well built, heavy or expert anglers	For the toughest GT areas such as ultra-shallow areas (-10m depth) and ultra-strong currents. Situations where anglers are required diving pencils over 300mm or large mouthed poppers.

Lure compatibility table

MOUTH Popper	MOUTH Popper	SMALL Mouth Popper	DIVING Popper	DIVING Stick Bait	SINKING Pencil
_	0	0	0	0	0
\circ	0	0	0	0	0
0	0	0	0	0	0
0	0	Δ	Δ	0	0
	- O	- O O O O O	POPPER POPPER POPPER -	- O O O O O O	- O O O O O O O


Wt: = Recommended Angler's Weight

Regarding the rod angle on the fight



When the fish is far away and the line is slanted, depending on the stiffness and tenacity of the rod series, it is possible to hold the rod up to the angle shown in the diagram above and apply pressure to the fish. If the fish is close to under the boat, please try not to set the rod too high. If you do so while the fish turning under the boat, a huge load will be applied to the blanks and it may cause of breakage. Please do not keep the rod too high angle, especially when landing, so control the fish by holding the rear grip under the arm.







BIG TUNA POWER CATEGORY

Power Category	Model	Line Class	Lure	Drag Max		
Light Class	85F	PE3~6	18~120g	10kg/45°		
Middle Class	87AS	PE5~8	40~150g	15kg/45°		
Midule Class	83	PE6~8	40~150g	15kg/45°		
Heavy Class	86	PE8~12	40~160g	15kg/45°		
Heavy Class	710 RT	PE8~12	40~160g	15kg/45°		
	73	PE8~12	60~180g	18kg/45°		
Power Class	76	PE8~12	60~180g	18kg/45°		
	70	PE10~12	80~220g	18kg/45°		



We have set the power category as follows in order for a more comprehensive understanding.

The 86, 710RT, 73, 76, 70 are all in the same line max category however the 73, 76, 70 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from 86 and 710RT.

The 86 and 710RT models can be used in situations where a long cast is required or more sensitive action is required.

*Please note that aiming huge tuna over 100kg in rough conditions is dangerous. Regarding "models that are designed for extremely large bluefin tuna" such as BIG TUNA73, 76, and 70, the explanations and specifications are written assuming that you have the appropriate physical strength, training, and experience. Thank you for your understanding.

The 85F, 87AS, and 83 models are also useful for targeting yellowfin tuna, and the standard is 85F for tuna size 50kg or less, and 87AS and 83 for tuna size 80kg or less.

Please consider the lure size to be used, the line, the size of the tuna, and the lure appeal required, and choose a model.

*Even though the maximum line value is the same, the set drag value will vary depending on the model, so please keep this in mind when choosing a rod.

*If you are looking for a lighter model than the BIG TUNA series, we also recommend the Aquila series' MLT82-3/6, MST85-7+ and MLT82-3/6 does not have as strong a butt power as the BIG TUNA series, but it has an achievement of catching tuna over 50kg during testing. This model is also recommended for those who want to cast small lures when using ultra-small bait patterns such as whitebait. MST85-7+ has a short length grip, allowing for faster and more agile casting. It has excellent long-distance casting performance, so it is recommended for both shooting to fish feeding on surface and luring out.



The rod design of the BIG TUNA series is color coded with thread colors matching the power class on the left. Also, the model name is engraved on the spacer on the reel sheet of the grip.





BIG TUNA LINEUP

4 POWER CLASS

BIG TUNA 85F JAPAN Special Light Class

This is a model capable of being high sticked while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small haits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

BIG TUNA 87AS JAPAN Special Middle Class

As its name suggests, the AS (Accuracy Shoot) model is designed to accurately cast lures into the feeding fish. In addition to the steady blank kick-back after casting, we have equipped two RV guides on the butt enabling an extremely smooth line ejection from the reel through to the rod. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 40g size lures. This middle class rod will assist anglers with its taper design ideal to slowly but surely lift the fish from the deep while being able to high-stick the rod.

*If you prefer a more speedy fight (same size fish) we recommend the 83. (87AS is 1 rank lighter compared to the 83. Furthermore, the 87AS is a totally different model and design to the 87 which has been discontinued.)

BIG TUNA 83 JAPAN Special Middle Class

This model was developed with "lure control" and "fight" as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

BIG TUNA 86 JAPAN Special Heavy Class

If you require long and accurate casting with a heavy class tackle, this 86 will be your choice. In comparison to your ordinary heavy tackle, the flexible tip on the 86 will allow for easier casting of smaller lures when the bait-fish are small though the Tuna are huge. The bending point (pivotal point) is closer to the body allowing anglers to take initiative during the fight.

BIG TUNA 710RT JAPAN Special Heavy Class

Compared to the characteristics of the original model, we have re-designed the model to suit the current tuna scene. Since we have designed the taper of the blank to be most productive in the butt section, anglers will be able to efficiently and effectively utilize the butt power to lift the tuna. It's not simply a more flexible model compared to its predecessor, but a highly well-balanced heavy class model able to effortlessly stimulate bites from casting top water lures while having the power to go head to head with the biggest of fish. This will be your ideal model if you are in situations where you need to cast lures all day long.

BIG TUNA 76 JAPAN Special Power Class

This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.


BIG TUNA 73 JAPAN Special Power Class

This model is for anglers with their sights on Blue fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna

BIG TUNA 70 JAPAN Special Power Class

20

This is for those anglers with their sights on super monstrous Blue-fin tuna. It is model for anglers who need to "high-stick the rod" to load the blank or utilize the "straight pumping" fight style. The power of the rod is similar to the BT76 and BT73 but the breaking point is much greater compared to these two. With the shorter designed blank, the bending point is set closer to the body, drastically reducing the load and stress on the angler. It also has enough length and leverage to go around the bow or other obstacles on the boat for a smoother fight





ROD DETAIL Please refer to the list on page 62 to check details of rod specifications. Reel Seat : DPS20 (Fuji) **A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

- About specs of end of grip BRC is equipped for 85F, 87AS, 83, 86, and 710R7 as standard, and aluminum gimbal (with rubbe cap) is equipped for 76, 73, and 70 as standard. You can exchange it by specifying BRC or gimbal specification when ordering. Grip end specifica can be changed even for purchased products. *Grip end specifications and replacement costs will change from January 2025. Please contact



BIG TUNA BIG TUNA 710 RT **76** JAPAN Special JAPAN Special POWER CLASS HEAVY CLASS 40~160g 60~180g

PE 8~12 Drag Max 15kg/45° Price

Length: 7ft 10in Closed Length: 1670mm Weight: 407g

18kg/45° Length: 7ft 6in Closed Length: 1575mr

PE 8~12

Weight: 398g Guide Super Ocean Guide(Fuji) **73**JAPAN Special POWER CLASS 60~180g PE 8~12

Guide Super Ocean Guide(Fuji)

Price:

BIG TUNA

18kg/45° Price : Length: 7ft 3in Closed Length: 1515mm Weight: 406g

Length: 7ft Closed Length: 1399mm Proto Weight: 421g Guide Super Ocean Guide(Fuji)

BIG TUNA

70

JAPAN Special

POWER CLASS


80~220g

PE 10~12


Drag Max 18kg/45°

BIG TUNA BIG TUNA Bending Curve


The 85F and 87AS are more flexible able to cast small lures and designed for a more mellow fight with the fish, whereas the 83 and 86 are a more aggressive rod with the bending point towards the tip to efficiently lift and fight the fish. Compared with the same middle-class rods or 87AS, the 83 is a one rank stronger rod.



The 85F and 87AS are more flexible able to cast small lures and designed for a more mellow fight with the fish, whereas the 83 and 86 are a more aggressive rod with the bending point towards the tip to efficiently lift and fight the fish. Compared with the same middle-class rods of



The illustration shows the comparison of the 2 heavy class rods. Both rods have a similar per design but the difference lies in the length. By utilizing the length of the 86 blank, anglers will be able to cast farther than other shorter rods while the shorter 710RT is a model able to load the blank with the weight of the fish with ease.



The picture illustrates the comparison of the 3 power class models. When looking at the comparison with a 45 degree angle, the 73 and 76 look similar, however, the bending point of the 76 is closer to the angler, reducing the stress on the angler, while the 73 is further away enabling a more speedy fight against the fish. The 70 has the strongest butt power with the bending point being close to the angler, drastically reducing the load on the angler. The three models are the same power class, yet having totally different characteristics.

*when choosing a tuna rod, please be sure to choose the most suited rod depen on your height, weight, strength and experience



Aquila Boat Casting

Spanish mackerel / Bonito / Kingfish / Yellowtail / Yellowfin Tuna

In our lineup of Aquila are 11 models. We have categorized them into four different series, ST, MLT, MST and EX.

The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets.

The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX series are 3 piece pack rods for anglers traveling around the world.

The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish.

We don't simply make rods with "power", we make rods with "strength".

Aquila MST/MONSTER

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingies. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7-8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight.

**The + symbol next to the power class indicates that the power and tenacity has been added to the usual power class.

Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by countering your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

Aguila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.

Aguila MST 82-9+

In the ever evolving Kingfish game, the need to use large lures has increased with the target feeding on large size bait-fish. The MST82-9+ was designed to enable anglers to fully-cast lures exceeding 240mm while easily controlling and maneuvering these mammoth lures. Furthermore, the Aquila MST series are especially designed to tenaciously bend in while demonstrating outstanding lifting power when fighting against monstrous Kings in rough terrain and gushing currents. Although we have designed the rod with easy utility, it is the strongest of the series and one will require ample body strength and experience to maximize its true potential. Having said that, we are confident that this rod will help anglers in the toughest of conditions, against the biggest of fish while using these large lures. We present this rod for those who are seeking monster class Kings around the world.



Aquila MST 85-7*

MONSTER

Lure / Comfort Weight

40~120g

Line

MAX PE 7

Drag Max

14kg/45°

Price :

Length: 8ft 5in
Closed Length: 1897mm
Weight: 382g
Guide
SiC-S Titanium frame K Guide

Aquila **MST 711-8**+

MONSTER
Lure / Comfort Weight
80~180g
Line
MAX PE 8
Drag Max
16kg/45°

Price :

Length: 7ft 11in
Closed Length: 1752mm
Weight: 369g
Guide

Aquila MST 82-9+

MONSTER
Lure / Comfort Weight
80~220g
Line
MAX PE 9
Drag Max
17kg/45°

Length: 8ft 2in Closed Length: 1815mm Weight: 400g Guide

Aquila MLT/MULTIPURPOSE

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods compliments the compilation of models produced for our off-shore series.

%The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)

Aguila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small — super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.





UnderCa: SHORT HANDLE For the Aquila MLT seri specially designed st anglers who need to u when boarding large or length of the rod is app with the short handle. To separately and does not separately and does not make the state of the separately and does not separately

Aquila MLT UnderCast Handle SHORT HANDLE/OPTION PARTS

ROD DETAIL Please refer to the list on page 62 to check details of rod specifica

About Comfort Weight

←A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

In the Aquila series, the lure specs are listed as comfort

weight. This is because the weight that can be cast will vary depending on the volume and specific gravity of the lure,

how you cast it, and the line you use. Therefore, Aquila indicates the weight range that can be cast without stress.

Since this is not the maximum value, slight fluctuations in

the lower and upper limits are not a problem.

Reel Seat : DPS20 (Fuii)

Aquila

For the Aquila MLT series, we have prepared a specially designed short handle for those anglers who need to utilize under-arm casting when boarding large charter boats. The total length of the rod is approximately 7ft 10inches with the short handle. The short handle is sold separately and does not come with the rod.



Aquila Aquila MLT 82-2/4 MLT 82-3/6

MULTIPURPOSE

Lure / Comfort Weight
30 ~ 709
Line
PE 2~4
Drag Max
7kg/45°

Length: 8ft 2in
Closed Length: 1782mm
Weight: 341g
Guide
Guide
Close Titanium frame K Guidi

MULTIPURPOSE

Lure / Comfort Weight

40~90g

Line

PE 3~6

Drag Max

10kg/45°

Price :
Length: 8ft 2in

Closed Length: 1785mr Weight: 348g **Guide** SiC-S Titanium frame K Gui + Super Ocean Guide(Fujil



Price

Price

22

MST

£0.08

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 4 power classes of PE #2, #3, #4 and #6 to cater for various species and situations.

Aquila ST 81-2

The model was designed to capture the selective species such as Spanish mackerel and bonitos around the bay. Focusing on the castability and operability of small lures, we dedicate this rod for those anglers who continuously cast until they hookup a fish. Once you are onto a fish, the reliable butt section will allow for a speedy fight and will help you catch great numbers especially when the feeding time is limited. It is a sharp blank typically seen in the ST series, and the belly section with ample stiffness helps easily control and maneuver the lure. This will allow anglers to utilize jerking action with minnows to induce bites from the spooked predators.

Aquila ST 78-3

The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.

Aguila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting.





Aquila EX/EXPEDITION


The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

Aguila EX 79-3

The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

Aquila EX 83-6

The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.



Aquila EX 79-3 3pcs-Pack Rod EXPEDITION Lure/Comfort Weight

Lure / Comfort Weight
40~60g
Line
MAX PE 3
Drag Max
5kg/45°

Price :

Length: 7ft 9in Closed Length: 847mm Weight: 263g Guide SiC-S Titanium frame K Guide(Fuji

Aquila **EX 83-6**3pcs-Pack Rod

EXPEDITION

Lure / Comfort Weight

60~120g

Line


MAX PE 6

10kg/45°

Length: 8ft 3in Closed Length: 905mm Weight: 353g Guide SiC-S Titanium frame K Guide + Super Ocean Guide(Fuji)







25



Ultimo / Boat Casting Giant trevally / Kingfish

The Ultimo series are the lightest in weight, highly well balanced, possess a light casting feel and armed with outstanding butt power to win over the massive fish.

We focused on its casting ability as the most important aspect which is obviously the key factor when venturing out for a casting game. The choice of carbon material and guide settings were vital and the light yet highly resilient blank possess the power suited for the needs of the recent evolution in the off-shore fishing scene.

These four models are the flagship in Ripple Fisher's boat casting rod series.

Our mission was to create rods which are lighter, cast farther, are stronger and most efficient when going head-to-head with monstrous species.

Ultimo 82ML Spinning Model

This model is ideal for top water GT and Kingfish game for anglers to utilize diving pencils, as it is equipped with a sensitive flexible tip to reduce handling error of the lure and stiff blank characteristics seen in ML class rods. The blanks followability is extremely high as it will easily bend in as soon as the raging large fish starts running and it is designed to bring out its true strength of the butt with little strain on the angler. The lifting ability of the butt section of the rod will outperform its line-class specifications in highly rugged dangerous areas. Thanks to the medium light class blank design, the light casting feel and highly well balanced rod will assist anglers in the highly strenuous big casting game.

Ultimo 83M Spinning Model

This will be your standard model with a total balance of casting feel, controllability and fighting performance factors required to target GT and Kingfish. Anglers will easily be able to sharply cast out diving pencils and poppers around 240mm while lightly and effectively maneuvering the lure through the manually handling blank. Once the rod is loaded with the weight of the fish, it will bend in nicely and allow anglers to put their weight behind the rod to efficiently lift the fish with the responsive strength of the blank. It is ideal for not only GT but also great for aggressively fighting the large kingfish in shallow areas.

Ultimo 710MH Spinning Model


The sharp and stiff blank will allow anglers to easily handle large diving pencils, jerk up sinking pencils from the depths and efficiently and lightly produce splashes with medium mouthed poppers around 260mm in difficult conditions where the use of a variety of lures is required. The short length light feeling 7.10ft rod is well suited for casting from the stern of large fishing charter boats where there is little space to swing your rod around. The torque of the outstanding butt power will smoothly intensify with the weight transition of the angler enabling you to stop the massive fish and take initiative of the fight. It is a new generation power rod with contradicting characteristics of lightness and medium heavy power class which can easily be utilized by anglers with a smaller build.

Ultimo 86M/B Overhead reel Model

The highly resilient blank was especially designed to cast farther, control and maneuver the rod and easily fight your target with ease. We were also very particular about the length of the rear grip for smoother casting and the front-grip is assembled with a rubber grip to reduce any slippage. This has helped anglers properly grip the front grip during the fight and prevent the reel from tilting downwards. The guides are large in diameter to help release the thick and long leader system with ease. With the many advantages as a bait-casting tackle, anglers will be able to consistently cast with ease and capitalize on the strong winding power of the reel. The model will open up new opportunities for anglers around the world and will not only be ideal for experts but also for beginner fishermen.

ROD DETAIL Please refer to the list on page 62 to check details of rod specifications.

Reel Seat : Spinning Model **DPS20** (Fuji) Overhead reel Model **T-DPS22** (Fuji) **A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



Ultimo **82ML** SPINNING MODEL

Lure / Comfort Weight 70~120g MAX PE 6 12kg/45°

Length: 8ft 2in Closed Length: 1790 Weight: 362g Guide SiC-S Titanium frame K Guide + SiC RV Guide(Fuji)

83M SPINNING MODEL Lure / Comfort Weigh 80~140g

MAX PE 7 13kg/45°

Length: 8ft 3in Closed Length: 1815mm Weight: 376g



710MH SPINNING MODEL

80~160g MAX PE 8 15kg/45°

Length: 7ft 10in Closed Length: 1685mm Weight: 378g

Length: 8ft 6in Closed Length: 1770m Weight: 398g

MAX PE 7

13kg/45°

OVERHEAD REEL MODEL Lure / Comfort Weight 60~160g By inserting a resinous ring in the grip end rubber cap,

smooth fight to landing of the fish.



Ultimo 86M/B









ROD DETAIL PICK UP



82ML-

shift from the loading of the blank to

aggressively lifting of the fish.

it will drastically reduce the grip end being stuck in the gimble belt (fighting belt) during the fight, allowing for

For spinning models, we have utilized SiC-S titanium

frame K+SiC-RV guides for

optimal excretion of the line.

OccanVoyager

GTX pedition


GTXpedition / GT & Kingfish Boat Casting
Giant Trevally / Kingfish


Ripplefisher's 3 piece pack rod, "GTXpedition" model has been designed to consider the recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size.

By reviewing the bending of the new GTX pedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod. We hope you can first handedly experience the ever improving technology at Ripplefisher.









GTXpedition 81M

This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod.

Angler's Weight: 55kg~ (Recommendation)


GTXpedition 81MH

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. in contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod.

Angler's Weight: 65kg~ (Recommendation)




The GT Expedition comes with a thick synthetic leather rod bag that provides excellent protection for your rods and allows for compact storage.



ROD DETAIL Please refer to the list on page 62 to check details of rod specifications.

Reel Seat : DPS20 (Fuji)

**A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



GTXpedition
81M / 3pcs

MAX 140g
Line
MAX PE 6
Drag Max
10kg/45°

Price :

Length: 8ft 1in Closed Length: 887mm Weight: 380g **Guide** Super Ocean Guide(Fuji) OceanVoyager
GTXpedition
81MH / 3pcs

MAX 180g
Line
MAX PE 8
Drag Max
13kg/45°

rice :

Length: 8ft 1in Closed Length: 887mm Weight: 386g **Guide** Super Ocean Guide(Fuji)

OccanRidge

OceanRidge / GT Boat Casting Giant Trevally

The OceanRidge series are GT rods especially designed with Ripple Fishers' brand characteristics. The lineup built up for the needs of the expert anglers require manual maneuvering and will bring out the true skills in anglers. These are not your ordinary lineup and will not suit all anglers. But rest assure that these rods will feel like a part of your body once anglers have established their style and skill.

The GT game is becoming tougher and tougher each year and sometimes require the use of supersize lures to induce a bite. Ocean Ridge series including the strongest GT78 is not simply an over powered rod but will become your biggest asset in specific situations and against monstrous GTs.

OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx.60kg) who have the skill to smoothly transfer their body weight on the rod during the fight. Angler's Weight: 65kg~ (Recommendation)

OceanRidge LC GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability. Angler's Weight: 70kg~ (Recommendation)

OceanRidge PF GT 711 Nano

Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY® technology" developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force. Angler's Weight: 70kg~ (Recommendation)

OceanRidge FINAL SPIRIT GT 78

his is the most powerful and toughest GT rod Ripple Fisher has ever developed with stiff characteristics in the tip to belly section for easy use with large mouthed poppers and outstanding lifting power in the butt. The blank is highly responsive and once hardcore anglers put his/her full weight behind it, the repulsive force in the blank will efficiently lift the fish. It is an ideal rod for short popping of large mouthed poppers and controlling massive 300mm class pencil type lures when the GTs are feeding on super large baits. It is not a rod that you want to be using all day long, but a rod that you want to bring out in hairy situations with gushing currents and rugged terrain.

Angler's Weight: 80kg~ (Recommendation)





GT 80 / Nano

MAX 170g MAX PE 8 14kg/45°



Please refer to the list on page 62 to check details of rod specificat

GT 82/Nano

MAX 190g MAX PE 8 14kg/45°

Length: 8ft 2in Closed Length: 1796mm Weight: 378g Length: 7ft 11in Closed Length: 1682mn Weight: 375g

GT 711 / Nano

MAX 270g MAX 210g MAX PE 10 MAX PE 12 15kg/45° 17kg/45°

Price:

Length: 7ft 8in Closed Length: 1645mm Weight: 393g

GT 78









RIPPLE FISHER SHORE Ripple Fisher's shore casting category is a lineup that can handle a wide range of species, ranging from light games such as horse mackerel and rockfish to extreme

< Explanation of Ripple Fisher's Shore Casting Rods>

fishing for GT off the rocks. The series are developed according to the nature of your MORE ABOUT **SHORE CASTING** MODELS target species to overcome the various situations anglers may face. We hope this will be of reference for you to choose your rod with the following explanations and diagrams.



Shore casting model field type explanation

RealCrescent Suitability of Field

Breakwater

RC-55/RC-65/RC-57B/RC-67B

The RC-55, RC-65, RC-57B, and RC-67B are highly sensitive models that can be used with jig heads of around 1g, but they also have the power and tenacity to easily bring in large horse mackerel and large rockfish. They are also suitable for a wide range of light games, such as those using very small lures for trevally and small seabass.

Breakwater · Rocky Shore

RC-75/RC-81/RC-77B

The RC-75, RC-81, and RC-77B are versatile rods able to handle a wide range of lures. Anglers can utilize anything from 2g jigs, micro lures, top water lures and minnows up to 9cm. They are great for targeting bream, seabass, small rock fish and other species in the shallow reef

SilverStream

Characteristics of Each Model

High Sensitivity 81 Stiletto

The 81 Stiletto is a model made entirely of 40t carbon, and is a rod with ultra high sensitivity and high action performance Anglers will easily be able to control 7g sinking pencils a any given field, whether it be the river, break water, pier of off the rocks.

All-Purpose 810/96/103

The Flows series 810, 96 and 10 are equipped with highly sensitive tips and are designed for angler to capture the current of river. The butt section has MH power allowing anglers to target mete

Distance Casting

Northern


The Northern series 106 and 112 are models that have been tuned to kimize the long casting distance of iigs and iig minnows. hey are also great for surf fishin taking advantage of their long

Big Bait Lures

60BP/74GB

The 60 Big Pencil provides excellen naneuverability for large ton water plugs, while the 74 Giant Bait excels maneuvering jointed plugs over 300mm, and is effective not only for seabass but also for large akame Japanese barramundi) that feed or large haits

RippleFisher SHORE CASTING MODELS COMPARISON TABLE



Rocky Shore(Flat)

103M/110M

By increasing the followability/flexibility of the blank of the 103M and 110M, we have minimized the stretching of hooks when using smaller lures.

Anglers are able to utilize these smalle lures for high pressure fields with little water movement

Specialized Model

his is a super fast taper blank equipped with anding castability for high accuracy. he highly sensitive blank allows anglers to keep e target away from reef edges and rocky heads a our will thanks to the fast tapered characteristics. is a specialized model for black fin seabass with s ability to cut through strong head winds with the ort and sharp blank

Rocky Shore(Rough)

106MH/110H

he 106MH and 110H have a high lifting powe hat can surface lunker size black-fin seabase gale force winds and heavy seas. he sharn blank is ideal for use in strong wind er 10m/s and high seas.

Large Plug **All-Purpose Emphasis on Operability**

110HH/110BHH

Monsterimpact his model is designed for anglers argeting species feeding on large

class barramundi.

Characteristics of Each Mode

Characteristics of Each Model

Characteristics of Each Model

It is easily canable of casting of ures around 200mm to target meter over seabass and 20k

90H/91BH

pencils to cater for a variety of ishing patterns.

Anglers will be able to target black-fi eabass and blue-runners from the reak-water, rocky headlands and ocky surf beaches.

ne action due to high waves, the

sists for the lure to grip the

nighty responsive belty section

vater to reduce action errors.

rom 15g minnows to 60g diving

Multi-Piece

Extreme Model

Emphasis on Stability Emphasis on Lifting Power

and has the sharpest casting feel in the series, and the shorter lengt allows for high maneuverability Anglers can utilize the rod for ligh

ore jigging with 50g jigs ar

eavy sinking pencil lures.

101HH

he 113HH is a highly portable piece model with storage nsions of just 90cm. It allows anglers to safely venture nto their secret fishing spots with ong walks or high elevation.

113HH

hey are equipped with double ooted guides for extra strengtl

Main Model

For Plugs and Jigs For Diving Pencils

102M/104H 911MH/95TC/103H 110H/107BH

The three all-purpose models can be used for a variety of **Runner Exceed**

echniques with a diving pencils popper, or jig. They have strong overall stiffness and manual controllability of their lures to easily maneuver their

lures for the bite. These models are especiall compatible with jigs, and are ecommended for anglers who use jigs frequently.

100SHH/83HH

As the name suggests, the four nodels specialized for diving pencils are tuned to use all kinds round the world. of diving pencils in a variety of fields. Even in situations where it s difficult to adjust the pitch of

feeling when in use unlike an HH clas rod. It is not only capable of handling large lures but also smaller 60g lures when your supersize kingfish feeding on smaller baits.

 The 83HH is a model that can handle large plugs and large-mouthed popper over 150g with ease throughout th day. The short length blank makes easy for anglers to bend and load the rod. Ideal for mammoth amberjack

100SXH/101BXH

The targets are kingfish over 20kg GT and dogtooth tuna, which ca be targeted in your exotic location

•The 100SHH has a light and ea


As the name suggests, these two models are specialized for their lifting power and are by far the trongest of any of our land-based casting rod.


•The 100SXH is stiff throughout the whole blank and will allow anglers to easily cast out large

fness throughout the rod but is a little easier to ally pressure on the butt section to utilize the powerfu winding with the bait-caster reel.

It is also compatible with the long leader and sea-hunter line systems.

RippleFisher ROCKY SHORE CASTING MODELS COMPARISON TABLE







STRENGTH TO ACHIEVE

for challengers aiming beyond

The RunnerExceed series are land-based casting rods packed with characteristics required to go head to head with monstrous bluerunners off the rocks. Targets including your local yellowtails, kingfish, amberjacks to those GT, and dogtooth tuna inhabiting the warmer waters. Our lineup of rods are designed with the capabilities to "catch" your dream fish in the harshest environments.

Each and every angler will have their own style but there is one thing in common and that is the "strength" the RunnerExceed series have.

We would like anglers who challenge themselves to the limits to first handedly experience the lightness, controlability, resilience and strength of the series when most needed during the fight.

"Main models" target Blue runners such as Kingfish and amberjack yellowtail, and we even have models with a view to over 20 kg in Kingfish.

In addition, we also have renewed "Extreme models" for more rugged areas to target non-standard Big fish such as GT and Dogtooth tuna, opening the door for more rock shore games.

We dedicate this model to those anglers who are challenging themselves to the limit, as the lightness, controllability, resilience and overwhelming power in the rod have been designed to do exactly that.





RunnerExceed **EXTREME MODEL**

The Runner Exceed Extreme Models are series dedicated to anglers who continue to push themselves to the limit. Land based big game is a tough and at times very dangerous style of fishing but the joy of landing your trophy fish is so special. In recent years, anglers have established their local areas and thanks to the easy access to information these days, this style of fishing has become a lot more familiar to various anglers around the world. However, in the face of overwhelmingly powerful nature and unknown monstrous species, there are many moments when human knowledge and efforts are beyond reach. No matter how experienced and well-prepared you may be, anglers will be defeated and go through many setbacks. These difficulties, toughness and challenges are the reason we keep going. It is worth pursuing.

The excitement that comes at the end of that challenge.

Each catch comes with a special moment and is the reason why anglers make it a lifelong goal.

It's all about the moment. We, Ripple Fisher, will continue to challenge the limits of product development together as long as there are anglers who continue to challenge their limits.

In 2025, the two core models of FINAL STAND UP will be reborn. The 100SXH and 101BXH, which have been perfected through numerous field tests, have the most power in the Runner Exceed series while refining their light usability. The 83HH takes advantage of the short length to enhance the power fight and the usability of the large plug, making it effective in specific situations. The 100SHH LIMITED is a highly versatile model among the EXTREME MODELS, with the blank designed with a special carbon configuration. The rod is highly resilient and has an exceptionally light user feel. These four models in the lineup are Ripple Fisher's EXTREME MODELS, which were created for anglers who like to challenge their limits. They will show their true potential at the most extreme conditions against unimaginable monsters in the field.

RunnerExceed FINAL STAND UP 100SXH

Boasting the strongest power in the series, the 100SXH is a high powered rod that is designed for anglers to go head to head with the large species. It takes a certain amount of physical strength and skill to be able to swing it around, but if you can, it is a lethal weapon. The highly resilient blank will allow anglers to cast out large lures with ease, while lightly controlling the lures and guiding the large species. Once you get the hang of this rod and it becomes part of you, there is no looking back. It is a rod that makes

RunnerExceed 100SHH LIMITED

Our goal was to create a rod that possess the power of an XH class rod while having the lightness of a H class blue runner rod. The whole rod is stiff including the tip section, able to sharply cast out lures with the strong repulsive force from the blank. Anglers can not only comfortably cast and control large lures weighing 150g, but can also cast out smaller lures weighing 40g by loading the rod with the weight of the lure. With the strong repulsive force, the rod is also ideal for use with jigs. Anglers will easily be able to aggressively fight fish around 10kg with the outstanding lift power and tenacity. This is a highly resilient carbon rod not only ideal for anglers targeting monstrous size blue-runners but also great as a entry level land based GT rod.

RunnerExceed FINAL STAND UP 101BXH

Not only does it offer the advantage of the use of various line systems, but it also has a sharp cast feel and torqueful butt power. With its excellent balance, the overwhelmingly powerful rod feels light allowing anglers to comfortably swing it around all day long. We've packed all the elements needed for the land-based big game fishing with all the benefits of the bait-casting tackle. This is RippleFisher's current answer for land-based big game fishing with bait-tackle set up.

RunnerExceed FINAL STAND UP 83HH

The 8 3ft short length blank with tenacious strength in the belly to butt section will effectively apply pressure on the fish once loaded. By shortening the overall length of the rod, it has allowed anglers to consistently apply pressure on the fish during the fight while being able to fully cast out large size Jures with the least amount of effort, Furthermore, the short length will reduce the strain on the angler when utilizing large mouthed poppers, conserving the energy of the angler until the fight begins. We are confident that the 83HH will bring about great advantages to the anglers when unexpected monstrous fish attack your lure with its light controllability and highly responsive blank which will continuously and effectively apply pressure upon the fish.





RunnerExceed FINAL STAND UP **100SXH**

MAX 180g MAX PE 10 Drag Max 10kg/45°

Price:

Length: 10ft Closed Length: 1580mm Weight: 451g

RunnerExceed FINAL STAND UP **101BXH**

MAX 230a MAX PE 10 10kg/45°

Length: 10ft 1in


Length: 10ft Closed Length: 1579n Weight: 405g Guide Super Ocean Guide(Fuji)


Price:

RunnerExceed RunnerExceed FINAL STAND U **83HH**

MAX 200g MAX PE 8 10kg/45°


osed Length: 1310m Weight: 364g





Runner Exceed

The spinning model of the FINAL STAND UP uses a rubber material for the fore grip and shaped with grooves to improve the grip. This allows anglers to take a solid grip of the rod reducing any slippage during high-load fights.











MAX 150g

MAX PE 8

10kg/45°

Length: 8ft 3in

Reel Seat : Spinning Model DPS22
Bait Model T-DPS22 (Fuji)

A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped

RunnerExceed MAIN MODEL

The Runner Exceed series are a wide range of rods to target the yellowtails in your local waters to the bigger and harder kingfish off the rocks. The 3 plugging models are ideal for use with diving pencils with the flexible yet powerful blank to apply ample pressure on the fish.

The 911MH and 103H are versatile models for use with both jigs and plugs and the 95TC is ideal in tough conditions where delicate maneuvering of the lure is required. We also have a 107BH for those over-head reel enthusiasts. Although your targets may be similar, the 7 choices of rods will open up new doors for different locations, field conditions, and styles of approach toward your rocky shore game fishing.

RunnerExceed 102M Nano / PlugModel

This is the lighter plugging model of the Runner Exceed lineup. With its soft tip section, anglers will be able to utilize lures ranging from 20g minnows, medium size diving pencils, and even jigs weighing up to 90g when the bite range is far and deep. It is ideal for anglers targeting Kingfish and Amberjacks to 5kg and Yellow-tail weighing up to 10kg.

RunnerExceed 104H Nano / PlugModel

104H is While being able to easily control diving pencils through its soft tip, once the rod is loaded with the fish, it will exhibit its true power and potential. Compared to the current 103H, more flexibility is given to the belly section. allowing anglers to lift the rod higher to withstand the final thrust of the fish in close range.

RunnerExceed 110H Nano / PlugModel

The 110H is a next generation plugging model for land-based anglers with a light feel but possessing the power of a HH class rod. With the outstanding rod balance, this rod draws a sharp contrast from those ordinary long length high powered models on the market. The flexible tip section brings about various positive attributes. Although it is classed as a 'H' class rod, the potential of the blank is comparable to the power of those 'HH' class rods, able to go head to head with Kingfish ranging from 10~15kg in shallow waters.

RunnerExceed 911MH Nano

This versatile rod will allow anglers to utilize both jigs and plugs for any given situation and possesses the power to lift 3~4kg fish out of the water with the rod. With its ability to cast a mile with jigs up to 100g, the ideal length to maneuver the jig with the rod under your armpits and absolute balance and flex so the fish doesn't violently thrash about, this rod will surely be your next

RunnerExceed 95TC

The 95TC is a technical model with a highly responsive blank design to maneuver the lure on a next level. The developmental concept of this model was to enable anglers to utilize various lures including sinking minnow, poppers, diving-pencils and jigs to induce bites in difficult conditions when the sea is flat and the lure is highly visible. The light weight 9.5ft length rod has a MH class strength for fighting 5~10kg blue runners off the rocks. With its outstanding casting distance and highly well balanced characteristics, anglers can utilize this as your main rod or back-up rod for your more exotic

RunnerExceed 103H


This is a power up model of the 911MH for use with both jigs and plugs targeting blue-runners around the 10kg mark. Although the cast feeling is sharp, the 103 length of the rod will load up nicely to apply pressure to the fish. For those anglers who prefer the use of plugs, the sharp casting feel will be ideal for you. Anglers will be able to utilize both poppers and pencil type lures with a more manual action.


RunnerExceed 107BH Nano / Overhead reel Model

The blank itself is extremely flexible and tenacious yet possesses a sharp tip to belly section for accurate casting. The butt section is highly repulsive once loaded. Anglers are able to utilize various size lures while capitalizing on the advantages of the long leader system with the use of either nylon or fluorocarbon leaders. Anglers won't be stretched even on the bad footing and will help you target that dream monster class fish off the rocks. Although it is flexible enough to cast light plugs, anglers will be able to stop the violent run from 10kg + kingfish and lift the fish. Once the rod is loaded, the bending curve will slowly transfer towards the angler, allowing the rod to smoothly bend even with the smaller 3kg~6kg fish, yet possessing underling power for those monstrous fish









102M / Nano

Plug 20~70g PE 1.5~3 5kg/45°

Weight: 290g

Closed Length: 1590mn

Closed Length: 1615m Weight: 327a

Plug 40~120g

PE 4~6

8kg/45°

110H / Nano

Plug 40~130g PE 4~7 9kg/45°

Closed Length: 1720mr Weight: 341g

911MH / Nano

MAX Jig 100g MAX Plug 80g MAX PE 4 6kg/45°

Closed Length: 1560mr Weight: 306g **Guide** C-S Titanium frame K Guido + Super Ocean Guide(Fuji) SiC-S Titan

95TC

MAX Jig 120g Plug 30~90g MAX PE 4 6kg/45°

+ SiC RV Guide

Length: 9ft 5in Closed Length: 1615mn Closed Length: 1495mr Weight: 290g

Price

8kg/45°

Weight: 327g

107BH / Nano

MAX Jig 130g 50~130g MAX Plug 90g MAX PE 5 MAX PE 6 8kg/45°

Length: 10ft 7in Closed Length: 1650mm Weight: 374g





Avarice / Black-fin-Seabass Game

Black-fin-Seabass

The Black fin seabass game is conducted under harsh environmental conditions with strong head winds, heavy swells, complicated currents and uneven footing. Anglers will cut through the strong headwinds and sew through the complicated currents. The highly sensitive blank will allow anglers to notice the subtle changes in current and flow to inform you of bite spots.

With the addition of the new concept model 104F, we will take the Black fin sea bass game to the next stage. It will provide a different usability and strategy than ever before, making the Black fin sea bass game even more exciting.

2025 NEW Avarice 104F

This is a special concept model for anglers to target selective lunker size blackfin seabass with the use of smaller lures with pinpoint accurate casting. The slightly shorter length of 10ft4in allows for easy maneuverability and handling, as well as low trajectory pinpoint casting in strong head winds. The super fast tapered blank is equipped with a sensitive delicate tip to be able to successfully hookup the minute bites from the black fin seabass while the fast tapered characteristics of the rod allowing anglers to safely fight and land fish with its outstanding reach. This is a new concept rod from Ripple Fisher to tackle the ever challenging black fin seabass game.

Avarice 103M Nano

This 103 length is light, easy to handle and is efficient when fishing from low rock formations or bolder rocks for the black-fin seabass or the normal seabass off the rocks and fishing from the surf for flounders. Although it is short in length, the blank will bend nicely to withhold the fish.

Avarice 110M Nano

It possesses highly sensitive characteristics required to transmit the short bite of the blankfin seabass, while the flexible blank bends-in to reduce hook offs due to straightening of fragile hooks. The blank which possess the contradicting characteristics of flexibility and sharpness, allows anglers to sharply cast lures ranging from 10cm to those larger 40g lures. This new standard rod is not only suitable for monster class black fin seabass, but also 5kg class blue runners and snappers off the rocks.

Avarice 106MH Nano

It possesses a stronger butt section compared to the 103M and with its refined taper design, it maintains the easy handling of the rod while improving its castability. You will be able to first handedly experience how the carbon material has evolved from this 10ft 6inch blank packed with castability, loading power and controllability of the fish.

Avarice 110H Nano

This is an almighty rod with its ideal length and power settings for use anywhere, anytime. It is capable of cutting through strong headwinds, while having the ability to cast small lures to pinpoint accuracy and not to mention its overwhelming butt power. The Nano blank characteristics can be noticed in the contradicting nature of its sharpness when casting and its ability to bend nicely once it is loaded.



10~38g MAX 40a MAX PE 2 MAX PE 1.5

Length: 10ft 4in

Closed Length: 1610mn

Weight: 219g

Lenath: 10ft 3in

Please refer to the list on page 62 to check details of rod specifications

Reel Seat: 104F · 103M · 110M DPS18 / Others are DPS20

Avarice 110H / Nano 106MH / Nano

MAX 50g MAX 40a MAX PE 2

Avarice

110M / Nano

Lenath: 11ft

Price :


Closed Length: 1726mm Weight: 213g


MAX 60a MAX PE 2 MAX PE 2.5 Price Length: 10ft 6in Closed Length: 1640m

Length: 11ft Closed Length: 1730mm Weight: 253g

Avarice







Monsterimpact

MonsterImpact / Shore Casting for Monster Black fin Seabass / BlueRunner / Red Eye / Seabass

The Monster Impact series are special models to target various species varying from Blackfin seabass, Akame (Japanese Barramundi), seabass and

With conditions continuously changing when fishing of the rocks, it is absolutely imperative to be able to adapt to the surrounding conditions. The rod was designed from the ground up with the ability to not only go head-to-head with the large species but also have the controllability to technically maneuver and control your lure.

In addition to the highly versatile characteristics of the spinning 110HH and bait-casting model of the 110BHH, their outstanding castability will allow anglers to accurately hit their target when casting, giving anglers great advantages in the most difficult of conditions.

The flexible belly section will enable anglers to easily control top water lures and the powerful butt section will help prevent bust-offs nearing the end of the fight off the rocks, allowing for a smooth landing of the fish.


we also have the 101HH to target Blackfin seabass and Blue-runners, the 113HH/4pcs which is highly portable, and the 90H/91BH for monstrous seabass and Akame (Japanese Barramundi). We hope you can experience first handedly RippleFishers new era in the power-rod scene.

MonsterImpact 90H Spinning Model

This is a specially tuned seabass model to easily cast through with big-baits (70g) and even small minnows from 20g. The butt section has been enhanced to easily stop lunker size seabass and Red Eye (Japanese barramundi) that are feeding on large bait fish (Sardines, gizzard shad, and mullets). We aimed to produce a rod where anglers will be able to enjoy casting large plugs a great distance. We present this ultimate spinning rod for the ultimate

Monster Impact 91BH Overhead reel Model

The blank of the 91BH has been shaped for accurate casting and controlling of big bait plugs up to 130g. Although it is a power class model, the sensitive blank will transmit the minor existence of 20g class minnows and will allow easy control. It basically has the same concept as the 90H spinning model but has a greater range of lure usage and allows anglers to utilize thicker and longer leader systems advantageous in overhead reel tackle settings. The direct controllability of the lures and consistent casting accuracy will surely help you further enjoy your big bait game.




*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.

ROD DETAIL Please refer to the list on page 62 to check the details of rod specifications.

Reel Seat : Spinning Model MI90H DPS18 / other are DPS20 Overhead reel Model MI91BH TCS18 (Fuji)

**A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped



91BH 90H SPINNING MODEL 18~70g 20~130g

MAX PE 3

Length: 9ft Closed Length: 1410mn Weight: 193q

OVERHEAD REEL MODEL

MAX PE 5 Length: 9ft 1in

Closed Length: 1428mm Weight: 212g

MonsterImpact MonsterImpact 101HH / Nano SPINNING MODEL

Length: 10ft 1in

Closed Length: 1585mm Weight: 270g

SPINNING MODEL MAX 60g 15~60g MAX PE 3 MAX PE 3

> Length: 11ft Weight: 278g

Closed Length: 1720mr Guide SiC-S Titanium fran K Guide(Fuii)

110HH

MonsterImpact 110BHH

OVERHEAD REEL MODEL 15~70g MAX PE 3

Length: 11ft Closed Length: 1720mm Weight: 277g Guide SiC-S Titanium frame K Guide(Fuii)

113HH / 4pcs

SPINNING MODEL MAX 70g MAX PE 3

Length: 11ft 3in

MonsterImpact 101HH Nano Spinning Model

101HH is designed to target both the black-fin and blue runners but this 101HH is set more towards the blue runners. In other words, it is for anglers who are targeting blue-runners and might want to also cast out a few small lures for the black-fin. The short length 10ft 1inch and its short grip has been set for use around flat rock formations, to increase the casting accuracy and balance. Although it is a rod for the black-fin, it can also be used for situations where the bait fish are extremely small when targeting the blue-runners with smaller lures.

MonsterImpact 110HH Spinning Model

The Moster Impact 110HH is built up with material and engineering technology with a flexible yet sharp blank feel. This has helped enhance the casting and control of lures while the sensitivity will transmit the vital information under the water. With its length and castability, it is an ideal rod for use when fishing off elevated large rocks and a stretch of shallow rocky grounds. It can not only cast small 9cm class minnows but also larger diving pencils for your Blue-runners. The flexible belly section will follow through once loaded and smoothly transfer to the highly resilient butt section to easily surface monstrous Blackfin seabass and medium size Blue-runners. We are confident that anglers will be able to enjoy the high performance and total balance of Ripplefishers state of the art technology through the Monster Impact 110HH.

Monster impact 110BHH Overhead reel Model

In highly strong headwinds and side winds, this highly responsive and powerful bait casting model will help anglers seek a different approach compared to the spinning model. Its absolute casting technology will allow anglers to cast pinpoint accuracy in the tightest spots and anglers will not miss the split second timing between large sets in the heavy seas. Its fighting response and butt power will enable for a powerful fight against medium size blue runners nearing the rocks. This model will be advantageous in the roughest of conditions and will allow anglers the ability to venture out to locations never set foot in before.

MonsterImpact 113HH / 4pcs Spinning Model

The 113HH is a powerful pack rod which allows easier access to your fishing grounds to target Blackfin seabass and Blue-runners. The short 90cm separate length can be stowed in your backpack and freeing both hands of any rods will help anglers safely reach some of the more remote and dangerous land based fishing grounds. It is a versatile rod able to handle small minnows to medium size diving pencils with a seamless bending curve rarely seen in any 4 piece rod. The rod possesses contradicting qualities of both powers in the butt section to stop the run of monstrous fish and flexibility in the belly section to avoid any hook offs. While being highly resilient this regular tapered blank will show its true potential in the most critical time. The MonsterImpact 113HH/4pcs rod comes with its own special rod bag and a useful neoprene rod bag for your fishing trips. The rod also fits nicely onto the RippleFisher waterproof backpack.







n page 62 to check

rod specifications Reel Seat : TCS18 (Fuji)

VARIOUS TARGET & STYLE

SilverStream

SilverStream / Shore & Boat Casting

Seabass / Flatfish / Cherry Salmon / Others

Silver Stream is a series that continues to change and evolve, with the concept of enjoying familiar targets such as sea bass, flounder, and sea trout in a well-honed style. The essence of Silver Stream is to cover models specific to each situation, and further subdivide and sharpened the performance of each model.

Although the entire series is structured as one large category, each model has a distinctly unique concept and provides performance specific to each target and situation.

A series for targeting seabass that eats large bait fish such as Mullet and Gizzard Shad with a super large plug.

A model that pursues ultra high sensitivity performance and takes on the challenge of maximizing the reaction speed of anglers.

A model that has performance of distance casting and sensitivity to feel the current when tracing, and aim sea bass and flounder with a variety of lures.

"Northern"

A model developed to make maximum use of jigs and jig minnows to target sea trout in the northern Japan area.

In this way, Silver Stream is different from ordinary rods. However, it is this cutting edge concept that creates unique performance. And that performance is exactly what we were pursuing for in Silverstream.



SilverStream **BIG BAIT Series**

SilverStream BIG BAIT series are We have added the qualities required for this diverse and exciting big bait seabass game.60 BIG PENCIL for manipulating big pencils freely, 74 GIANT BAIT for using giant baits over 30 cm.In addition, the 60 has an optional long handle for a long cast. Please open up new door of sea bass games in various fields with two models packed with performance that allows you to immerse yourself in the world of deep big lure sea bass games.

SilverStream 60 BIG PENCIL

This rod is designed to target seabass off-shore with the use of big-bait lures. Anglers will be able to cast and maneuver large pencils easily to induce bites from seabass feeding on massive bait fish during specific seasons of the year. We are also planning to release a long-handle (sold separately). By attaching the long-handle, anglers will be able to easily cast and use the rod from the bow of the boat, in addition for use with land-based fishing. (The length of the rod with the long-handle will be 6.9ft)




Long Handle (60 Optional Parts : $60 \rightarrow 69$)

Longer handle for Silver Stream 60 Big pencil is available as an option. *It is sold as just handle itself.

The whole length will be 6ft 9inch when the long handle is equipped. The length from the trigger to the end of the grip will be extended 115mm, and to the top of the front grip will be extended 95mm. If you are required distance cast or wish to have more stability when you manipulate Jure or fight with big fish, this long handle will support you, don't matter from shore or offshore,

SilverStream 74 GIANT BAIT

The 74 is a special model able to cast out super giant baits exceeding 300mm and 250g. The 74 is approximately two levels more powerful compared to the 60. While being able to overhead cast super size joint baits, anglers are also able to lightly control smaller 3oz lures. It is ideal to maneuver joint baits with the sharp rod action and will outperform most rods off-shore and



Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.





SilverStream 60 BIG PENCIL

> 40~150g MAX PE 6

Length: 6ft Closed Length: 1425m

LONG HANDLE/OPTION PARTS

SilverStream **60 BIG PENCIL**

Long Handle

Length: 7ft 4in Closed Length: 1550mn Weight: 262g

Guide SiC-S Titanium frame LRV Guide(Fuji)

SilverStream **74**GIANT BAIT

Lure / Comfort Weight

MAX PE 8

SilverStream Stiletto/Flows/Northern

The SilverStream series are built up of a lineup of rods to target various species including Seabass, Flounders, Bream and Salmon from a land based style.

SilverStream 81 Stiletto

The SivlerStream 81 Stiletto is a super delicate and ultra sensitive specialized model built up with all 40t carbon materials. This ultra sensitive blank will transmit the slight changes in the flow of water and the drag against the lure, allowing for a swift hookup once the angler feels any subtle bites. Not only allows anglers to cast out lures up to 28g but also enables the use of lighter (8g) sinking pencils while maintaining the sensitivity and controllability. Our objective was to create a rod, which drastically reduces the time lag between the "bite" to the "hookup". In other words, the Stiletto is a super "high speed" rod that allows anglers to respond quicker through the ultra sensitive characteristics.

SilverStream 810 Flows Nano

The 810 Flows is the core model of the series with its ideal length for seabass fishing equipped with strong butt power. It is especially outstanding with its casting swing through and high sensitivity. Anglers will be able to decipher the subtle difference in current movements while maintaining the high response required for an efficient and effective hookup. With its high tolerance, the butt will still hold extra power even when fighting a monstrous seabass.

SilverStream 96 Flows Nano

The 96 Flows is designed for use in large river systems, estuaries, surf casting and wading in the flats which require long distance casting of large lures.

The 810 is a type of rod to conquer the current, where as the 96 is designed more to feel for the changes in current far away. The lightish tip section will allow anglers to not only utilize large lures but also various smaller minnows and vibration type lures. The concept for the Flows 96 is "distance" and "sensitivity".

SilverStream 103 Flows Nano

The Flows 103 is a model designed for use off the rocks and surf casting which require the power and sharpness to cut through strong headwinds. It allows anglers to easily cast and trace smaller lures which weren't possible with the stronger black fin models, while also having the power required to swing through with heavier lures.

SilverStream 106 Northern Nano

This model is ideal to cast metal jigs and jig minnows up to 50g in weight from rocky headlands and technical rock formations, which require a quick and tricky cast and retrieve. With its sharp characteristics, anglers will be able to cast accurately while controlling the jig at ease. Having said that, the rod will bend nicely once the rod is loaded and will prevent any loss of fish from the targets lip ripping. Furthermore, it possesses the butt power to aggressively stop the violent fish from diving into the rocks and structures.

SilverStream 112 Northern

The 112 Northern is a sharp rod designed for long distance casting and will enable anglers to cast out metal jigs and jig minnows up to 60g from the surf and other major points by utilizing the whole rods repulsive force in strong head and side winds. With its high sensitivity, this rod will become your ultimate weapon when the fish are far and you need to search a vast area. Furthermore, the long rod length will help you avoid any rocks or structures nearby and it also possesses the butt power to rip off the monstrous flounders from the seabed.





ROD DETAIL Please refer to the list on page 62 to check details of rod specifications.

Reel Seat: 81ST DPS17 Flows Series DPS18 Northern Series DPS20(Fuii)





SilverStream
106
Northern / Nano

Lure
30~50g

SilverStream
112
Northern

Lure
30~60g


30~50g 30~60g

MAX PE 1.5 MAX PE 1.5

: Price :

Length: 10ft 6in
Closed Length: 1640mm
Weight: 220g
Guide
SiC-S Titanium frame
K Guide(Fuji)

Length: 11ft 2in
Closed Length: 1754mm
Weight: 255g
Guide
SiC-S Titanium frame
K Guide(Fuji)









RealCrescent

RealCrescent / Light Game

Horse-mackerel / Rock Fish / Seabream and more

The "Real Crescent" series has been finely honed to further enjoy deep and technical light game fishing.


They are equipped with the controllability and sensitivity to appreciate the technical jig-head games and also possess the power for anglers to enjoy targeting rockfish and bream. With the easy and light usability, anglers will be able to appreciate the sharp and powerful blank it possesses.

The high sensitivity, lightness, beautiful bend curve, and power will respond to each angler's needs for the light game. The new Real Crescent series is the next generation of basic light game rods.

We have carefully selected 4 models for the spinning and 3 models for the overhead reel tackle. All models are highly versatile with the potential to target various species in various fields for the light game. We hope you can experience our Real Crescent models to strive for the next stage in light game fishing. (All models equipped with Torzite K guides and NANOALLOY® Technology blank)







The most basic light game model is the RC-65. The RC-55 is designed for use with a singular body jig-head and the RC-75 is for use with Carolina rigs and metal jigs. The RC-81 seems to be the strongest rod but able to utilize a variety of lures with the flexibility of the whole rod. The RC-77 is the stiffest model of the series, suited for bottom knocking and dragging techniques to target rockfish and bream games.

Spinning Model

RealCrescent RC-55

This is an ideal model for use with a simple jig-head rig. Overall, it has a sharp feeling to it, but with the use of the NANOALLOY ® material, the highly repulsive nature of the blank will bend nicely during the cast. The highly sensitive characteristics of the blank will not only transmit the information on the bite but also the subtle water pressure differences through the blank. Anglers will be able to utilize PE, nylon, fluorocarbon, and ester lines.

RealCrescent RC-65

This is the standard model that stands as the core for the spinning model. Anglers will be able to experience seamless usage through the fast tapered rod with a flexible tip, resilient belly, and strong butt section. It is a versatile rod for use in various fields with the use of simple jig-head rigs, plugs, Carolina

RealCrescent RC-75

It possesses the sharpest feel of the blank in the Real Crescent series for use in not only Aji and Mebaru (Rock fish) targets, but also for various species of rockfish, bream, and for the light seabass game. The sharp tip section will transmit vital information on the current while enabling anglers to use Carolina rigs, Texas rigs, plugs, and metal jigs with a high response. The strong butt section of the rod can deal with unexpectedly large rockfish and bream

RealCrescent RC-81

This is a long length model designed mainly for use with Calorina rigs and floating rigs, but is also great with 3~5g jig heads. Compared to the RC-75, the stiffness of the tip section has been reduced for a lighter feel when in use. With its highly sensitive nature, it is an ideal rod for anglers to search the deeper area at great distances.

Overhead reel model

RealCrescent RC-57

Despite the stiff characteristics of the blank to exhibit the nature of an overhead reel model, it is a finesse model with an outstanding cast-feel. We have designed the rod so anglers can easily load the rod to cast with jig head rigs weighing less than 1g. It is also ideal for fishing styles that require sensitivity during the retrieval, such as dead slow retrieval of super light lures.

RealCrescent RC-67

This is the most basic model for the light game overhead reel tackle fishing. With the fast tapered flexible tip section and stiff belly to butt section, anglers will not only be able to cast and control light jig-head rigs but also utilize various rigs, plugs, and metal jigs stress free. This next generation light game rod will enable anglers to capitalize on the biggest asset of the overhead reel by releasing the clutch while using the lift and fall techniques and drifting techniques.

RealCrescent RC-77

This is the middle class overhead reel model to target various species of rockfish, bream, and seabass. It is an ideal light game rod to cover various species and fishing styles using "bottom dragging", "Lift and Fall" techniques with plugs to induce those reaction bites. The whole rod has been designed to be stiff to the tip, enabling anglers to cast lures up to 15g and rip those



ROD DETAIL Please refer to the list on page 62 to check details of rod specifications. Reel Seat : Spinning model VSS16 / Overhead reel model PMTS17 (Fuji) *A=Whole length of grip B=Length from reel foot to end of grip when reel is equipped RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent RealCrescent

RC-55

JH 0.2~3g PE 0.2~0.4 FC·NY~3lb

Length: 5ft 5in Closed Length: 853mr Weight: 54g

RC-65

JH 0.3~6g Plug 1.8~4.5g PE 0.2~0.4 FC·NY ~3lb

Length: 6ft 5in Weight: 61g

RC-75

Rig 2~14g Plug 2.5~11g PE 0.3~0.8

Length: 7ft 5in Closed Length: 1157mm Weight: 79g

Guide TORZ**I**TE Titanium frame K Guide(Fuji) Guide TORZITE Titanium frame

RC-81

2~17g PE 0.4~0.8

Closed Length: 1265mm Weight: 86g

RC-57

Closed Length: 876mn Guide TORZITE Titanium fram

0.5~5g PE 0.2~0.5

Price Weight: 69g

RC-67

0.8~8g PE 0.3~0.6

Length: 6ft 7in Closed Length: 1025mm Weight: 78g Guide TORZITE Titanium frame

RC-77

2~15g PE 0.4~0.8

> Closed Length: 1190mm Weight: 92g Guide TORZITE Titanium frame



2025 NEW RF Measure Release Mat

We developed the measuring mat for anglers targeting record breaking species off the rocks to safely and gently measure your catch for a smooth release. Once the fish is laid down on the mat, you can lift it by grabbing the handles on both sides. One half of the mat has a pocket shaped slot, so your fish will not slip off even on a slight angle. The inside of the pocket has a drainage hole, so it is easy to dry and keep clean after your fishing trips. We paid extra attention for designing the handle section so anglers will be able to lift the fish weighing around 70kg.

Price:

- ●Size:900×1740(mm)
- ●Weight: about 1600g
- •accessories: stainless carabiner (ASAN) ●Material: Tarpaulin polvester
- *Please use the measure only as a guide.











smooth transportation.

Riple Time



RF GRIZZLE POWERED GLOVE

Ripple Fisher original fishing gloves. By using NanoFront material, which has excellent durability, grip, and fit, and by placing anti-slip rubber, we have created a stronger grip for big targets. The material itself is thin and flexible, making it useful in a variety of situations, both offshore and shore.

Price:



●The NanoFront material used in the palm and fingertips is a high-strength ultra-fine fiber material that provides a high grip even when wet. Anti-slip rubber is placed at the base joint of the finger, which provides support during

long fights with big targets.

The back of the hand uses a stretch honeycomb with high elasticity and excellent water absorption and quick drying properties.

One side of the finger is made of mesh, which is highly breathable and comfortable even for long periods of use.



RF Multi Container M / L RF Reel & Spool System Bag

Price:



●Material • Outside: nylon / Inside: tarpaulin

- Comes with an external pocket for storing pliers, rings, etc. It has mesh ventilation holes that can be washed while closed
- RippleFisher × Stream Trail

RF Waterproof Back Pack





- W39×D34×H62.5cm Capacity: 60L polyester (bag body)
- ■Material: Tarpaulin. ●Color: Black

- Outer dimensions: 42×31.5×14.5(cm) ■Accessories: Partition(can be cut)
- (Large size 40cm×5pcs, Medium size 19cm×2pcs, Small size 10cm×6pcs)



- Example of reel storage more detail


 Casting (Large size class/SW)

 2 units of #14000 or 18000 class reels + 4 pcs of spare spools

RF Knot Tightener



Large size Length:167mm Diameter:25mm Small size Length : 147mm Diameter : 21mm





RF Multi Shaft

M / 2pcs Price:

- Expanded length: 2640mm Closed length: 1435mm
- Weight: 612g
- Tip diameter: 25mm Butt diameter: 30.5mm

L / 3pcs Price:

- Expanded length: 3900mm Closed length: 1435mm
- Weight: 765g
- Tip diameter: 22mm Butt diameter: 30.5mm (Measured top of metal part)



A screw in cap is attached to the tip of the shaft, and can be fixed to the main body by attaching a gaff



more detai

RF Extension Shaft

●Length: 1360mm ●Weight: 217g ● Screw standard: W1/2 ● Bracket part: Stainless SUS 316L

*An extension shaft is also available as an option, so it can be used in various situations



RF GAFF SHAFT

Price:

● Length • Weigh : Approx 1025mm(Approx 373g) ● Target fish: Large blue runners, tunas ● Screw standard: Wit W1/2 *Gaff is not included. Sold as a shaft.



53

RF MORI Price:

- Length: 1800mm Weight: Approx 545g
- Material of spear part: Stainless SUS 316L / Attachment bracket material: SUS304 Screw standard: W1/2
- End cap : BRC Recommendation Harpoon head : ASANO Type MORIPPA / Type S MORIPPA

Harpoon quick release head with attached wire









more detail

Price:







2025 NEW RF Original T-Shirt



RF Larus Mesh Cap



2025 NEW

RF Flex Fishing Shorts RippleFisher * ON-YO-NE







2025 NEW COLOR RF Cool Hoodie Shirts









RippleFisher × ON-YO-NE

RF Shell Jacket 2024 Material: ON-YO-NE Breathtech (3 layer) Price:

RF Dry Polo Shirts

RIBLOTTO

RF Original Wappen

 $... \\ Runner Excced * King Fish * FINAL STANDUP * GT$

Square types Color: Navy · Black

Material: 100% Polyester

■ Color: Black • White • Navy

● Size: M·L·LL·3L

Price:



more detai

Color: Black ● Size: M · L · O · XO · XXO Material: 85% Nylon 15% Polyurethane

Price:

RippleFisher × ON-YO-NE



RF VENTILATION HAT

● Material: Outer Fabric-100% Nylon Inner Fabric-100% Polyester

more detai

Size: One-size-fits-all ■ Color: Black • Navy • Charcoal Gray

Price:



RF Flat Visor Cap

Price:

- Material: Cotton 100% Size: OSFA
- Color: Black Navy Charcoal Gray



RF Self-inflating Life Jacket / Waist belt type

- Waist belt type YMG-9320RS Color: Black
- Price:
- Size: Waist circumference 70~100cm



floating posture.

more detail smoothly and maintains a stable

Riple Tiher

RUPLE TION

RF Self-inflating Life Jacket / Neck over type

Price:


- Neck over type
- YMG-2520RS Oclor: Black

● 80cm: 158mm×800mm

● 60cm: 117mm×600mm

Price:

Price:



RF Cutting Sticker

Material: Made of PVC, Water resistant

2colors: Blue • White • Matte black



RF Original Rod Belt

L size Price: 345mm (x2)

Round 2 types

L Size Price:

S Size Price:

Price:

S size Price: 220mm (x 2)

Material: Neoprene



more detail



Price:

Color: Silver

Size: 54mm×122mm

more detail

Ruble His

RF Domed Sticker



more detail

L size/40×120mm

S size/22×80mm

● 30cm: 59mm×300mm 6colors: Blue \cdot White \cdot Gold \cdot Silver Neon orange • Neon pink • Matte black

● 16cm: 32mm×160mm 7colors: Blue/White/Gold/Silver Neon orange/Neon pink/Pearl White/Matte black Price:

4colors: Blue • White • Gold • Silver • Matte black

Replo Tem

more detail

blue only for Massivo size

Oceánica

FOR UNRULY PASSIONATE ANGLERS

Spin-on Flom Rippieris

Riple Fisher

PROJECT OF OCEÁNICA

In the spring of 2025, Ripple Fisher will launch a new project. Its name is "Oceanica". The project is a spin-off series of Ripple Fisher, with a lineup of models with a new concept based on the fusion of commercial fishermen and recreational anglers. In addition to gear, we plan to develop swim-bait rods, for example, with modern functionality. As a first step, we have packed the stylish and excellent functionality into the tubular design "Oceanica-DFT" which is developed for tuna fishing with bait. We bring a new sense and style to this category, which is said to be dominated by glass solid materials.

Occanies Contract of the Contr

Oceánica BFT511/PE12-15 Oceánica BFT61/PE6-8



PROJECT OF MASSIVO


For nearly 25 years, Ripple Fisher has worked with anglers to develop a wide range of products. In the process, we have faced various challenges due to differences in physical strength and size. Most notably the inability to achieve the maneuverability envisioned during development, due to the lack of strength or reach due to the size of the angler. Therefore, from 2025, we will launch a project called "Massivo" in parallel with "Oceanica", aiming for Ripple Fisher to become closer to your fishing life. It will take a considerable amount of time to develop, but as a trusted brand, we will slowly but surely move forward step by step. In 2025, we plan to release gear and clothing as our first step. Stay tuned for more information about the "Massivo" projects.



From 2025, we will offer a size lineup that can accommodate those with a solid build. Please refer to products marked with the logo on the left from page 52~55.



Color Custom Order Guide



RippleFisher Custom Color Detail page ►



https://ripplefisher.com/custom?lang=en

Blank Color · About coating range



Blank Color · Butt parts paint range for each model

The painting range of only the butt part is the following red line range.



Mult shaft $M \cdot L$ (08.Silver color orders are not available)

Changes and cancellation of custom order

official agent. Thank you very much for your understanding.

Please note that basically we do not accept changes or cancellations of custom

order after a month have passed since we have received order from retail shop or

**The color customization of the multi-shaft is only for the painting of the main body, and other part is not available the service.

**SilverStream 81 Stiletto, RunnerExceed 100SHH LTD, RF MORI color custom is not available.



%04.Metal emerald blue is out of list and is a missing number.

BLANK COLOR LINEUP

You can order color customization either whole blanks (from butt to top guide) or butt section only(range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08 • 15 • 16) and

"Maziora" color (09 ~11) to the Clear Color(12~14).

*You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.

*If you choose the 08 (silver color), the logo print will be black.

*The clear colors are exclusive to Ultimo • BIG TUNA76/710RT/86 and cannot be selected for other models.

*Ultimo • BIG TUNA76/710RT/86 can also choose colors 01 to 11 other than clear color.

*Color custom is not available.

- · RunnerExceed 100SHH LTD
- · SilverStream 81 Stiletto
- · SilverStream BIG BAIT Series
- · RF MORI

Color custom Charge

Color Number 01~08 · 15 · 16

- •1piece full paint 10,000 yen (01~08 15 16) *1piece and 1&half model
- •2piece full paint **12,000 yen** (01~08 15 16)
- •3piece full paint 13,000 yen (01~08 15 16)
- •4piece full paint **14,000 yen** (01~08 15 16)
- •Only Butt section Paint **6,000 yen** (01~08 15 16)
- •Multi Shaft 15,000 yen (01~07 15 16)

Color Number 09~11

***MAZIORA Color**

- •1piece full paint 15,000 yen (09∼11) *1piece and 1&half model
- •2piece fu**ll** paint **18,000 yen** (09∼11)
- •3piece full paint 19,000 yen (09∼11)
- •4piece fu**ll** paint **20,000 yen** (09∼11)
- Only Butt section Paint 9,000 yen (09~11)
- Multi Shaft **20,000 yen** (09∼11)

Color Number 12~14

- *Ultimo & BIG TUNA86/710RT/70 exclusive color
- •Only Butt section Paint 6,000 yen (12∼14)

*Clear colors(#12 ~ 14) can only be painted on the butt part of the Ultimo series & BIG TUNA 86/710RT/70. (Full paintings cannot be selected)

*Please note that we have been trying to our best but the color of this chart may differ from acutual color. It is also depend on type and setting of your moniter if you check it on web site. Thank you very much for your understanding.



Thread Pin-Color

- •The "thread pin color custom" designs will comply with the original product's position.
- *If two colors are used in the standard product, a single color will be used for the custom color.
- *If you order a "thread pin color custom", the whole rod will be customized with the color you ordered.
- *The thread color of the multi shaft cannot be changed.

Thread Pin custom Charge

Color: 01~07 **2,000 yen**

Color: 08 (No pin thread 2,000 yen


- **%Pin-Thread color custom is not available.**
- · RunnerExceed 100SHH LTD
- · SilverStream 81 Stiletto
- · SilverStream BIG BAIT Series
- · RF MORI



01.Red Set (Main · Red/Sub · Black)



02.Pink Set (Main · Pink/Sub · Black)




03.Gold Set (Main · Gold/Sub · Black)



04.Blue Set (Main · Blue/Sub · Black)




 $\textbf{05.Light Blue Set (Main \cdot Light Blue/Sub \cdot Navy)}$



06.Purple Set (Main · Purple/Sub · Black)




07.Emerald Set (Main · Emerald/Sub · Black)




08.Lime Set (Main · Lime/Sub · Black)




09.Light Gray Set (Main · Light Gray/Sub · Dark Gray)



10.Sky Blue Set (Main·Sky Blue/Sub·Dark Blue)




11.Copper Set (Main · Copper/Sub · Black)



12.Silver Set (Main·Silver/Sub·Black)

Thread Set Color



*Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread.

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

*We do not accept requests to change or alter the color of the pin thread.

*The thread color of the multi shaft cannot be changed.

Thread Set Color custom Charge

•01 \sim 10 **5,000** yen

%Thread Set-color custom is not available.

- · RunnerExceed 100SHH LTD
- · SilverStream 81 Stiletto
- · SilverStream BIG BAIT Series
- RF MORI





Under thread applied model —



*No under thread applied model, main color (Red on 01) comes on top.

Series	Item	Price	JAN CODE	Sec	R Lt	CI-L1	Wt	Lure	Line	Drag	Guides	Reel	L	Joint	Grip	Carbon	Tip	Butt	Position	Suitable reel size and others
361162		riice		\vdash	e [mn	[mm]	[g]			Max		Seat	O C K		End	(%)	[mm]	[mm]	[mm]	
	AJ 5105		4580397940999	-	S 6ft10	1840 in 1790	-	C.Wt 150~230g C.Wt 180~320g	MAX PE 4 MAX PE 5	7k 10k	SiC-S/Ti/K SiC-S/Ti/K	DPS18 DPS20	U	_	EVA BRC	92.2 88.4	2.8	9.6	730	S+D:8000 S+D:8000~14000
	NS 632		4580397948117	_	S 6ft 3	_	_	C.Wt 80~130g	MAX PE 2	3k	SiC-S/Ti/K	DPS17	U	_	EVA	73.5	2.0	8.0	615	S • D:5000
SELFISH	NS 623		4580397948124	1	S 6ft 2	n 1890	159	C.Wt 100~150g	MAX PE 3	5k	SiC-S/Ti/K	DPS18	U	-	EVA	89.4	2.2	8.6	625	S·D:5000~6000
P10	NS 614		4580397948131	$\overline{}$	S 6ft 1			C.Wt 120~180g	MAX PE 4	7k	SiC-S/Ti/K	DPS18	U	_	EVA	82.7	2.1	9.2	645	S·D:6000~8000
	SEB 615		4580397941002	_	B 6ft 1	_	_	C.Wt 180~280g	MAX PE 5	10k	SiC-S/Ti/K	TCS18	D	_	EVA	87.8	2.7	9.0	670	S:2000~2500 / D:15~35 S:1500~2000 / D:15
	SEB 633 SEB 624		4580397948148 4580397948155	-	B 6ft 3	_	_	C.Wt 120~180g C.Wt 140~200g	MAX PE 3	5k 7k	SiC-S/Ti/K SiC-S/Ti/K	TCS18	D D	_	EVA EVA	88.4 94.7	2.4	8.2	680	S:1500~2000 / D:15 S:2000 / D:15~35
	6615		4580397948964	_	S 6ft 6	_	_	MAX Jig 400g	MAX PE 6	12k	OC	DPS20	D	GJ	Gimbal:	91.6	3.2	12.0	885	S+D:10000~14000
0	5930		4580397948957	-	S 5ft 9	_	-	MAX Jig 800g	MAX PE 8	15k	OC	DPS20	D	_	Gimbal:	82.6	3.8	11.9	815	S • D:10000~20000
OceanArrow P14	5910B		4580397940951	2	B 5ft 9	n 1140	297	C.Wt 180~350g	MAX PE 5	10k	OC	T-DPS22	D	GJ	Gimbal⊛	91.7	3.1	10.8	795	S:2000~2500 / D:15~35
	5320		4580397940968	+	S 5ft 3	_	-	C.Wt 200~600g	MAX PE 6	12k	OC	DPS20	D		Gimbal⊛	83.0	4.6	11.6	770	S • D:10000~20000
	5930B 85F JAPAN Special		4580397940975 4580397945147	$\overline{}$	B 5ft 9	_	_	C.Wt 200~800g 18~120g	MAX PE 8 PE 3~6	15k 10k	OC SiC-S/Ti/K+OC	T-DPS22 DPS20	D D	- GJ	Gimbal® BRC⊗	82.6 95.5	3.8 2.5	12.7	750 867	S: 4000 / SOM:100 S • D:8000~14000
	87AS JAPAN Special		4580397943147	\rightarrow	S 8ft 7	_	_	40~150g	PE 5~8	15k	SiC-S/Ti/K*	DPS20	D	GJ	BRC%	92.5	3.1	15.1	915	S • D:14000~18000
	83 JAPAN Special		4580397948087	-	S 8ft 3	_	_	40~150g	PE 6~8	15k	OC	DPS20	D	GJ	BRC*	93.2	3.3	14.6	915	S • D:14000~18000
BIG TUNA	86 JAPAN Special		4580397945222	2	S 8ft 6	n 1850	424	40~160g	PE 8~12	15k	OC	DPS20	D	GJ	BRC*	89.9	3.3	15.9	920	S • D:18000~30000
P18	710RT JAPAN Special		4580397945239	-	S 7ft 1	in 1670	407	40~160g	PE 8∼12	15k	OC	DPS20	D	GJ	BRC*	93.2	3.4	15.4	930	S • D:18000~30000
	76 JAPAN Special		4580397945215	-	S 7ft 6	_	_	60~180g	PE 8∼12	18k	OC	DPS20	D	GJ	Gimbal®	91.3	3.0	15.3	900	S • D:18000~30000
	73 JAPAN Special 70 JAPAN Special		4580397945161 4580397945246	\rightarrow	S 7ft 3	_	_	60~180g 80~220g	PE 8~12 PE 10~12	18k 18k	OC OC	DPS20 DPS20	D	G1 G1	Gimbal® Gimbal®	91.6	3.6	15.1	915	S+D:18000~30000 S+D:18000~30000
	ST 81-2		4580397940142	-	S 8ft 1	_	_	C.Wt 17~45g	MAX PE 2	4k	SiC-S/Ti/K	DPS18	D	GJ	BRC	90.9	2.0	10.4	885	S • D:5000~SW5000
	ST 78-3		4580397940081	-	S 7ft 8	_	-	C.Wt 30~50g	MAX PE 3	5k	SiC-S/Ti/K	DPS18	D	GJ	EVA	94.7	2.4	12.1	705	S • D:5000~6000
	ST 80-4		4580397940098	2	S 8f	1782	300	C.Wt 40~80g	MAX PE 4	7k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	99.5	2.3	12.7	800	S • D:8000
	ST 85-6		4580397945093	-	S 8ft 5	_	_	C.Wt 40~110g	MAX PE 6	12k	SiC-S/Ti/K+OC		D	GJ	BRC	99.2	2.5	14.8	815	S+D:8000~18000
	EX 79-3 EX 83-6		4580397940050	\rightarrow	S 7ft 9	_	263	C.Wt 40~60g	MAX PE 3	5k	SiC-S/Ti/K SiC-S/Ti/K+OC	DPS18	-	Spigot+GJ	EVA	79.2	2.6	12.3	895	S+D:5000~6000
Aquila	MST 85-7+		4580397940074 4580397945048	-	S 8ft 3	_	353	C.Wt 60~120g C.Wt 40~120g	MAX PE 6 MAX PE 7	10k 14k	SiC-S/Ti/K+OC	DPS20 DPS20	U	Spigot+GJ GJ	BRC	76.2 95.2	2.8	14.7	930 840	S • D:14000 S • D:14000~18000
P22	MST 711-8+		4580397945055	-	S 7ft 1		+	C.Wt 80~180g	MAX PE 8	16k	SiC-S/Ti/K+OC		U	GJ	BRC	95.5	3.0	14.7	840	S • D:14000 ~18000
	MST 82-9+		4580397947363	2	S 8ft 2	_	400	C.Wt 80~220g	MAX PE 9	17k	SiC-S/Ti/K+OC	DPS20	U	GJ	BRC	92.9	3.3	15.0	860	S • D:18000
	MLT 82-2/4		4580397940104	2	S 8ft 2	n 1782	341	C.Wt 30~70g	PE 2~4	7k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.4	13.4	870	S·D:6000~8000
	MLT 82-3/6		4580397940111		S 8ft 2	_	348	C.Wt 40∼90g	PE 3∼6	10k	SiC-S/Ti/K+OC	DPS20	D	GJ	BRC	83.2	2.5	13.8	860	S+D:8000~14000
	MLT 82-2/4 UC Hundle MLT 82-3/6 UC Hundle		4580397949985 4580397949978	-	S 2ft 3	_	+-		-			DPS20 DPS20	D D	GJ	BRC BRC					S • D:6000~8000 S • D:8000~14000
	82ML		4580397944957	-	S 8ft 2	_	_	C.Wt 70~120g	MAX PE 6	12k	SiC-S/Ti/K*	DPS20	U	GJ	BRC	97.7	2.6	13.3	875	S • D:14000
U l timo	83M		4580397944164	_	S 8ft 3	_	_	C.Wt 80~140g	MAX PE 7	13k	SiC-S/Ti/K*	DPS20	U	GJ	BRC	97.6	2.8	14.3	865	S·D:14000~18000
P26	710MH		4580397944171	2	S 7ft 1	in 1685	378	C.Wt 80∼160g	MAX PE 8	15k	SiC-S/Ti/K※	DPS20	U	GJ	BRC	97.5	2.9	14.0	865	S·D:14000~18000
	86M/B		4580397944188	\rightarrow	B 8ft 6	_	_	C.Wt 60~160g	MAX PE 7	13k	SiC-S/Ti/K+OC	T-DPS22	\rightarrow	GJ	BRC	97.9	2.8	13.4	994	SOM:50~80 / S • D:400\
GTXpedition	81M		4580397948094	-	S 8ft 1	_	380	MAX 140g	MAX PE 6	10k	0C	DPS20	-	Spigot+GJ	BRC	92.1	3.2	14.3	920	S • D:14000
P28	81MH Reversal GT 80 Nano		4580397948100 4580397944096	-	S 8ft 1	n 887	386	MAX 180g MAX 170g	MAX PE 8	13k 14k	OC OC	DPS20 DPS20	U	Spigot+GJ GJ	BRC	93.3	3.9	15.2	920 885	S • D:14000~18000 S • D:14000~18000
OceanRidge	LC GT 82 Nano		4580397944089	_	S 8ft 2	_	_	MAX 190g	MAX PE 8	14k	OC	DPS20	U	GJ	BRC	99.3	3.8	15.9	880	S • D:14000~18000
P30	PF GT 711 Nano		4580397944102	2	S 7ft 1	in 1682	375	MAX 210g	MAX PE 10	15k	OC	DPS20	U	GJ	BRC	99.4	3.8	14.9	880	S·D:14000~18000
	FINAL SPIRIT GT78		4580397948926	\rightarrow	S 7ft 8	_	_	MAX 270g	MAX PE 12	17k	OC	DPS20	U	GJ	BRC	99.4	3.9	15.0	890	S+D:18000~20000
	102M Nano PlugModel		4580397942030	-	S 10ft	_	_	Plug 20~70g	PE 1.5~3	5k	SiC-S/Ti/K	DPS20	$\overline{}$	Spigot	BRC	99.8	2.6	16.5	805	S•D:5000~6000
	95TC 911MH Nano		4580397947356 4580397942016	-	S 9ft 5		_	MAX Jig 120g / Plug 30~90g MAX Jig 100g / MAX Plug 80g	MAX PE 4	6k 6k	SiC-S/Ti/K* SiC-S/Ti/K+OC	DPS20	-	Spigot Spigot	BRC	99.8	3.0	16.3	730 730	S • D:6000~8000 S • D:6000~8000
	103H			1.1				MAX Jig 130g / MAX Plug 90g		8k	SiC-S/Ti/K+OC		Н			99.3		17.4		S • D:8000~14000
DunnauFuasad	104H Nano PlugModel		4580397942047	2	S 10ft	in 1615	327	Plug 40~120g	PE 4~6	8k	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S • D:8000~14000
RunnerExceed P36	110H Nano PlugModel		4580397948179	-	S 11f	_	-	Plug 40~130g	PE 4∼7	9k	SiC-S/Ti/K+OC		-	Spigot	BRC	99.8	2.6	16.8	795	S • D:8000~14000
	100SHH LIMITED		4580397948292	-	S 101	_	_	MAX 150g	MAX PE 8	10k	OC .	DPS22		Spigot		99.8	3.0	18.2	885	S•D:14000~18000
	107BH Nano FINAL STAND UP 100SXH		4580397940012 4580397941989	-	B 10ft S 10f	_	_	50~130g MAX 180g	MAX PE 6 MAX PE 10	8k 10k	OC OC	T-DPS22 DPS22	-	Spigot Spigot		97.3 95.1	3.2	17.2	830 875	SOM:50 / S • D:400 S • D:18000~20000
	FINAL STAND UP 101BXH		4580397941989	-	B 10ft		+	MAX 230g	MAX PE 10	10k	OC OC	T-DPS22	-	Spigot	BRC	99.8	3.2	18.4	885	D:LD30~50 / AV:MCLX6 / SOM:50-
	FINAL STAND UP 83HH		4580397942009	-	S 8ft 3	_	_	MAX 200g	MAX PE 8	10k	OC*	DPS22	_	Spigot	BRC	98.5	3.1	15.5	855	S • D:14000~20000
	104F		4580397942177	2	S 10ft	in 1610	219	10~38g	MAX PE 2		SiC-S/Ti/K※	DPS18	D	Spigot	EVA	99.8	2.1	15.8	625	S:4000~5000 / D:LT5000C~600
Avarice	103M Nano		4580397942085	\rightarrow	S 10ft	_	_	MAX 40g	MAX PE 1.5		SiC-S/Ti/K	DPS18	-	Spigot		99.8	2.1	14.9	620	S:4000~5000 / D:LT5000C~60
P42	110M Nano 106MH Nano		4580397948162 4580397942092	-	S 11f	_	_	MAX 40g	MAX PE 2		SiC-S/Ti/K	DPS18		Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000 / D:LT5000C~60
	110H Nano		4580397942092	\rightarrow	S 10ft	_	_	MAX 50g MAX 60g	MAX PE 2.5		SiC-S/Ti/K SiC-S/Ti/K	DPS20 DPS20	-	Spigot Spigot	EVA	99.6 99.8	2.2	16.3	655	S:4000~5000 / D:LT5000C~60 S:4000~5000 / D:LT5000C~60
	110HH		4580397942153	-	S 11f	_	_	15~60g	MAX PE 3		SiC-S/Ti/K	DPS20		Spigot	BRC	95.6	2.3	15.8	812	S·D:5000~6000
	110BHH		4580397942160	2	B 11f	1720	277	15~70g	MAX PE 3		SiC-S/Ti/K	TCS18	-	Spigot	BRC	95.5	2.4	15.7	847	S • D:200~300
Nonster I mpact			4580397948018	-	S 9f	_	+	18~70g	MAX PE 3		SiC-S/Ti/K※	DPS18	-	Spigot	EVA	99.8	2.3	14.1	575	S • D:4000~5000
P44	91BH		4580397948933	_	B 9ft 1	_	_	20~130g	MAX PE 5		SiC-S/Ti/K	TCS18		Spigot	EVA	99.8	2.5	_	670	S • D:200~300
	101HH Nano 113HH-4pcs		4580397942122 4580397948940	-	S 10ft S 11ft	_	270 320	MAX 60g MAX 70g	MAX PE 3		SiC-S/Ti/K SiC-S/Ti/K	DPS20 DPS20	-	Spigot Spigot	BRC	99.8	2.5	16.7	660	S • D:5000~6000 S • D:5000~6000
	60 BIG PENCIL		4580397942672	-	B 6ft	1425	_	C.Wt 40~150g	MAX PE 6		SiC-S/Ti/RV	TCS18	D	GJ	BRC	95.3	2.5	10.4	550	S • D:200~300
	74 GIANT BAIT		4580397942689	2	B 7ft 4	n 1550	262	C.Wt 100~300g	MAX PE 8		SiC-S/Ti/RV	TCS18	D	GJ	BRC	95.7	2.7	12.1	840	S • D:300~400
	60 Long Handle		4580397942696	1	B 2ft 3	n	_		-			TCS18	D	GJ	BRC					-
SilverStream	81 Stiletto		4580397949992	_	S 8ft 1	_	_	7~28g	PE 0.6~1.2		TZ/Ti/K	DPS17		Spigot		99.7	1.9	10.5	465	S:2500~4000 / D:LT2500~400
P46	810 Flows Nano 96 Flows Nano		4580397942627	-	S 8ft 1	_	+	MAX 32g	MAX PE 1.5		TZ/Ti/K	DPS18	-	Spigot	EVA	97.1 97.0	1.9	12.9	510	S:3000~4000 / D:LT2500~400
	103 Flows Nano		4580397942634 4580397942641	-	S 10ft	_	_	MAX 38g MAX 42g	MAX PE 1.5 MAX PE 1.5		TZ/Ti/K TZ/Ti/K	DPS18 DPS18	$\overline{}$	Spigot Spigot	EVA EVA	96.8	2.4	13.1	555 595	S:3000~4000 / D:LT4000C~50 S:3000~4000 / D:LT4000C~50
	106 Northern Nano		4580397942041	\rightarrow	S 10ft	_	-	30~50g	MAX PE 1.5		SiC-S/Ti/K	DPS20	-	Spigot	EVA	99.6	2.3	14.7	695	S:4000~5000 / D:LT4000C~50
	112 Northern		4580397940029	-	S 11ft	_	_	30~60g	MAX PE 1.5		SiC-S/Ti/K	DPS20	-	Put over		97.8	2.4	14.7	725	S:4000~5000 / D:LT4000C~500
	RC-55		4580397948216	-	S 5ft 5	_	54	JH 0.2~3g	PE 0.2~0.4 / FC• NY ~3lb		TZ/Ti/K	VSS16	-	Put over	EVA	91.1	1.3	6.5	290	S:1000~2000 / D:LT1000~200
	RC-65		4580397948223	\rightarrow	S 6ft 5		_	JH 0.3~6g / Plug 1.8~4.5g			TZ/Ti/K	VSS16	-	Put over	_	91.6	1.4	7.8	335	S:1000~2000 / D:LT1000~200
RealCrescent	RC-75 RC-81		4580397948230	-	S 7ft 5	_	_	Rig 2~14g / Plug 2.5~11g	PE 0.3~0.8		TZ/Ti/K	VSS16	$\overline{}$	Put over		99.8	1.5	10.0	385	S:2000~2500 / D:LT2000~250
P50	RC-81 RC-57B		4580397948247 4580397948254	\rightarrow	S 8ft 1 B 5ft 7	_	86 69	2~17g 0.5~5g	PE 0.4~0.8 PE 0.2~0.5		TZ/Ti/K TZ/Ti/K※	VSS16 PMTS17	\rightarrow	Put over Put over	EVA	97.4 91.6	1.5	10.5	395 325	S:2000~2500 / D:LT2000~250 Overhead reel for finesse
	RC-67B		4580397948254	-	B 6ft 7	_	_	0.8~8g	PE 0.2~0.5		TZ/Ti/K%	PMTS17	-	Put over	EVA	91.7	1.3	8.3	390	Overhead reel for finesse
	RC-77B		4580397948278	-	B 7ft 7	_	_	2~15g	PE 0.4~0.8		TZ/Ti/K※	PMTS17	-	Put over	EVA	99.6	1.5	10.2	415	For finesse and small Overhead ree
Multi Shaft	M / 2pcs		4580397948032	2	2640	nm 1435	612		-		W 1/2			T type∦			25.0	30.5	485	-
P53	L / 3pcs		4580397948049	-	3900	_	_		-		W 1/2		-	T type*			22.0	_	485	=
	Extension Shaft		4580397948056	\rightarrow	13601	_	217		_		W 1/2			_			22.2	22.2	105	-
DE MODI	1800		4580397948971	111	1800ı	mı	545	Spear 333mm	_		W 1/2		1		BRC					Recommendation Harpoon hea

Details of notation · Reel/S=Spinning B=Overhead reel Lure/Com-Wt=Comfort Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) K=K guide
Grip end/ BRC=Rubber material Cap EVA=EVA resin material Cap Lock nut/U=Up lock D=Down lock Joint/Spigot=Spigot Ferrule Put over = Put over Ferrule 1&H=Grip Joint T-Type=Telescopic Type
Tip/mm//Diameter of just below top guide But(mm)&Position(mm) / Position(nm) stand for the length from end of grip to point that is measured for Butt(mm)

The rod weight notation with 3½ is the weight of the prototype model, and may differ slightly from product weight notation.

Sic-S ring" is up dated model of SiC guide. Some of RippleFisher products are currently on switching from SiC guide to SiC-S ring guide. Depend on products, there SiC models and SiC-S ring models are existed in the market.

Please understand that we do not accept exchange to rod with other type of guide ring.

W 1/2

-- W 1/2 -- -- BRC

ASANO Type MORIPPA Type S MORIPPA

After Service & Support

Precautions for use

- ODo not cast with a tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.
- ●If you continue to reel in your rig (lure, popper, jig, etc) after it has reached the top
- Beware of power cables, overhead power lines, or phone lines, The material (carbon)
- will easily pass through electricity causing serious injury or death.

 Olf you hear or see lightning approaching while in use, pack the rod away or stay away

About the joint section of the rod

- ●The joint section of the rod of Ripple Fisher has been adjusted with high precision, If cause fixation. Please make sure that fouling or moisture is wiped off when you connect.
- If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.
- $\ \, lack {f If}$ you use the rod while the joint section is still loose, this may cause breakage.
- If the joint section is stuck together, use a rubber sheet for added grip while twisting

Maintenance and storage

- Wash the rod with running water to rid of any filth and salt. Then wipe off any excess water. If you store your rod without wiping off excess water, this may cause blisters on the blank and, rust the guides.

 Storage in well ventilated areas with no high temperature.

 Please do not leave the rod in your vehicle for long durations in summer, This will

Ripple Co.LTD (Ripple Fisher)

1047 Iwajiri Nagomi-cho Tamana-gun Kumamoto Pref 865-0114 JAPAN

E-mail: info@ripplefisher.com

https://ripplefisher.com/

Contents in this catalog

- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Prices and specifications listed in this catalog may be altered without warning.
- ●The colors presented in the pictures may differ from the actual color. and may differ when it reaches the final product.

Requesting repairs

- Please be aware that personally modified rods will not be covered by warrant (even if it is within the warranty period).
- Olf you are requesting a repair, please send in the whole rod (not just the section















*Please note and look out for our news on Limited Edition or Limited production run for certain models and all these can be found in our English website (Staff blog), facebook news feed or production news.