



BOAT

OFF SHORE FISHING

JIGGING

SELFISH
AGILE
Ocean Arrow

GIANT TREVALLY

Ultimo
Ocean Ridge

GTxpedition

KINGFISH and MORE

Aquila

TUNA

BIG TUNA

SPIN-OFF from RIPPLEFISHER


OCEÁNICA

FULL OF
SURPRISES

MORE ABOUT JIGGING MODELS

Ocean Arrow SELFISH

Selfish series is divided into categories that can be used for three different actions: bouncing the jig, swimming, and lightly maneuvering. All categories are equipped with the sensitivity to decipher the slightest changes in the current for anglers to control the action of the lure for that instantaneous moment. Rather than seeking the performance of light one-pitch jerking, we were after rods which allow anglers to enjoy the process of technical jigging maneuvers by sensing for the changes under the water. We proudly recommend the Selfish series for anglers who wish to delve deeper into the technical jigging game.



*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.

SELFISH 3 CATEGORIES

NS Natural Swim

Specialized for drift jigging

Specialized for situations where fish respond well to swimming-action jigs. This series is also designed to handle scenarios involving the frequent use of lightweight or short jigs, as well as shallow jigging strategies that require casting to search wide areas.

SEB SEnsitive Bait

Well balanced for Vertical Jigging and Drift Jigging

This series demonstrates its true potential with a diverse range of jigs and patterns, from high-pitch jerking to falling actions. It is specialized for scenarios requiring precise control of the jig falling, such as targeting shallow reef, structure fishing, and Tuna jigging.

AJ Aggressive Jerk


Specialized in vertical jigging

This series excels in patterns where fish respond well to high-appeal actions, such as the sliding motion of long jigs and high-pitch jerking. It is also specialized for situations requiring the use of heavy jigs in deep water or areas with heavy currents, such as the Kuroshio region.

↑ SOFT & POWER
↓ HARD & POWER

COMPATIBLE JIG WEIGHT QUICK REFERENCE TABLE

※CW=Comfort Weight



For jigging, the ideal jig weight will vary depending on the depth, shape of jig, and tidal condition, so please use this as a reference only. Since the stiffness in the AJ series is strong, anglers will be able to utilize lighter jigs when the tidal pressure is low with the minimum output of the rod action. The NS series can be used for swimming actions of lighter jigs in shallow areas with little water pressure with the belly section of the rod while the butt section will help anglers maneuver heavier jigs.

*The comfort weight described in the SELFISH series is considered to be the most manageable weight, but actually, it is possible to use a wider variety of weights. Please refer to the graph below.

<Explanation of Ripple Fisher's Jigging Rods>

Ripple Fisher's jigging category comprises three distinct series: the Selfish, the Ocean Arrow, and the newly added Agile. Each series is engineered with unique characteristics and actions, tailored to specific fishing styles and purposes. This page provides a detailed explanation of the features and actions of each series to assist you in selecting the rod that best suits your needs.

Ocean Arrow AGILE

Agile was created to enjoy the subdivided game of light jigging in a Ripple Fisher-like way. Even if it is called light jigging collectively, it is not easy to cover all of them due to the types of lures and regional characteristics. What we wanted from Agile was to use application rather than expertise, and not to limit the degree of freedom of the angler. Adapt to the situation with a wide variety of lures and enjoy the wide and deep world of light jigging.


AGILE 67ML

Specially designed for reeling-focused light jigging strategies. This model is ideal for using Tai-rubber and Tungsten jigs in deep waters (exceeding 100-150m) or strong currents. The sensitive yet highly flexible tip-to-belly section detects subtle changes, allowing fish to bite without feeling unnatural resistance. Despite its pliability, the butt section retains a solid core, providing the power to firmly control and lift unexpected large fish.

AGILE 60MH

A high-response, regular taper model that excels in slow jigging and the intricate manipulation of semi-long jigs. The uniform tension from tip to butt allows for direct, manual-style control over a diverse range of actions—from high-pitch to slow—and accommodates a wide spectrum of jig weights. During the fight, the entire rod bends smoothly, allowing anglers to enjoy thrilling battles with large fish.

AGILE SERIES Bending Curve



The 67ML features a sensitive tip that loads smoothly to detect bites, backed by a powerful butt for critical control. The 60MH, with its moderate tip tension and full-body bend, generates strong recovery force for versatile actions and dominance over large fish. Please view the "ML" and "MH" labels as a difference in operational feel rather than just power classes.

METHOD COMPATIBILITY CHART

	Deep Tairubber	Inchiku Soft Plastic	Hairtail Jigging	Light Jigging	Slow Jigging	High pitch Jigging
67ML	◎	◎	◎	◎	○	△
60MH	△	○	○	○	○	○

The Ocean Arrow series is engineered with the essential power and strength required for serious battles against large predators. The lineup consists of three distinct categories:

BFT: "fight-focused" design prioritizing the angler's comfort and stability during the battle.

DTT: "high-power" specification built to forcibly stop fish from diving into structures.

AMJ: "multi-purpose" model designed to achieve a balance between ample torque and a light, agile operational feel.

Note: These category names (BFT, DTT, AMJ) are not printed on the rod blanks themselves.

BFT
BLUEFIN TUNA
Fight Focused

AMJ
AMBERJACK
Multi Purpose

DTT
DOGTOOTH TUNA
High Power


SOFT&POWER

HARD&POWER



This is a comparison of the Ocean Arrow series with a static load of 8kg. Although the 5930 and 5930B have the same blank, due to the different reel seat and guide positions, you can see a significant difference in the bending curve. The 5320 is the stiffest of the series with the bending point being closest to the angler, ideal for highly strenuous high pitch jerking. We have included the Selfish 5320 for reference. You can see the Selfish series has been designed to bend from the grip with heavy load. If you seek power, we recommend the Ocean Arrow, and the Selfish series for operability.


RECOMMENDED ANGLES FOR EACH ROD



When the fish is far away and the line is slanted, depending on the stiffness and tenacity of the rod series, it is possible to hold the rod up to the angle shown in the diagram above and apply pressure to the fish. If the fish is close to under the boat, please try not to set the rod too high. If you do so while the fish turning under the boat, a huge load will be applied to the blanks and it may cause of breakage. Please do not keep the rod too high angle, especially when landing, so control the fish by holding the rear grip under the arm.

JIGGING MODELS COMPARISON TABLE

While we have listed target species based on each rod's design concept, tackle choice varies by individual. Even for the same fish, some anglers prefer a light tackle approach, while others opt for heavy gear. Please treat this list as a general guideline and select the model that best suits your personal fishing style.



OceanArrow SELFISH

SELFISH - Jigging Game

Kingfish / Yellowtail / Greater Amberjack

AGGRESSIVE JERK

NEW AJ 612

NEW AJ 603

NEW AJ 5105B

AJ 604

AJ 5105

SENSITIVE BAIT

SEB 633

SEB 624


SEB 615

NATURAL SWIM

NS 632

NS 623

NS 614



OceanArrow SELFISH

When it comes to jigging, casting distance is not an issue. It is generally the elevation or sinking of your jig that attract the fish and you can vary your jerking or alternate the speed of your jig. Jigging is so simply yet profound.

It is interesting as your fishing results vary greatly depending on your technique and the high reproducibility of your results.

How can you set yourself apart from your fellow anglers on board? It's a good idea to look for patterns and try different methods and techniques. By feeling the invisible changes in the sea and interpreting them, you can add action to the jig, and lure the fish. This is the real challenge and fun of jigging.


Ripple Fisher's jigging rod series "Selfish" is a series that places emphasis on fully enjoying jigging and the process of catching fish. This rod series can be used easily all day, with excellent operability and sensitivity. After the fish is hooked, the slender yet highly resilient blank bends as a whole, lifting the fish quickly while suppressing the fish's thrust.

In 2026, we will be adding three new models to the AJ series, creating a lineup that can handle a wider variety of patterns and changing conditions.

"AJ - Aggressive Jerk" is a series characterized by outstanding response and able to perform dynamic lure control with high sensitivity that allows anglers to detect changes in the current and water pressure.

"NS - Natural Swim" is a series that specializes in high controllability of jigs when the boat is drifting naturally (line on a diagonal angle), allowing the jig to move naturally even in shallow waters or when the current is slow.

A highly maneuverable series that allows for a versatile action of jigs unique to baitcasting tackle, from short/high-pitch jerks to slow styles that induce the bite with the sinking of the jig. "Feel, control and hookup." The Selfish series continues to refine every aspect of jigging, evolving to meet the passion of anglers who continue to explore the unknown.



SELFISH AJ 5105

SELFISH AJ / Aggressive Jerk

The Aggressive Jerk series excels at high speed and sliding action jigs. These specialized models allow the angler to tirelessly do vertical jiggling without losing the sensitivity even in deep waters or areas with fast flowing currents.

2026 NEW SELFISH AJ 612

The AJ612, along with the NS632, are two of the Selfish series' most sensitive models, offering even sharper controllability and improved responsiveness. Optimized for jigs up to 150g, the AJ612 offers quick and unrestricted maneuverability. The highly repulsive blank will allow anglers to cut through the water with the fine line and maneuver the jigs at high speed. The series' highest level of sensitivity, picking up on even the slightest changes in the upper and lower currents like an antenna, makes it unbeatable for efficiently identifying the bite zones. In addition, the robust double footed guides will ensure you have control during the sudden encounters with monstrous fish. By fusing exceptional sensitivity for reading current conditions, superior operability, and uncompromising strength, the AJ612 opens new possibilities for local water jiggling.



SELFISH SEB 624

2026 NEW SELFISH AJ 603

The AJ603 builds on the crisp, responsive handling of the AJ612 and has been specifically refined for using jig weights of around 180g which are the generally the main weight for your local waters. Its strong, resilient backbone delivers powerful repulsion, allowing anglers to widely slide their jigs and also conduct high-speed jerks. Even in high-pressure areas where there are many anglers, or during low-activity periods when the flow of the current slows right down and fish are reluctant to bite, the rods explosive initial response delivers crisp action, proving highly effective in triggering strikes from wary fish. The AJ603 best embodies the sharp action and refined sensitivity unique to the Selfish series, while also being equipped with the sturdy double-foot guides. As the standard for your local waters, this new model will serve as a new foundation for anglers, capable of not only vertical jiggling but also natural drifting of the boat in shallow areas with the jig and line on a diagonal angle.

2026 NEW SELFISH AJ 5105B

The AJ5105B truly excels in demanding situations where spinning tackle places excessive load on the angler—such as deep jiggling over 150 meters in fast-flowing current in southern Japan, or targeting large amberjack on exotic overseas expeditions. Its exceptionally strong blank minimizes power loss even during high-pitch jerks under heavy load in deep water, maintaining a consistent rhythm and delivering sharp, decisive action to draw out trophy-class fish. The reeling strength unique to baitcasting tackle allows you to easily maneuver jigs weighing around 400g, minimizing fatigue even during extended fishing trips and allowing anglers to maintain a stable pitch. This rod boasts overwhelming butt power, allowing you to quickly lift the fish away from structures and maintain full control during the tough fight against the monstrous fish from depths of over 200 meters. Deep-sea jiggling becomes more agile and efficient. This is Ripple Fisher's ultimate model, honed for fast-flowing currents, deep jiggling, to target your trophy fish.

(Same blank as the AJ 5105.)

SELFISH AJ 604

This model allows you to take advantage of the rod's repulsion and high action response without exerting unnecessary force. This is especially helpful in areas with fast flowing currents. It is also able to bring about reaction bites from super high speed jerking with your spinning setup or pinpoint jiggling on top of manmade fishing reefs and physically stopping them from busting you off.

SELFISH AJ 5105

This is a high-resilience model specialized for vertical jiggling in areas with fast flowing currents at depths of 100m or more. While it is a highly powerful rod, it also retains the light maneuverability of the SELFISH series and high sensitivity to gauge the tidal pressure. Even when aiming pinpoint on rough terrain or around manmade fishing reefs, the short length rod allows for a quick response while boasting outstanding butt power for hooking fish in deep areas. Anglers will be able to comfortably fight massive species and areas where there are plentiful sharks.

SELFISH AJ 604



SELFISH SEB / Sensitive Bait

These are highly responsive overhead reel models able to easily maneuver jigs simply or technically with various jerking methods. Anglers will be able to easily vary the tempo and speed of jerks capitalizing on the advantages of the overhead reel tackle set up.

SELFISH SEB 633

The standard model of the SELFISH Overhead reel series - built up with controllability and sensitivity as the foundation - is equipped with the ability to handle various jerking patterns vital for overhead reel setups and blank settings which support the angler when reeling up a heavy load. By eliminating the wobbling of the blank after the jerk and giving it moderate stiffness, the rod responds well in high-pitch or combination jerks. In addition, anglers are also able to utilize slow tempo jerks which focus on the falling of the jig to induce the bite. Once the blank is loaded, the rods bends over nicely and the resilience will allow the angler to take initiative. This versatile rod is the standard model of the series ideal for vertical or diagonal jiggling in your local waters or exotic fishing trips.

SELFISH SEB 624

With the basic characteristics of the SEB633, we have set the bending point farther towards the tip and sharpened its manual maneuverability. The strength of the blank is capable of sharply maneuvering jigs up to 220g. This model is built with highly sensitive characteristics and to easily control the jigs and induce a bite when the angler can feel for a fish in pursuit, change in the layer of current or a subtle bite. The reinforced butt power will control the massive thrashing of the fish running towards artificial fish reefs and rough rock formations while the powerful resilience and reeling by the angler will crank up 10kg class Kingfish.

SELFISH SEB 615

It is a bait model that supports a wide range of methods, such as pinpoint targeting in the fast flowing currents and deep waters, as well as loose action involving fine pitch adjustment unique to bait-casting reels. At depths of 100 m or more, the belly to butt section of the rod can be used as a fulcrum to bring out the high repulsive force of the blank allowing for a more lively action of your jig. Despite having a slender blank, it has enough butt power to control the intense running of the fish during the fight.

About Comfort Weight

When inputting action to a jig, the load on the rod will vary depending on the jig weight, water depth, and the speed of the tide. Therefore, for SELFISH, we have indicated a range of jig weights that will not impair action input under any circumstances. Since this is not the maximum weight of jigs, slight fluctuations in the lower and upper limits are not a problem. Please judge the day's conditions such as wind and tide, then pick the appropriate jig weight.

ROD DETAIL: Please refer to the list on page 66 to check details of rod specifications.

Reel Seat: Spinning Model NS632 DPS17 / AJ5105 DPS20 / Bait Model TCS18 (Fuji)

*A=Whole length of grip
B=Length from reel foot to end of grip when reel is equipped



2026 NEW

SELFISH AJ 612

AGGRESSIVE JERK

Lure / Comfort Weight

100~150g

Line

MAX PE 2.5

Drag Max

3kg/45°

Price :

Length: 6ft 1in

Closed Length: 1860mm

Weight: 168g

Guide

SiC-S Titanium frame

K Guide(Fuji)

2026 NEW

SELFISH AJ 603

AGGRESSIVE JERK

Lure / Comfort Weight

120~180g

Line

MAX PE 3

Drag Max

5kg/45°

Price :

Length: 6ft

Closed Length: 1840mm

Weight: 177g

Guide

SiC-S Titanium frame

K Guide(Fuji)

2026 NEW

SELFISH AJ 5105B

AGGRESSIVE JERK

Lure / Comfort Weight

200~400g

Line

MAX PE 5

Drag Max

10kg/45°

Price :

Length: 5ft 10in

Closed Length: 1788mm

Weight: 239g

Guide

SiC-S Titanium frame K Guide(Fuji)

2026 NEW

SELFISH AJ 604

AGGRESSIVE JERK

Lure / Comfort Weight

150~230g

Line

MAX PE 4

Drag Max

7kg/45°

Price :

Length: 6ft

Closed Length: 1840mm

Weight: 190g

Guide

SiC-S Titanium frame K Guide(Fuji)

2026 NEW

SELFISH AJ 5105

AGGRESSIVE JERK

Lure / Comfort Weight

180~320g

Line

MAX PE 5

Drag Max

10kg/45°

Price :

Length: 5ft 10in

Closed Length: 1790mm

Weight: 263g

Guide

SiC-S Titanium frame K Guide(Fuji)

2026 NEW

SELFISH SEB 633

AGGRESSIVE JERK

Lure / Comfort Weight

120~180g

Line

MAX PE 3

Drag Max

5kg/45°

Price :

Length: 6ft 3in

Closed Length: 1870mm

Weight: 182g

Guide

SiC-S Titanium frame K Guide(Fuji)

2026 NEW

SELFISH SEB 624

SENSITIVE BAIT

Lure / Comfort Weight

140~200g

Line

MAX PE 4

Drag Max

7kg/45°

Price :

Length: 6ft 2in

Closed Length: 1870mm

Weight: 189g

Guide

SiC-S Titanium frame K Guide(Fuji)

2026 NEW

SELFISH SEB 615

SENSITIVE BAIT

Lure / Comfort Weight

180~280g

Line

MAX PE 5

Drag Max

10kg/45°

Price :

Length: 6ft 1in

Closed Length: 1870mm

Weight: 186g

Guide

SiC-S Titanium frame K Guide(Fuji)

SELFISH NS / Natural Swim

A series especially designed to naturally maneuver the jig by eliminating any unnecessary flicking and jumping of the jig. The versatile multi purpose models are able to induce bites in selective situations, various sea conditions and areas.

SELFISH NS 632

This is a technical model for anglers to utilize small jigs weighing between 80g~130g with PE#2 for those spooked targets or high pressure fields. The light maneuverability and its honed sensitivity will transmit the signal for the bite and allow the angler to efficiently control the jig. Although it is equipped with a quick handling feel, the blank is designed to bend a little when jerking the jig reducing unwanted bouncing and the loss of tension, allowing for a natural action of your jig. Even with the PE#2 class specs, the rod possesses ample butt power not only for local waters but also for trips targeting larger species. The natural action of your lure induced by the light class rod is an ideal selection for the Kingfish suspending in the mid range during the high pressure spring seasons.

SELFISH NS 623

This is a model developed with the focus on its ability to intrigue your target by the natural action of the jig. It is designed to reduce your jig from bouncing about to perform a more natural appeal. While retaining the manual operational feel, anglers will be able to maintain the balance of the jig during its swimming action vital for inducing the bite. The responsive blank will allow anglers to easily switch the jerking pattern from the swimming type jerks using the tip section to those sliding type jerks which use the rebounding of the belly section. You could say that this would be your multi purpose model for local waters, able to smoothly adjust to tough field conditions. The butt section is tenacious and will allow anglers to go head to head with 10kg+ yellowtails (Buri) or 7-8kg Kingfish.

SELFISH NS 614

The NS614 is a technical model designed for fishing in shallow waters between 20~40m in depth, targeting the selective adult kingfish. It is a highly sensitive model, with a flexible tip section while having a stiff belly section to feel for the action of the jig in the water. Anglers will be able to slide and control the jig by efficiently responding to the ever changing sea conditions, and control the thrashing of the monstrous kingfish with the grip-end under your armpits. It is also suitable to under-cast your lure to search a wider area and will respond quickly to those situations where the current is flowing towards you. This piece possesses numerous traits required for jigging in shallow waters.



SELFISH NS 632

NATURAL SWIM
Lure / Comfort Weight
80~130g
Line
MAX PE 2
Drag Max
3kg/45°

Price :
Length: 6ft 3in
Closed Length: 1910mm
Weight: 126g
Guide
SIC-S Titanium frame
K Guide(Fuji)

SELFISH NS 623


NATURAL SWIM
Lure / Comfort Weight
100~150g
Line
MAX PE 3
Drag Max
5kg/45°

Price :
Length: 6ft 2in
Closed Length: 1890mm
Weight: 159g
Guide
SIC-S Titanium frame
K Guide(Fuji)

SELFISH NS 614

NATURAL SWIM
Lure / Comfort Weight
120~180g
Line
MAX PE 4
Drag Max
7kg/45°

Price :
Length: 6ft 1in
Closed Length: 1865mm
Weight: 174g
Guide
SIC-S Titanium frame
K Guide(Fuji)



Ocean Arrow

AGILE

AGILE / Light Jigging Game 67ML
Blue Runner / Grouper / Red sea bream **60MH**

The targets in the light jigging category are extremely diverse, and the lures, jigs, and methods required to target each of these species are also diverse, making it a complicated genre that varies depending on the area and season. New styles continue to emerge in various regions around the world, and the sport is expanding even further, going beyond the boundaries of an already fragmented game. The light jigging game we envision at Ripple Fisher is not simply the boat game using a lightweight jig with light line. It is however the operability of the rod to instantaneously decipher the situation unfolding before you, set your target with a clear vision, and select appropriate size jigs for your target. Whatever the situation, we have pursued for absolute sensitivity that allows anglers to feel for the presence of fish chasing your lure at the other end of the line, without limiting the anglers imagination and originality of choosing their lures. This can only be made possible by the finesse approach utilizing light line. The blank design further sharpens the rod's sensitivity and strength, which are necessary for catching targets lurking in the deep, bringing a more strategic approach to the world of vertical boat games. This rod was produced to unleash infinite possibilities of light jigging for anglers around the world. That is the new style we offer at Ripple Fisher and the background for the development of the Ocean Arrow Agile series.

AGILE 67ML

The 67ML is a model that excels at precision approaches using tungsten jigs or Tai-rubbers rigs in deep areas over 100-150m deep with fast flowing currents to target fish eaters that feed on micro baits. The highly sensitive and flexible tip to belly section accurately detects and transmits through the blank the subtle changes in the currents, allowing for precise jig control and a seamless hook-up. The 67ML is flexible yet powerful, successfully deflecting the powerful run of the fish while the stiff butt section provides control and ample lift to surface the fish. This is a technical model that is ideal for use with Tai-rubber rigs and tungsten jigs, but also allows anglers to utilize Inchiku and soft-plastics depending on the rapidly changing conditions of the sea.

AGILE 60MH

Designed with a regular taper, the 60MH features a highly-responsive blank with consistent stiffness from the tip to the butt section, allowing anglers to easily control various jig actions from high-pitch long jig actions to the slower and falling actions of shorter jigs. The sharp blank excels at delicate action and is compatible with a wide range of jig weights. Depending on how you use it, it offers great versatility and can flexibly adapt to any situation. While the blank is designed to induce the bites, the deep bend of the blank that maximizes the strength of light line will allow anglers to enjoy the thrilling battle against their monstrous targets. The 60MH is a rod that is specialized for light jigging in coastal waters targeting selective Blue runners, and can also be used as your spare tackle for more exotic expeditions. It is a light model that really shows its true qualities when utilizing a well-balanced light line setup.

AGILE 67ML



AGILE 67ML

Lure
Rubber 100~300g
TG 60~180g
Line
PE 0.8~2

Price :
Length: 6ft 7in
Closed Length: 1475mm
Weight: 136g
Guide
SIC-S Titanium frame
K Guide(Fuji)

AGILE 60MH


Lure
Jig 100~180g
Slow 150~250g
Line
PE 0.8~2

Price :
Length: 6ft
Closed Length: 1335mm
Weight: 127g
Guide
SIC-S Titanium frame
K Guide + SIC LRV Guide(Fuji)

ROD DETAIL
Please refer to the list
on page 66 to check
the details of
rod specifications.

Reel Seat
PLS15 (Fuji)

*A=Whole length of grip
B=Length from trigger to end of grip



OceanArrow

OceanArrow / Jigging for Monster

Tuna / Marlin / Amberjack / Grouper

The Ocean Arrow series is a lineup of jigging rods developed specifically for targeting monster fish around the globe. While technical presentation to induce a bite is paramount in jigging, when facing off-the-charts giants, that alone is not enough. To successfully land these fish, the rod must possess the performance to endure the fight to the very end and the power to reliably lift the fish to the surface. The Ocean Arrow series has been refined into three distinct categories, with each model optimized to meet the specific demands of its target. The "BFT" is designed to go toe-to-toe with endurance fighters like Bluefin Tuna. It combines tenacity with strength, allowing anglers to fight comfortably and sustain pressure during prolonged battles. In contrast, the "DTT" prioritizes stiffness and raw power, essential for stopping powerful fighters like Dogtooth Tuna that attempt to dive into the reef. The "AMJ" is a Medium-Heavy class model finished with a focus on manageability. It features a reliable backbone (butt power) capable of handling Amberjack and large bottom fish with confidence.

OceanArrow BFT / Bluefin Tuna

Specializing in tuna that allows you to keep the rod high angle during fights and easily endure long fights.

Target : Tuna / Billfish Category : Heavy Class

OceanArrow 6615

This is a two piece grip jointed spinning model designed to jig for large Tuna. Similar to the 5930, it is designed so anglers can high-stick the rod and the longer rod length is set to avoid the line from scraping the hull of the boat resulting in a break-off. Although it is a PE6 class high powered jigging rod, the light feel of the rod will allow anglers to utilize various jerking patterns to induce that bite. The 6615 is a rod that will be useful in various locations around the world and for various species with power to control the thrashing fish, tenacity to continue to apply pressure on the fish and highly well balanced to maneuver the jigs. Recommended size of tuna: More than 50 kg

OceanArrow 5930

This is a one piece spinning model designed to jig for large size Tuna and Marlines around the world. The short length rod able to be high stuck will be advantageous for the angler at critical times when the fish is directly beneath the boat. The beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side. It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your armpits. Recommended size of tuna: More than 50 kg

OceanArrow 5930B

This is a one-piece bait model for targeting tuna. The blank is the same as the 5930 spinning, and the stiffness has increased by making it a bait casting model. This model features a regular tapered action, which is suitable not only for vertical jigging, but also for live bait fishing and trolling. Even when jigging in strong currents or deep trenches, anglers will be able to comfortably utilize long jigs of 200~800g.

Recommended size of tuna: More than 50 kg

OceanArrow AMJ / Amberjack

A highly versatility that can be used for amberjack, yellowfin tuna, and large grouper.
Target : Amberjack, Large groupers, etc. Category : Medium Heavy Class

OceanArrow 5910B

This is a grip-jointed two-piece bait-casting model designed for various species such as amberjack and grouper. It is highly portable and allows anglers to swiftly jerk their jigs in fast flowing currents of exotic fishing destinations. It is also equipped with outstanding butt power to stop the fish from running you off on the rocks.

OceanArrow DTT / Dogtooth Tuna

A category aiming for monsters with outstanding blank rigidity and lift speed.
Target : Dogtooth Tuna Category : Heavy Class

OceanArrow 5320

It is a regular fast-taper action model designed to target monster-sized dogtooth tuna. This rod has strong overall stiffness and a very high action response thanks to its short length, making it possible to operate heavy jigs lightly even in strong currents. It is equipped with ample butt power to forcibly stop fish that run towards the rocks during a fight. We recommend anglers to put their weight behind the rod during the fight to maximize its potential.



OceanArrow 6615

Lure
JIG MAX 400g
Line
MAX PE 6
Drag Max
12kg/45°

Price :

Length: 6ft 6in
Closed Length: 1295mm
Weight: 362g
Guide
Super Ocean Guide(Fuji)



OceanArrow 5930

Lure
JIG MAX 800g
Line
MAX PE 8
Drag Max
15kg/45°

Price :

Length: 5ft 9in
Closed Length: 1775mm
Weight: 382g
Guide
Super Ocean Guide(Fuji)



OceanArrow 5930B

Lure / Comfort Weight
200~800g
Line
MAX PE 8
Drag Max
15kg/45°

Price :

Length: 5ft 9in
Closed Length: 1777mm
Weight: 382g
Guide
Super Ocean Guide(Fuji)




OceanArrow 5910B

Lure / Comfort Weight
180~350g
Line
MAX PE 5
Drag Max
10kg/45°

Price :

Length: 5ft 9in
Closed Length: 1140mm
Weight: 297g
Guide
Super Ocean Guide(Fuji)



OceanArrow 5320

Lure / Comfort Weight
200~600g
Line
MAX PE 6
Drag Max
12kg/45°

Price :

Length: 5ft 3in
Closed Length: 1624mm
Weight: 316g
Guide
Super Ocean Guide(Fuji)



ROD DETAIL Please refer to the list on page 66 to check details of rod specifications.
Reel Seat : Spinning Model DPS20 (Fuji) / Bait Model T-DPS22 (Fuji)
A=Whole length of grip
B=Length from reel foot to end of grip when reel is equipped
About specs of end of grip
The standard specification for the Ocean Arrow series are equipped an aluminum gimbal (with rubber cap). You can also specify BRC specifications when ordering. Grip end specifications can be changed even for purchased products. Please contact us for detail.

MORE ABOUT BOAT CASTING MODELS

Aquila

ST

STANDARD

Developed to target a wide range of species with excellent balance and high versatility. This series is an all-rounder adaptable to any situation or lure, yet it is designed with a specific focus on maintaining a sharp and crisp operational feel.

MST

MONSTER

Developed to conquer scenarios where fish are preying on large bait, such as Dorado and Needlefish, requiring the use of large plugs. The tenacious blank is designed to bend deeply and hold power, enabling stable fights against large predators.

OceanRidge

BIG TUNA

BIG TUNA FIGHT STYLE

Slow Fight

Use a rod that will bend deeply. Hold the rod upright and use the blank's bending force to slowly bring the fish to the surface. Recommended for those with less body weight or physical strength.

Speedy Fight

For those who are confident in physical strength or who have sufficient body weight, it is recommended to use a stiffer rod which will have a shallower bend for a speedier fight.

Light Class

~PE6

BIG TUNA

85F

Middle Class

~PE8

BIG TUNA

87AS

Heavy Class

~PE12

BIG TUNA

86

Power Class

~PE12

BIG TUNA

710RT

76

~PE12

BIG TUNA

73

70

~PE12

BIG TUNA

70

MLT

MULTIPURPOSE

Designed for conquering micro-bait patterns, such as whitebait, using small pencil baits. This model features a tip section specialized for the delicate manipulation of small plugs, combined with flexible belly and butt sections that allow you to maximize the strength of light lines.

EX

EXPEDITION

An expedition model that fuses the portability of a 3-piece design with uncompromising rod performance. It features a sharp operational feel and a seamless bend that eliminates any sensation of the joints.


◀ The 85F and 87AS have a deep bending margin and are classified as slow fight rods in the series. As these rods absorb the load, they are recommended for those who are not confident in their physical strength or who are light in body weight.

◀ The 83, 86, 710RT, and 76 are middle-class models. They are easy to use for people with a certain level of build and physical strength.

◀ The 73 and 70 are classified as speedy fight rods because they bend relatively little. When used by heavy or physically fit anglers, they achieve speedy results.

*Depending on the size of your fish, it may not suit the rods repulsive force. Please select a model most suitable for your target size.

Recommended Fight Position



Explanation of Ripple Fisher's Boat Casting Rods

Ripple Fisher's boatcasting category consists of a total of five categories: Big Tuna, Aquila, Ultimo, Ocean Ridge and GTX. Each series has its own characteristics, and is used for different purposes. This page explains in detail the characteristics and condition of each series for your reference.

Ultimo

82ML

~PE6

Characteristics

Specialized for the swimming action of diving pencils. To be used with 180-240mm diving pencils. Light weight and comfortable light casting feel

Target Fish / Expected Situations

For kingfish, yellowfin tuna, and light GT. High precision casting on surface feeding frenzies. Luring game with emphasis on superior distance and efficiency

83M

~PE7

Characteristics

Quick action

Target Fish / Expected Situations

For large kingfish and GT. Stronger restoring force than the Aquila series, enabling anglers to put their weight behind the rod.

710MH

~PE8

Characteristics

Suitable for medium to large lures over 220mm.

Target Fish / Expected Situations

For large kingfish and large GT. High response and excellent casting.

86M/B

~PE7

Characteristics

All-purpose

Target Fish / Expected Situations

For large kingfish and GT. High manual performance unique to bait-casting tackle. Ideal for performing long jerks with bubbling lures.

82ML

~PE6

Characteristics

Great line release enabling the use of various line-systems

Target Fish / Expected Situations

For large kingfish and GT. Ideal for SS Assist and sea-hunter (super strong abrasive line) systems for an aggressive fight.

LURE COMPATIBILITY TABLE

LARGE MOUTH POPPER	MEDIUM MOUTH POPPER	SMALL MOUTH POPPER	DIVING POPPER	DIVING PENCIL	SINKING PENCIL
—	—	△	○	○	○
—	△	○	○	○	○
△	○	○	○	○	○
—	△	○	○	○	○



This is Ripple Fisher's signature casting series, achieving a high-level fusion of the overwhelming casting distance essential for the casting game, and a lifting power that defies its light and agile operational feel. Designed to target GT and large Kingfish using diving pencils and diving poppers, these rods feature a flexible tip. This design ensures the lure grips the water effectively and offers the high versatility needed to handle a wide variety of lure types. The lineup consists of four models focused on speedy game progression, enabling anglers to leverage their full body weight during the fight.



OceanVoyager GTXpedition



While it has been designed with a short storage size of 887mm for your exotic adventures to the remote parts of the world, its castability and fighting performance is comparable to that of a 2-piece model. This multi-piece series is the crown jewel of Ripple Fisher's technical capabilities.

The size of fishing rods that can be checked in varies depending on the airline and aircraft. We recommend that you check with the airline in advance.



LURE COMPATIBILITY TABLE

LARGE MOUTH POPPER	MEDIUM MOUTH POPPER	SMALL MOUTH POPPER	DIVING POPPER	DIVING PENCIL	SINKING PENCIL
—	○	○	○	○	○
○	○	○	○	○	○

OceanRidge

This series is specialized for GT games, and features overwhelmingly high repulsive blank compared to others. The butt section has outstanding power to fight against GT for a short and efficient fight, so we have set a recommended angler weight.



LURE COMPATIBILITY TABLE

LARGE MOUTH POPPER	MEDIUM MOUTH POPPER	SMALL MOUTH POPPER	DIVING POPPER	DIVING PENCIL	SINKING PENCIL
—	○	○	○	○	○
○	○	○	○	○	○
○	○	○	○	○	○
○	○	△	△	○	○

RIPPLE FISHER CASTING ROD ~FIGHT STYLE~

BIG TUNA JAPAN SP

Tuna Rod Series

- Low Position (Gimbal belt recommended)
- Upright Fight Style (Holding the rod high)
- Stance: Do not spread feet too wide; do not drop hips too low.

For tuna that spiral upward from the depths over a long period, holding the rod high brings the bend's fulcrum closer to the angler, allowing the load to be shifted downward (toward the belt). This design is intended to reduce the physical burden on the angler. Additionally, compared to GT and Kingfish rods, the blank is designed with suppressed rebound (recoil), making it suitable for enduring long fights without exhaustion.

Aquila/Ultimo/GTX/OceanRidge


GT & Kingfish Rod Series

- High Position (Gimbal belt recommended)
- Maintain a rod angle of approx. 45°, being conscious of the line angle.
- Stance: Take a wide stance, drop your hips, and focus on engaging the rod butt.

For fish that run toward structures (such as GT and Kingfish), letting out line can lead to break-offs, so it is necessary to stop the fish and lift them quickly. Therefore, the design prioritizes the use of the rod's butt section. While this posture allows you to utilize the rod's power to its maximum, the leverage effect makes it easier for the angler's body to be lifted (pulled forward) by the fish. For this reason, a "Recommended Angler Weight" is set for GT rods.

Ripple Fisher's Design Philosophy

Ripple Fisher rods are designed to unleash their maximum power when bent at the proper angle. By correctly drawing out the specific characteristics of each series, you can enjoy Big Game fishing more comfortably and deeply. We are committed to "specialized design" to ensure that our rods serve as the one reliable tool that responds with certainty in those critical, make-or-break moments.



Ultimo

Ultimo / Boat Casting Giant trevally / Kingfish

The Ultimo series are the lightest in weight, highly well balanced, possess a light casting feel and armed with outstanding butt power to win over the massive fish. We focused on its casting ability as the most important aspect which is obviously the key factor when venturing out for a casting game. The choice of carbon material and guide settings were vital and the light yet highly resilient blank possess the power suited for the needs of the recent evolution in the off-shore fishing scene.

These four models are the flagship in Ripple Fisher's boat casting rod series. Our mission was to create rods which are lighter, cast farther, are stronger and most efficient when going head-to-head with monstrous species.

Ultimo 82ML Spinning Model

This model is ideal for top water GT and Kingfish game for anglers to utilize diving pencils, as it is equipped with a sensitive flexible tip to reduce handling error of the lure and stiff blank characteristics seen in ML class rods. The blanks followability is extremely high as it will easily bend in as soon as the raging large fish starts running and it is designed to bring out its true strength of the butt with little strain on the angler. The lifting ability of the butt section of the rod will outperform its line-class specifications in highly rugged dangerous areas. Thanks to the medium light class blank design, the light casting feel and highly well balanced rod will assist anglers in the highly strenuous big casting game.

Ultimo 83M Spinning Model

This will be your standard model with a total balance of casting feel, controllability and fighting performance factors required to target GT and Kingfish. Anglers will easily be able to sharply cast out diving pencils and poppers around 240mm while lightly and effectively maneuvering the lure through the manually handling blank. Once the rod is loaded with the weight of the fish, it will bend in nicely and allow anglers to put their weight behind the rod to efficiently lift the fish with the responsive strength of the blank. It is ideal for not only GT but also great for aggressively fighting the large kingfish in shallow areas.

Ultimo 710MH Spinning Model


The sharp and stiff blank will allow anglers to easily handle large diving pencils, jerk up sinking pencils from the depths and efficiently and lightly produce splashes with medium mouthed poppers around 260mm in difficult conditions where the use of a variety of lures is required. The short length light feeling 7.10ft rod is well suited for casting from the stern of large fishing charter boats where there is little space to swing your rod around. The torque of the outstanding butt power will smoothly intensify with the weight transition of the angler enabling you to stop the massive fish and take initiative of the fight. It is a new generation power rod with contradicting characteristics of lightness and medium heavy power class which can easily be utilized by anglers with a smaller build.

Ultimo 86M/B Overhead reel Model

The highly resilient blank was especially designed to cast farther, control and maneuver the rod and easily fight your target with ease. We were also very particular about the length of the rear-grip for smoother casting and the front-grip is assembled with a rubber grip to reduce any slippage. This has helped anglers properly grip the front-grip during the fight and prevent the reel from tilting downwards. The guides are large in diameter to help release the thick and long leader system with ease. With the many advantages as a bait-casting tackle, anglers will be able to consistently cast with ease and capitalize on the strong winding power of the reel. The model will open up new opportunities for anglers around the world and will not only be ideal for experts but also for beginner fishermen.

ROD DETAIL Please refer to the list on page 66 to check details of rod specifications.
Reel Seat : Spinning Model DPS20 (Fuji) Bait Model T-DPS22 (Fuji)

A=Whole length of grip
B=Length from reel foot to end of grip when reel is equipped



Ultimo 82ML SPINNING MODEL

Lure / Comfort Weight
70~120g

Line
MAX PE 6
Drag Max
12kg/45°

Price :

Length: 8ft 2in
Closed Length: 1790mm
Weight: 362g

Guide
SIC-S Titanium frame K Guide
+ SIC RV Guide(Fuji)

Ultimo 83M SPINNING MODEL

Lure / Comfort Weight
80~140g

Line
MAX PE 7
Drag Max
13kg/45°

Price :

Length: 8ft 3in
Closed Length: 1815mm
Weight: 376g

Guide
SIC-S Titanium frame K Guide
+ SIC RV Guide(Fuji)

Ultimo 710MH SPINNING MODEL

Lure / Comfort Weight
80~160g

Line
MAX PE 8
Drag Max
15kg/45°

Price :

Length: 8ft 10in
Closed Length: 1685mm
Weight: 378g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

Ultimo 86M/B Overhead reel Model

Lure / Comfort Weight
60~160g

Line
MAX PE 7
Drag Max
13kg/45°

Price :


Length: 8ft 6in
Closed Length: 1770mm
Weight: 398g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

ROD DETAIL PICK UP



Ultimo Bending Curve Load 6kg



*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.

Ultimo 710MH



Ultimo 710MH



Ultimo 83M



OceanRidge

OceanRidge / GT Boat Casting

Giant Trevally

The OceanRidge series are GT rods especially designed with Ripple Fishers' brand characteristics. The lineup built up for the needs of the expert anglers require manual maneuvering and will bring out the true skills in anglers. These are not your ordinary lineup and will not suit all anglers. But rest assure that these rods will feel like a part of your body once anglers have established their style and skill. The GT game is becoming tougher and tougher each year and sometimes require the use of supersize lures to induce a bite. Ocean Ridge series including the strongest GT78 is not simply an over powered rod but will become your biggest asset in specific situations and against monstrous GTs.

OceanRidge Reversal GT 80 Nano

This is a model where anglers will be able to experience and feel for the distinct difference in the Nano blank. It is lighter, stronger and more sensitive while having an astounding ability to cast long distances. Anglers will be able to utilize pencil type lures and small/medium mouthed poppers to land those massive GT. The blank has a smooth bend curve with increasing torque as more load is applied on the rod. It is an ideal rod for those who have never experienced our OceanRidge series or those lighter weighing anglers (approx.60kg) who have the skill to smoothly transfer their body weight on the rod during the fight.

Angler's Weight : 65kg~ (Recommendation)

OceanRidge LC GT 82 Nano

For those who want to cast farther than any other angler on the boat. This is an ideal rod for use when long casting is required or casting against head winds. It is suited for use with poppers and diving pencil type lures. The Nano material has not only increased its controllability but anglers will also be able to sense the slightest changes in current movement through the blank, line and lure while efficiently and effectively surface the GT. Although it is a long casting model, you will be pleasantly surprised with its lightness and controllability. Angler's Weight : 70kg~ (Recommendation)

OceanRidge PF GT 711 Nano


Although this stiff and super sensitive rod may be limited for use by experts, its true potential will be exhibited once anglers with vast knowledge and skills take hold of it. The NANOALLOY® technology developed by Toray has sharpened the blanks capabilities allowing anglers to decipher the subtle changes in current and control the lure at the anglers will. The PowerFight 711 has remarkable lifting power and will surface GT exceeding 50kg simply by loading up the rod and using its repulsive force.

Angler's Weight : 70kg~ (Recommendation)

OceanRidge FINAL SPIRIT GT 78

This is the most powerful and toughest GT rod Ripple Fisher has ever developed with stiff characteristics in the tip to belly section for easy use with large mouthed poppers and outstanding lifting power in the butt. The blank is highly responsive and once hardcore anglers put his/her full weight behind it, the repulsive force in the blank will efficiently lift the fish. It is an ideal rod for short popping of large mouthed poppers and controlling massive 300mm class pencil type lures when the GTs are feeding on super large baits. It is not a rod that you want to be using all day long, but a rod that you want to bring out in hairy situations with gushing currents and rugged terrain.

Angler's Weight : 80kg~ (Recommendation)



OceanRidge Reversal GT 80 / Nano

Lure
MAX 170g
Line
MAX PE 8
Drag Max
14kg/45°

Price :

Length: 8ft
Closed Length: 1737mm
Weight: 373g
Guide
Super Ocean Guide(Fuji)

OceanRidge LC GT 82 / Nano

Lure
MAX 190g
Line
MAX PE 8
Drag Max
14kg/45°

Price :

Length: 8ft 2in
Closed Length: 1796mm
Weight: 378g
Guide
Super Ocean Guide(Fuji)

OceanRidge PF GT 711 / Nano

Lure
MAX 210g
Line
MAX PE 10
Drag Max
15kg/45°

Price :

Length: 7ft 11in
Closed Length: 1682mm
Weight: 375g
Guide
Super Ocean Guide(Fuji)

OceanRidge FINAL SPIRIT GT 78


Lure
MAX 270g
Line
MAX PE 12
Drag Max
17kg/45°

Price :

Length: 7ft 8in
Closed Length: 1645mm
Weight: 393g
Guide
Super Ocean Guide(Fuji)



OceanRidge Bending Curve Load 7kg



Ocean Ridge is a GT exclusive model and is mainly intended for use with lures such as poppers and large pencils. The FS78 is designed with a focus on balance while keeping its high power, and when fighting large GTs at medium to short distances, you can develop a fight with good response thanks to the closer bending fulcrum.

*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.

OceanVoyager GTXpedition

GTXpedition / GT & Kingfish Boat Casting

Giant Trevally / Kingfish

Ripplefisher's 3 piece pack rod, "GTXpedition" model has been designed to consider the recent traveling limitations, the collapsed length has been set to 887mm for the two PE6 and PE8 class rods. These models are not only suitable for your GT fishing in exotic locations but also trips targeting massive kingfish. By combining these rods with the Aquila EX models, anglers will have a wider range to choose from depending on the sea conditions, lure size and target size. By reviewing the bending of the new GTXpedition models, we were able to perfect it as a 3 piece rod. With its lightness, outstanding balance, sharpness and appropriate bending curve, you will not believe it to be a multi piece rod. We hope you can first handedly experience the ever improving technology at Ripplefisher.



GTXpedition 81M

This is a PE6 class multi piece model to target GT and Kingfish domestically or internationally. It is ideal for use with diving pencils and small mouthed poppers. The seamless bending curve pleasantly surprise you as it will not feel like a 3 piece blank. Anglers will be able to cast into strong head winds with its added sharpness and the blank will assist anglers to maintain balance during the fight and efficiently lift the fish. We are proud to present you this rod with the potential to go head to head against 30~40kg class GT while being a PE6 class light and sharp rod.

Angler's Weight : 55kg~ (Recommendation)


GTXpedition 81MH

This is a PE8 class multi piece model to target large size GT as its main target domestically or internationally. The sharp and highly resilient blank is ideal for use with large diving pencils and medium size mouthed poppers. You will be able to utilize and sharply maneuver these lures with little effort thanks to the characteristics of the blank. The sharpness of the blank will also reduce the load on the angler when casting all day long. In contrast to the 81M, this model is more muscular and has a sharper blank with instantaneous force enabling anglers to take initiative and have a speedy fight with the monstrous fish. You will be able to load the blank and stop the fish in shallow waters or around rough structures. This is the ultimate travel rod we were able to produce through challenging the limits of a multi piece rod.

Angler's Weight : 65kg~ (Recommendation)



The GT Expedition comes with a thick synthetic leather rod bag that provides excellent protection for your rods and allows for compact storage.



*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.

