

Aquila

Aquila Boat Casting

Spanish mackerel / Bonito / Kingfish / Yellowtail / Yellowfin Tuna

In our lineup of Aquila are 11 models. We have categorized them into four different series, ST, MLT, MST and EX. The ST series are the most standard models, which are well balanced and fine honed to cater for various situations and various targets. The MLT series have a combination of a flexible tip section and a stiff butt section to go after massive fish with light line. The MST series are the already popular models to go after monstrous Kingfish with sheer power and strength. The EX series are 3 piece pack rods for anglers traveling around the world. The Aquila series are rods built to defy the boundaries of fishing. It was our quest to seek lifting power, easy handling of lures, outstanding castability and last but not least, the ability to parry the angry fish. We don't simply make rods with "power", we make rods with "strength".

Aquila MST / MONSTER

The Aquila MST series have been designed for those anglers with their sights on monstrous Kingfish. The main purpose of these rods are to enable anglers to go head to head with supersize fish with the use of strong PE7~8 class line and large lures for situations when the targets are feeding on large bait fish like, dorados, needle fish, flying fish etc. These rods are not just a stiff stick with power. On the contrary, in order to deal with sudden dives of the Kingfish, they have been designed with the bending point to transfer towards the angler as more load is applied to the blank. It is a user-friendly rod for any angler to use as you can load your weight on the rod by bending your knees during the fight.

※The + symbol next to the power class indicates that the power and tenacity has been added to the usual power class.

Aquila MST 85-7+

This is a model for anglers targeting supersize Kingfish with the use of 40g~120g lures. Although it is categorized as a power model, the lightness of the rod will allow anglers to cast all day long and freely pursue the lightning speed Kingfish. As the bending point transfers towards the angler once hooked up, anglers will be able to conduct a steady fight by counteracting your body weight against the fish by lowering your hips and loading the rod even when you're almost against the bow railing. Furthermore, the length of the rod will also assist you when conducting long casts towards feeding tuna.

Aquila MST 711-8+

This model is especially designed for anglers who face the dorado pattern, requiring them to utilize large lures up to 180g for the supersize Kingfish. It is also ideal for those anglers who like to go head to head with powerful fish in shallow areas. The underlying power of the rod also allows you to utilize this rod for the GT game. Compared to the ordinary GT rods, this rod will bend over more naturally, which is ideal for smaller/shorter and even female anglers.

Aquila MST 82-9+

In the ever evolving Kingfish game, the need to use large lures has increased with the target feeding on large size bait-fish. The MST82-9+ was designed to enable anglers to fully-cast lures exceeding 240mm while easily controlling and maneuvering these mammoth lures. Furthermore, the Aquila MST series are especially designed to tenaciously bend-in while demonstrating outstanding lifting power when fighting against monstrous Kings in rough terrain and gushing currents. Although we have designed the rod with easy utility, it is the strongest of the series and one will require ample body strength and experience to maximize its true potential. Having said that, we are confident that this rod will help anglers in the toughest of conditions, against the biggest of fish while using these large lures. We present this rod for those who are seeking monster-class Kings around the world.



Aquila MST 85-7+

MONSTER
Lure / Comfort Weight
40~120g
Line
MAX PE 7
Drag Max
14kg/45°

Price :

Length: 8ft 5in
Closed Length: 1897mm
Weight: 382g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

Aquila MST 711-8+

MONSTER
Lure / Comfort Weight
80~180g
Line
MAX PE 8
Drag Max
16kg/45°

Price :

Length: 7ft 11in
Closed Length: 1752mm
Weight: 369g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

Aquila MST 82-9+

MONSTER
Lure / Comfort Weight
80~220g
Line
MAX PE 9
Drag Max
17kg/45°

Price :

Length: 8ft 2in
Closed Length: 1782mm
Weight: 400g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

Aquila MLT / MULTIPURPOSE

The Aquila MLT series were developed for situations where your targets are feeding on super small baitfish (white bait) and require anglers to utilize lighter tackle or for situations where the fish are highly sensitive towards fishing vessels and require anglers to cast long distances. You can say that we had to fuse together contradicting features of casting and controlling light lures while possessing the power for large species and maintaining the initiative of massive fish during the fight. It is a new generation of rods designed to catch large species with light tackle, requiring anglers to maximize the strength of the line. This line-up of rods complements the compilation of models produced for our off-shore series.

※The 2/4 notation on the rod means the tip section is a PE2 class while the butt section is PE4 max. (3/6 means the tip is a PE3 class while the butt is a PE6 class)

Aquila MLT 82-2/4

The MLT82-2/4 has a tip section of a PE2 class, enabling anglers to accurately cast and control small ~ super small lures. It is an ideal model to overcome the challenging game where the white-bait are on the targets main menu. With its outstanding casting ability and controllability of the small lures, anglers will be able to reach great distances when casting and won't spook the fish from the presence of the boat. Although the tip section is light, the PE4 class butt section will enable anglers to maintain the initiative during the fight and lift the fish efficiently. Its versatility will allow anglers to target and land various species from the blue-runners, bonitos, dorados, and tuna. We hope this rod will assist those anglers who have been itching to cast smaller lures, farther, wider and with lighter line to catch your dream fish.

Aquila MLT 82-3/6

This is a model with increased power to PE6 class compared to the MLT82-2/4, but for use with small lures and light line. The tip section has the flexibility of a PE3 while the butt section possessing the power of a PE6. When comparing to the ordinary PE6 class rod, anglers will be able to swing through with less effort while increasing the accuracy and casting distance. The blank will bend over nicely once loaded yet possessing the underlying power to stop the monstrous fish. During the testing of this model, we were able to catch a 47kg yellowfin tuna in less than 10 minutes with a PE4 line. With the contradicting features of power (for lifting the fish) and flexibility (for casting and controlling smaller lures), you could say that this rod is at the pinnacle of Ripple Fishers' rod making technology.

Aquila MST 711-8+



Aquila MLT 82-2/4



Aquila MLT 82-2/4

MULTIPURPOSE
Lure / Comfort Weight
30~70g
Line
PE 2~4
Drag Max
7kg/45°

Price :

Length: 8ft 2in
Closed Length: 1782mm
Weight: 341g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)


Aquila MLT 82-3/6

MULTIPURPOSE
Lure / Comfort Weight
40~90g
Line
PE 3~6
Drag Max
10kg/45°

Price :

Length: 8ft 2in
Closed Length: 1782mm
Weight: 348g

Guide
SIC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)



About Comfort Weight


In the Aquila series, the lure specs are listed as comfort weight. This is because the weight that can be cast will vary depending on the volume and specific gravity of the lure, how you cast it, and the line you use. Therefore, Aquila indicates the weight range that can be cast without stress. Since this is not the maximum value, slight fluctuations in the lower and upper limits are not a problem.

Aquila MLT

UnderCast Handle

SHORT HANDLE/OPTION PARTS

For the Aquila MLT series, we have prepared a specially designed short handle for those anglers who need to utilize under-arm casting when boarding large charter boats. The total length of the rod is approximately 7ft 10inches with the short handle. The short handle is sold separately and does not come with the rod.



MLT 82-3/6

UnderCast Handle
Grip Length: 704mm
Price


MLT 82-2/4

UnderCast Handle
Grip Length: 704mm
Price

AQ UnderCast Handle

UnderCast Handle
Grip Length: 704mm
Price

UnderCast Handle
Grip Length: 704mm
Price



Aquila ST / STANDARD

The Aquila ST series are models which have had all the standard yet important factors for the casting game fused together at a high dimension. Specifically, the standard performances of casting, lure maneuverability, hooking up the fish and fighting. They have a sharp feeling and once the rods are loaded with the fish, the bending curve will gradually transfer towards the angler, allowing for a steady fight utilizing the butt power to maintain the initiative of the fight. We have prepared 4 power classes of PE #2, #3, #4 and #6 to cater for various species and situations.

Aquila ST 81-2

The model was designed to capture the selective species such as Spanish mackerel and bonitos around the bay. Focusing on the castability and operability of small lures, we dedicate this rod for those anglers who continuously cast until they hookup a fish. Once you are onto a fish, the reliable butt section will allow for a speedy fight and will help you catch great numbers especially when the feeding time is limited. It is a sharp blank typically seen in the ST series, and the belly section with ample stiffness helps easily control and maneuver the lure. This will allow anglers to utilize jerking action with minnows to induce bites from the spooked predators.

Aquila ST 78-3


The shorter rod length is designed for easy handling and casting for use on small ~ medium size boats. The tip section has sufficient stiffness, yet allows anglers to cast smaller size top water plugs to maneuver on the surface. It is an ideal rod for targeting bonitos, yellowtails and Kingfish, which require subtle lure control with light line. For those who own boats, you can target various species with this single versatile short length rod.

Aquila ST 80-4

This medium powered rod is your PE4 class casting rod for your local waters. Once loaded, the rod bends smoothly towards the butt section, creating a beautiful arc. Although it has a sharp feeling, the slow-tapered rod is designed to bend towards the butt section to absorb the thrashing run and enable a stable fight against 10kg class Kingfish.

Aquila ST 85-6

This ST85-6 have enough sharpness on blanks to deliver small lure like a bullet. Especially when you have to cast into boil of kingfish or tuna in head wind, you won't lose accuracy and you can deliver lure where you have wished to. It has been designed to be worked as like your arms on manipulating and provide you a stability on fighting.



Aquila ST 81-2



Aquila
ST 81-2

STANDARD

Lure / Comfort Weight
17~45g
Line
MAX PE 2
Drag Max
4kg/45°

Price :

Length: 8ft 1in
Closed Length: 1830mm
Weight: 218g

Guide

SiC-S Titanium frame K Guide(Fuji)

Aquila
ST 78-3

STANDARD

Lure / Comfort Weight
30~50g
Line
MAX PE 3
Drag Max
5kg/45°

Price :

Length: 7ft 8in
Closed Length: 1780mm
Weight: 224g

Guide

SiC-S Titanium frame K Guide(Fuji)

Aquila
ST 80-4

STANDARD

Lure / Comfort Weight
40~80g
Line
MAX PE 4
Drag Max
7kg/45°

Price :

Length: 8ft
Closed Length: 1782mm
Weight: 300g

Guide

SiC-S Titanium frame K Guide
+ Super Ocean Guide(Fuji)

Aquila
ST 85-6

STANDARD

Lure / Comfort Weight
40~110g
Line
MAX PE 6
Drag Max
12kg/45°

Price :

Length: 8ft 5in
Closed Length: 1925mm
Weight: 338g

Guide

SiC-S Titanium frame K Guide(Fuji)

Aquila EX / EXPEDITION

The Aquila EX series are the ultimate 3-piece expedition pack rod without compromises. Today, anglers are flying around the world to target their dream species and the farther you go, the more limitations there are regarding your luggage. Through countless trial and error, the Aquila EX series have now come to shape and ready to travel with you wherever you go. We have prepared a PE3 and PE6 class models for use with a vast range of lures with a super sharp feel to it. Although they are 3 piece models, it possesses a sharp feel to it and anglers will be able to bend and load the butt section of the rod to stop the monstrous targets. We are confident that these models will help you catch those rare species at the most remote areas around the world.

Aquila EX 79-3

The EX79-3 was designed with its sights on targets like the Cubera snapper, Roosterfish from Latin America and other exotic species that inhabit the various Amazon ponds in Asia. As you are limited with your tackle options when traveling the world, we have created this versatile rod for use with a vast range of lures from the large jig heads, poppers and diving pencils. The rod can be characterized as being a little stiffer compared to the ordinary grip joint rods, but it is a highly responsive rod also ideal for use in the casting game targeting the bonitos and yellowtails from smaller boats.

Aquila EX 83-6


The EX83-6 is a model ideal as a light tackle rod for the GT game or Kingfish game. Through the countless testing phases, we were able to come up with a "flexible" tip section which is extremely rare for pack-rods, enabling anglers to easily control the subtle action of middle size diving pencils. During the field-testing, the butt section was able to stop the run of the GT in shallow waters of 6m, while the rest of the rod bending and absorbing the power of the angry GT. The rod has proven itself that it can be one of your trusted main weapons for your exotic expeditions around the world.



Aquila EX 83-6



Aquila ST 81-2



*Static load comparison does not represent all rod characteristics such as repulsion force. There are individual differences in how the load is applied when actually bending the rod, so please use this as a guide only.



BIG TUNA

JAPAN Special

With the help and know-how of anglers and charter boat captains, our collective data has expanded and the evolution of tuna fishing has grown exponentially.

We can confidently say that tuna species, domestically or internationally are the biggest and strongest targets we face today.

So what can Ripplefisher do to help as a manufacturer realize the anglers' dreams and challenges? What do anglers seek? These are questions we ask ourselves daily and through countless trial and error, the BIG TUNA series was developed.

Rod making is a continuous challenge and has allowed us to grow as a rod manufacturer. The "BIG TUNA" must be a series that will continue to effect anglers in the ever-changing environment and lead a path forward to the future.

We have upgraded and optimized these models to cater for the ever-changing needs and environment around us.

We did not simply make it more bendy nor make it cast farther than before. Rather, through the combination of various different materials of carbon sheets and unique taper design with underlying butt power, we were able to realize a rod capable of enduring extreme load while the recovery force lifting the fish from the deep.

We hope you feel our dedicated passion through the blanks of BIG TUNA series.




BIG TUNA POWER CATEGORY

Power Category	Model	Line Class	Lure	Drag Max
Light Class	85F	PE3~6	18~120g	10kg/45°
Middle Class	87AS	PE5~8	40~150g	15kg/45°
	83	PE6~8	40~150g	15kg/45°
Heavy Class	86	PE8~12	40~160g	15kg/45°
	710 RT	PE8~12	40~160g	15kg/45°
Power Class	73	PE8~12	60~180g	18kg/45°
	76	PE8~12	60~180g	18kg/45°
	70	PE10~12	80~220g	18kg/45°

BIG TUNA 70

We have set the power category as follows in order for a more comprehensive understanding. The 86, 710RT, 73, 76, 70 are all in the same line max category however the 73, 76, 70 have been designed with a higher breakage point suited for targeting 200kg class fish which are in a different power category from 86 and 710RT. The 86 and 710RT models can be used in situations where a long cast is required or more sensitive action is required.

*Please note that aiming huge tuna over 100kg in rough conditions is dangerous. Regarding "models that are designed for extremely large bluefin tuna" such as BIG TUNA73, 76, and 70, the explanations and specifications are written assuming that you have the appropriate physical strength, training, and experience. Thank you for your understanding.




BIG TUNA 85F



The 85F, 87AS, and 83 models are also useful for targeting yellowfin tuna, and the standard is 85F for tuna size 50kg or less, and 87AS and 83 for tuna size 80kg or less. Please consider the lure size to be used, the line, the size of the tuna, and the lure appeal required, and choose a model.*Even though the maximum line value is the same, the set drag value will vary depending on the model, so please keep this in mind when choosing a rod.

*If you are looking for a lighter model than the BIG TUNA series, we also recommend the Aquila series' MLT82-3/6, MST85-7+ and MLT82-3/6 does not have as strong a butt power as the BIG TUNA series, but it has an achievement of catching tuna over 50kg during testing. This model is also recommended for those who want to cast small lures when using ultra-small bait patterns such as whitebait. MST85-7+ has a short length grip, allowing for faster and more agile casting. It has excellent long-distance casting performance, so it is recommended for both shooting to fish feeding on surface and luring out.

The rod design of the BIG TUNA series is color-coded with thread colors matching the power class on the left. Also, the model name is engraved on the spacer on the reel sheet of the grip.



BIG TUNA LINEUP

4 POWER CLASS

BIG TUNA 85F JAPAN Special Light Class

This is a model capable of being high sticked while also being able to cast small lures a great distance. Anglers will be able to utilize lures ranging from 18g~120g and line ranging from PE3~6. We have given this rod a wide range to deal with the high pressure from anglers as well as to induce bites when the Tuna are feeding on small baits. Although it is classed as a light rod in the lineup, you will be able to land 50kg Yellowfin and Bluefin Tuna.

BIG TUNA 87AS JAPAN Special Middle Class

As its name suggests, the AS (Accuracy Shoot) model is designed to accurately cast lures into the feeding fish. In addition to the steady blank kick-back after casting, we have equipped two RV guides on the butt enabling an extremely smooth line ejection from the reel through to the rod. The casting ability will support anglers when the feeding frenzy is far or in heavy conditions casting into the wind. It is not only able to cast large lures but the blank will also allow the use of small 40g size lures. This middle class rod will assist anglers with its taper design ideal to slowly lift the fish from the deep while being able to high-stick the rod.

※If you prefer a more speedy fight (same size fish) we recommend the 83. (87AS is 1 rank lighter compared to the 83. Furthermore, the 87AS is a totally different model and design to the 87 which has been discontinued.)

BIG TUNA 83 JAPAN Special Middle Class

This model was developed with "lure control" and "fight" as its main focus, but it goes without saying that casting is also outstanding. It is a PE6~8 middle class rod not only able to pinpoint cast but also able to utilize small mouthed diving poppers and diving pencils required for an attack. You will be able to realize the evolution of our BIG TUNA series with its lightness and outstanding balance, allowing anglers to cast all day long. Furthermore, the bending point is set close to the body enabling anglers to easily bend in and capitalize on the butt power with little effort.

BIG TUNA 86 JAPAN Special Heavy Class

If you require long and accurate casting with a heavy class tackle, this 86 will be your choice. In comparison to your ordinary heavy tackle, the flexible tip on the 86 will allow for easier casting of smaller lures when the bait-fish are small though the Tuna are huge. The bending point (pivotal point) is closer to the body allowing anglers to take initiative during the fight.

BIG TUNA 710RT JAPAN Special Heavy Class

Compared to the characteristics of the original model, we have re-designed the model to suit the current tuna scene. Since we have designed the taper of the blank to be most productive in the butt section, anglers will be able to efficiently and effectively utilize the butt power to lift the tuna. It's not simply a more flexible model compared to its predecessor, but a highly well-balanced heavy class model able to effortlessly stimulate bites from casting top water lures while having the power to go head to head with the biggest of fish. This will be your ideal model if you are in situations where you need to cast lures all day long.

BIG TUNA 76 JAPAN Special Power Class


This model is for anglers with their sights on Blue-fin tuna weighing over 200kg. Similar to the 73, this 76 is capable of not only casting large lures mostly used when the targets are feeding on dolphin fish (mahi-mahi), but also allows anglers to cast and control the lighter (60g) sinking pencils for smaller baits. The difference from the 73 will be the contrasting fight style. While possessing strong butt power to constantly apply pressure on the fish, we have drastically reduced the load on the angler by bringing the bending point closer to the angler, allowing for a prolonged fight.

BIG TUNA 73 JAPAN Special Power Class

This model is for anglers with their sights on Blue fin tuna weighing over 200kg. Its castability is next to non, able to accurately hit feeding targets with large lures most productive when they are feeding on dolphin fish (mahi mahi). Being short in length and the stiffest model in the series, it is most suited for anglers who have confidence in their strength and ability to go head to head with the monstrous tuna.

BIG TUNA 70 JAPAN Special Power Class

This is for those anglers with their sights on super monstrous Blue-fin tuna. It is model for anglers who need to "high-stick the rod" to load the blank or utilize the "straight pumping" fight style. The power of the rod is similar to the BT76 and BT73 but the breaking point is much greater compared to these two. With the shorter designed blank, the bending point is set closer to the body, drastically reducing the load and stress on the angler. It also has enough length and leverage to go around the bow or other obstacles on the boat for a smoother fight.




BIG TUNA 85F JAPAN Special LIGHT CLASS	BIG TUNA 87AS JAPAN Special MIDDLE CLASS	BIG TUNA 83 JAPAN Special MIDDLE CLASS	BIG TUNA 86 JAPAN Special HEAVY CLASS	BIG TUNA 710RT JAPAN Special HEAVY CLASS	BIG TUNA 76 JAPAN Special POWER CLASS	BIG TUNA 73 JAPAN Special POWER CLASS	BIG TUNA 70 JAPAN Special POWER CLASS
Lure 18~120g	Lure 40~150g	Lure 40~150g	Lure 40~160g	Lure 40~160g	Lure 60~180g	Lure 60~180g	Lure 80~220g
Line PE 3~6	Line PE 5~8	Line PE 6~8	Line PE 8~12	Line PE 8~12	Line PE 8~12	Line PE 8~12	Line PE 10~12
Drag Max 10kg/45°	Drag Max 15kg/45°	Drag Max 15kg/45°	Drag Max 15kg/45°	Drag Max 18kg/45°	Drag Max 18kg/45°	Drag Max 18kg/45°	Drag Max 18kg/45°
Price :	Price :	Price :	Price :	Price :	Price :	Price :	Price :
Length: 8ft 5in Closed Length: 1880mm Weight: 370g Guide SiC-S Titanium Frame K Guide + Super Ocean Guide(Fuji)	Length: 8ft 7in Closed Length: 1884mm Weight: 405g Guide SiC-S Titanium Frame K Guide + SiC RV Guide(Fuji)	Length: 8ft 3in Closed Length: 1785mm Weight: 409g Guide Super Ocean Guide(Fuji)	Length: 8ft 6in Closed Length: 1850mm Weight: 424g Guide Super Ocean Guide(Fuji)	Length: 8ft 10in Closed Length: 1870mm Weight: 407g Guide Super Ocean Guide(Fuji)	Length: 7ft 6in Closed Length: 1575mm Weight: 398g Guide Super Ocean Guide(Fuji)	Length: 7ft 3in Closed Length: 1515mm Weight: 406g Guide Super Ocean Guide(Fuji)	Length: 7ft Closed Length: 1399mm Proto Weight: 421g Guide Super Ocean Guide(Fuji)

ROD DETAIL Please refer to the list on page 66 to check details of rod specifications.
Reel Seat : DPS20(Fuji)


*A=Whole length of grip
B=Length from reel foot to end of grip when reel is equipped

About specs of end of grip
BRC is equipped for 85F, 87AS, 83, 86, and 710RT as standard, and aluminum gimbal (with rubber cap) is equipped for 76, 73, and 70 as standard. You can exchange it by specifying BRC or gimbal specification when ordering. Grip end specifications can be changed even for purchased products. Please contact us for details.


BIG TUNA Bending Curve
This comparison shows the bending characteristics of the Big Tuna series under static load, applied according to each power class, with the rod angle varied. Please use this as a reference for changes in the bend point and the amount of power remaining in the butt section.
※Variations in bending angle caused by differences in rod length do not necessarily reflect differences in rod power.



The 85F and 87AS are more flexible able to cast small lures and designed for a more mellow fight with the fish, whereas the 83 and 86 are a more aggressive rod with the bending point towards the tip to efficiently lift and fight the fish. Compared with the same middle-class rods of 87AS, the 83 is a one rank stronger rod.



The illustration shows the comparison of the 2 heavy class rods. Both rods have a similar taper design but the difference lies in the length. By utilizing the length of the 86 blank, anglers will be able to cast farther than other shorter rods while the shorter 710RT is a model able to load the blank with the weight of the fish with ease.



The picture illustrates the comparison of the 3 power class models. When looking at the comparison with a 45 degree angle, the 73 and 76 look similar, however, the bending point of the 76 is closer to the angler, reducing the stress on the angler, while the 73 is further away enabling a more speedy fight against the fish. The 70 has the strongest butt power with the bending point being close to the angler, drastically reducing the load on the angler. The three models are the same power class, yet having totally different characteristics.

※when choosing a tuna rod, please be sure to choose the most suited rod depending on your height, weight, strength and experience.

OCEÁNICA

FOR UNRULY PASSIONATE ANGLERS

As the first release of the OCEÁNICA series, we have packed the stylish and excellent functionality envisioned by Ripple Fisher into the tubular-designed rod "OCEÁNICA-DFT" for "Stand-up tuna drifting", which is popular both in Japan and overseas. This will bring a new sensation and fresh air to this category where glass solids are the norm.

OCEÁNICA DFT61/PE6-8



Line: PE 6~8 Drag: Max 20kg/45°


Price:

This is a full tubular blank "Stand-up tuna drifting" rod that targets large yellowfin tuna to marlin. The DFT61/6-8 has a highly sensitive tip section that allows you to send bait to the school of fish, and a flexible belly section that bites well and has high hook-up ability even in severe conditions so that you won't miss any rare opportunities. It has a strong restoring force unique to tubular blanks and high lifting force that can keep the tuna controlling, but when loaded, it bends smoothly all the way to the handle, reducing the load and allowing for a stable fight even at high drag. The DFT61/6-8 is a mid-power rod with full torque and speedy fighting performance that allows you to directly feel the thrill of a standing fight.

Length: 6ft 1in(1866mm)

Weight: 595g

Guide: HBSG guide + butt guide RBSG guide(Fuji) Spiral guide setting



OCEÁNICA DFT511/PE12-15



Line: PE 12~15 Drag Max: 35kg/45°


Price:

The DFT511/12-15 was developed with a focus on super-large bluefin tuna over 200kg, and its aim was to provide the fighting performance to catch super-large bluefin tuna efficiently and in a short time. In addition to the strong force of recovery and high lifting power unique to tubular blanks, the butt section is reinforced with high-strength carbon material with high tension, making it a sturdy rod with the power to control even super-large sizes. Despite its overwhelming rod power, in order to minimize physical exhaustion, the fulcrum of the bending during the fight is placed at the angler's hand, and the tapered design allows the entire rod to bend and restore, making it easy to regain position even during long fights under ultra-high loads, allowing for a tenacious and stable fight until landing. The DFT511/12-15 is a standing swimming rod that combines Ripple Fisher's knowledge of big game fishing and design technology cultivated over many years at a high level for anglers who aim to reach the top and challenge records.

Length: 5ft 11in(1813mm)

Weight: 635g

Guide: HBSG guide + butt guide RBSG guide(Fuji) Spiral guide setting



OCEÁNICA CUSTOM COLOR DETAIL

Price:



W1.WRAP SMOKE

W2.WRAP ICE BLUE

W3.WRAP BLUE

W4.WRAP PINK

W5.WRAP RED

W6.WRAP ORANGE

W7.WRAP GOLD

W8.WRAP GREEN

In addition to our standard 12 custom colors, we are proud to offer the "Wrap Paint" series—a special finish exclusive to the OCEÁNICA line. This technique requires a meticulous, time-consuming manual process that is impossible to reproduce by machine. The allure of this special color lies in its total originality; because each rod is hand-finished, no two patterns are ever exactly alike. The OCEÁNICA-exclusive "Wrap Paint" custom option is available in 8 distinct colors.

*Please note: Custom blank coloring for OCEÁNICA models is available only as a full-blank paint option.


Standard custom options are also available. Please refer to page 58 for details on colors.



RIPPLEFISHER CUSTOM COLOR OPTION



Color Custom Order Guide



●Delivery date

With regards to your custom order delivery date, it will take roughly 9~10 months depending on our production schedule.

●Changes and cancellation of custom order

Please note that basically we do not accept changes or cancellations of custom order after a month have passed since we have received order from retail shop or official agent. Thank you very much for your understanding.

RippleFisher Custom Color Detail page ▶

<https://ripplefisher.com/custom?lang=en>



Blank Color · About coating range


●Blank Color · Full paint (1pc model and Grip joint model)



●Blank Color · Full paint (2pcs & 3pcs model)



●Blank Color · Only Butt section Paint (Please refer to images below about available range)



Blank Color · Butt parts paint range for each model

The area covered by the "Butt Section Only" paint option is indicated by the red line below.

Please note that color customization is not available for the RunnerExceed 100SHH LTD, SilverStream BIG BAIT Series, or RF MORI/ GAFF, as these models are not included in the list.

SilverStream Stiletto · Apis



SELFISH



SilverStream Northern



SELFISH NS 632



MonsterImpact



OceanArrow



MonsterImpact 113HH / 4pcs



Ultimo



RunnerExceed



Aquila ST/MLT/MST

※ST81-2 has the same painting range as the GTX below.

Aquila EX



RunnerExceed EX100H / 3pcs



OceanRidge



Avarice



GTX



RealCrescent



01.METAL SMOKE

02.METAL ICE BLUE

03.METAL BLUE

05.METAL PINK

06.METAL RED

07.METAL ORANGE

08.SILVER

09.MAZIORA ANDROMEDA

10.MAZIORA PLREADES II

11.MAZIORA TRAPEZIUM

12.CLEAR RED

※Exclusive color for the Ultimo series & BIG TUNA 86/710RT/70 butt section.

13.CLEAR BLUE

※Exclusive color for the Ultimo series & BIG TUNA 86/710RT/70 butt section.

14.CLEAR GREEN

※Exclusive color for the Ultimo series & BIG TUNA 86/710RT/70 butt section.

15.GOLD

16.METAL GREEN

BLANK COLOR LINEUP



● You can order color customization either whole blanks (from butt to top guide) or butt section only (range of model logo). Please select color from the chart.

If you customize butt section only, rest of blanks of it will be finished in original color.

The prices will differ from the standard colors (01~08 • 15 • 16) and "Maziora" color (09 ~11) to the Clear Color(12~14).

* You can only select one color. We cannot accept requests for gradation, matt finish or changes between two colors.

* If you choose the 08 (silver color) or 15 (gold color), the logo print will be black only.

* The clear colors are exclusive to Ultimo • BIG TUNA 76/710RT/86 and cannot be selected for other models.

* Ultimo • BIG TUNA 76/710RT/86 can also choose colors 01 to 11 other than clear color.

* Color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream BIG BAIT Series
- RF MORI / GAFF

Color custom Charge

Color Number 01~08 • 15 • 16

• 1piece full paint **10,000 yen** (01~08 • 15 • 16)
※1piece and 1&half model

• 2piece full paint **12,000 yen** (01~08 • 15 • 16)
• 3piece full paint **13,000 yen** (01~08 • 15 • 16)
• 4piece full paint **14,000 yen** (01~08 • 15 • 16)
• Only Butt section Paint **6,000 yen** (01~08 • 15 • 16)
• Multi Shaft **15,000 yen** (01~07 • 15 • 16)

Color Number 09~11 ※MAZIORA Color

• 1piece full paint **15,000 yen** (09~11)
※1piece and 1&half model
• 2piece full paint **18,000 yen** (09~11)
• 3piece full paint **19,000 yen** (09~11)
• 4piece full paint **20,000 yen** (09~11)
• Only Butt section Paint **9,000 yen** (09~11)
• Multi Shaft **20,000 yen** (09~11)

Color Number 12~14


*Ultimo & BIG TUNA 86/710RT/70 exclusive color

• Only Butt section Paint **6,000 yen** (12~14)

* Clear colors (#12 ~ 14) can only be painted on the butt part of the Ultimo series & BIG TUNA 86/710RT/70.
(Full paintings cannot be selected)

* Please note that we have been trying to our best but the color of this chart may differ from actual color. It is also depend on type and setting of your monitor if you check it on web site. Thank you very much for your understanding.

※04. Metal emerald blue is out of list and is a missing number.



01.Silver

02.Champagne Gold

03.Metallic Red


04.Metallic Copper

05.Metallic Pink


06.Metallic Blue

07.Metallic Gray

08.Black




01.Red Set (Main • Red/Sub • Black)




07.Emerald Set (Main • Emerald/Sub • Black)




02.Pink Set (Main • Pink/Sub • Black)




08.Lime Set (Main • Lime/Sub • Black)




03.Gold Set (Main • Gold/Sub • Black)



09.Light Gray Set (Main • Light Gray/Sub • Dark Gray)



04.Blue Set (Main • Blue/Sub • Black)




10.Sky Blue Set (Main • Sky Blue/Sub • Dark Blue)



05.Light Blue Set (Main • Light Blue/Sub • Navy)



11.Copper Set (Main • Copper/Sub • Black)



06.Purple Set (Main • Purple/Sub • Black)



12.Silver Set (Main • Silver/Sub • Black)

Thread: 01.Red Set Custom as an example *Main color • Red / Sub color • Black



※No under thread applied model, main color (Red on 01) comes on top.

Thread Pin custom Charge

Color: 01~07 **2,000 yen**

Color: 08 (No pin thread) **1,000 yen**

※Pin-Thread color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream BIG BAIT Series
- RF MORI / GAFF

Thread Set Color



● For custom thread set colors, you can choose the thread colors (for guides and butt section) from the following set colors. The set colors comprise of the main color and the sub color. We do not accept requests to change around the main color and sub color.

*Depending on the model of the rod, the color of the thread presented on top will differ if there is a under thread.

Please refer to the sample pictures on the right. (for the heavy game rods, there is a thread underneath the guides. For light to medium game rods, most models do not have this thread underneath the guides.)

*We do not accept requests to change or alter the color of the pin thread.

*The thread color of the multi shaft cannot be changed.

Thread Set Color custom Charge

• 01~12 **5,000 yen**

※Thread Set-color custom is not available.

- RunnerExceed 100SHH LTD
- SilverStream BIG BAIT Series
- RF MORI / GAFF



RippleFisher ORIGINAL APPAREL & GOODS

*The Massivo offers a lineup of sizes that can accommodate anglers with a solid build.



RF Original T-Shirts

Price:
Size: M • L • LL • 3L
Color: Black • White
Material: Cotton 100%



RF Flat Visor Cap

Price:
Size: OSFA
Color: Black • Navy • Sage Green
Material: Nylon 100%



RF Mesh Bucket Hat

Price:
Size: OSFA
Color: Black
Material: Nylon 86%
Polyurethane 14%



RF Cool Hoodie Shirts

Price:
Size: M • L • LL • 3L
Color: Fog blue • Black
Material: Nylon 91% • Polyurethane 9%



RF Flex Fishing Shorts

Price:
Size: M • L • O(XL) • BBO(X-WIDE)
Massivo 4L • Massivo 5L
Color: Black • Navy
Material: Nylon 87%
Polyurethane 13%



RF Larus Mesh Cap

Price:
Size: OSFA
Color: Black
Material: Nylon 86%
Polyurethane 14%



SPECIAL PRODUCTS

RippleFisher x MOONRAKERS

This is a collaboration with MOONRAKERS, the developers of MOON-TECH®—a material making waves for its “excessive functionality” (delivering overwhelming comfort, convenience, and durability) and the fervent support it has garnered from users. MOON-TECH® is a cutting-edge fabric derived from space technology originally developed to improve living conditions on the International Space Station. It boasts 12 high-performance features, including advanced odor control and stain resistance. The lineup includes both short-sleeve and long-sleeve models utilizing this advanced MOON-TECH® fabric.

For more detailed product information, please visit our official website. Please scan the QR code on the right.



More detail



RF MOON-TECH® T-Shirts

Price:
Size: M • L • XL • 2XL • 3XL
Color: Black • White
Material: Polyester 100%



More detail



RF MOON-TECH® Long Sleeve T-Shirts

Price:
Size: M • L • XL • 2XL • 3XL
Color: Black • White
Material: Polyester 100%



More detail



RF Dry Polo Shirts

Price:
Size: M • L • LL • 3L
Color: Black • White • Navy
Material: Polyester 100%



More detail



RF Inner Jacket

Price:
Size: M • L • O(XL) • XO(XXL) • XYO(4L)
Color: Black
Material: Nylon 85%
Polyurethane 15%



More detail



RF Automatic Inflatable Life Jacket

Price:
Size: OSFA
Color: Black
Note: Neck over type
YMG-2520RS



More detail



RF Domed Sticker

Price:
Size: 54mmx122mm
Color: Silver
Note: 3D Dome Sticker
(Water & Scratch Resistant)



More detail



RF Cutting Stickers

-XL size-
Price:
Size: 158mmx800mm
Color: Blue • White • Matte black

-L size-
Price:
Size: 117mmx600mm
Color: Blue • White • Gold • Silver • Matte black

-M size-
Price:
Size: 59mmx300mm
Color: Neon orange • Neon pink
Blue • White • Gold • Silver • Matte black

-S size-
Price:
Size: 32mmx160mm
Color: Neon orange • Neon pink • Pearl White • Matte black
Blue/White/Gold/Silver



More detail



RF Original Rod Belt

Price:
Size: L size 345mm(2pcs set)
M size 220mm(2pcs set)
Color: Black
Material: Neoprene



More detail



RF Original Wappen

Price & Size
Round type (Φ70mm) Price:
Square type L size Price:
Square type M size Price:
Note : Iron-on type



More detail

Exclusive Overseas Apparel Line

This apparel collection is available exclusively in international markets.



RF ORIGINAL T-SHIRT 2026 OVERSEAS LTD Price:

- Color: Black/White
- Size: M/L/XL/2XL
- Material: Cotton 100% / 5.6oz

Front



Front



Back



Back



more detail

RF Measure Release Mat Price:



- Size: 900×1740(mm)
- Weight: about 1600g
- accessories: stainless carabiner (ASANO)
- Material: Tarpaulin polyester

[more detail](#)



We developed the measuring mat for anglers targeting record breaking species off the rocks to safely and gently measure your catch for a smooth release. Once the fish is laid down on the mat, you can lift it by grabbing the handles on both sides. One half of the mat has a pocket shaped slot, so your fish will not slip off even on a slight angle. The inside of the pocket has a drainage hole, so it is easy to dry and keep clean after your fishing trips. We paid extra attention for designing the handle section so anglers will be able to lift the fish weighing around 70kg.



more detail

RF GRIZZLE POWERED GLOVE

Price:

- Size: M • L • LL • Massivo 3L

Ripple Fisher original fishing gloves. By using NanoFront material, which has excellent durability, grip, and fit, and by placing anti-slip rubber, we have created a stronger grip for big targets. The material itself is thin and flexible, making it useful in a variety of situations, both offshore and shore.



more detail



RF Land Base Fishing Bag

Price:

- Size: 1940mm×140mm×140mm ● Weight: 2430g
- Storage guide: Products with a closed size up to 1900 mm
- Name plate included / Material: Stainless steel SUS316L



more detail

RF Knot Tightener

Price:

- Size
 - Large size Length: 167mm Diameter: 25mm
 - Small size Length: 147mm Diameter: 21mm

※The main body is constructed of High-Tensile Carbon Fibre covered with galvanized rubber



more detail

RF Waterproof Back Pack

Price:

- Size: W39×D34×H62.5cm / Capacity: 60L
- Material: Tarpaulin, polyester (bag body)
- Color: Black



more detail



RF Multi Container M / L

Price:

- Material: Outside: nylon / Inside: tarpaulin
- Comes with an external pocket for storing pliers, rings, etc.
- It has mesh ventilation holes that can be washed while closed.



more detail

RF MORI

Price:

- Length: 1800mm ● Weight: Approx 545g ● Screw standard: W1/2
- Material of spear part: Stainless SUS 316L / Attachment bracket material: SUS304
- End cap: BRC ● Recommendation Harpoon head: ASANO Type MORIPPA / Type S MORIPPA



more detail



RF GAFF SHAFT

Price:


- Length • Weigh: Approx 1025mm (Approx 373g) ● Target fish: Large blue runners, tunas
- Screw standard: Wit W1/2 *Gaff is not included. Sold as a shaft.



more detail



more detail



Example of mounting to RF MORI

Series	Item	Price	JAN CODE	Sec	R	Lt	Cl-Lt	Wt [g]	Lure	Line	Drag Max	Guides	Reel Seat	Joint	Grip End	Carbon (%)	Tip [mm]	Butt [mm]	Position	Suitable reel size and others
SilverStream P6	81 Stiletto MX	4580397942702	2	S	8ft 1in	1274	122	7~28g	PE 0.6~1.2	--	TZ/TI/K	SKDPS17	D	Spigot	EVA	99.7	2.1	10.8	385	S·D:2500~4000
	95 Stiletto MX	4580397942719	2	S	9ft 5in	1474	156	10~32g	PE 0.8~1.5	--	TZ/TI/K	SKDPS18	D	Spigot	EVA	99.6	2.2	12.5	565	S·D:3000~5000
	100 Stiletto MX	4580397942726	2	S	10ft	1566	166	12~45g	PE 0.8~2	--	TZ/TI/K	SKDPS18	D	Spigot	EVA	99.6	2.3	14.4	565	S·D:4000~5000
	91B Stiletto MX	4580397942733	2	B	9ft 1in	1556	165(P)	15~50g	PE 1.2~3	--	TZ/TI/K	SKDPS18	D	Spigot	EVA	99.6	2.3	14.2	585	S·D:200~300
	72S Apis	4580397942740	2	S	7ft 2in	1138	101	7~28g	PE 0.6~1.5	--	SIC-S/TI/K	NVSS15	U	Put over	EVA	91.6	2.1	8.9	455	S·D:2500~4000
	71B Apis	4580397942757	2	B	7ft 1in	1122	107	10~35g	PE 0.8~2	--	SIC-S/TI/K	FBCS15	D	Put over	EVA	92.5	2.1	8.8	485	S·D:200
	106 Northern Nano	4580397940036	2	S	10ft 6in	1640	220	30~50g	MAX PE 1.5	--	SIC-S/TI/K	DPS20	D	Spigot	EVA	99.6	2.3	14.7	695	S:4000~5000/D:L:T4000C~5000C
	112 Northern	4580397940029	2	S	11ft 2in	1754	255	30~60g	MAX PE 1.5	--	SIC-S/TI/K	DPS20	D	Put over	EVA	97.8	2.4	14.7	725	S:4000~5000/D:L:T4000C~5000C
	60 BIG PENCIL	4580397942672	2	B	6ft	1425	194	C.Wt 40~150g	MAX PE 6	--	SIC-S/TI/LRV	TCS18	D	GJ	BRC	95.3	2.5	10.4	550	S·D:200~300
	74 GIANT BATT	4580397942689	2	B	7ft 4in	1550	262	C.Wt 100~300g	MAX PE 8	--	SIC-S/TI/LRV	TCS18	D	GJ	BRC	95.7	2.7	12.1	840	S·D:300~400
RunnerExceed P14	RunnerExceed 100H+3pcs	4580397941972	3	S	10ft	1065	352(P)	MAX Jig 150g / MAX Plug 130g	PE 0.6~6	8k	SIC-S/TI/K+OC	DPS20	U	Spigot	EVA	94.5	3.0	16.3	755	S·D:8000~14000
	RunnerExceed 100BMH	4580397941965	2	B	10ft	1573	301	30~100g	MAX PE 4	6k	SIC-S/TI/K+OC	TCS18	D	Spigot	EVA	99.8	3.0	16.7	780	S·D:300~400
	95TC	4580397947356	2	S	9ft 5in	1495	290	MAX Jig 120g / Plug 30~90g	MAX PE 4	6k	SIC-S/TI/K	DPS20	U	Spigot	BRC	99.8	3.0	16.3	730	S·D:6000~8000
	103H	4580397942023	2	S	10ft 3in	1615	327	MAX Jig 130g / MAX Plug 90g	MAX PE 5	8k	SIC-S/TI/K+OC	DPS20	U	Put over	BRC	99.3	3.1	17.4	765	S·D:8000~14000
	104H Nano PlugModel	4580397942047	2	S	10ft 4in	1615	327	Plug 40~120g	PE 4~6	8k	OC	DPS20	U	Spigot	BRC	99.8	2.5	16.7	805	S·D:8000~14000
	109H Nano PlugModel	4580397948179	2	S	11ft	1720	341	Plug 40~130g	PE 4~7	9k	SIC-S/TI/K+OC	DPS20	U	Spigot	BRC	99.8	2.6	16.8	795	S·D:8000~14000
	107BH Nano	4580397940012	2	B	10ft 7in	1650	374	50~130g	MAX PE 6	8k	OC	T-DPS22	D	Spigot	BRC	97.3	2.8	17.2	830	SOM:75 / S·D:400
	100SHH LIMITED	4580397948292	2	S	10ft	1579	405	MAX 150g	MAX PE 8	10k	OC	DPS22	D	Spigot	BRC	99.8	3.0	18.2	885	S·D:14000~18000
	FINAL STAND UP 83HH	4580397942009	2	S	8ft 3in	1310	364	MAX 200g	MAX PE 8	10k	OC	DPS22	D	Spigot	BRC	98.5	3.1	15.5	855	S·D:14000~20000
MonsterImpact P20	FINAL STAND UP 100SXH	4580397941989	2	S	10ft	1580	451	MAX 180g	MAX PE 10	10k	OC	DPS22	D	Spigot	BRC	95.1	3.2	18.4	875	S·D:18000~20000
	FINAL STAND UP 101BXH	4580397941996	2	B	10ft 1in	1589	449	MAX 230g	MAX PE 10	10k	OC	T-DPS22	D	Spigot	BRC	99.8	3.2	18.4	885	D:LD30~50 / AV:MLC6 / SOM:75~105
	94HH	4580397942184	2	S	9ft 4in	1458	204	20~80g	MAX PE 3	--	SIC-S/TI/K	DPS18	U	Spigot	EVA	99.8	2.5	13.7	590	S·D:4000~5000
	90H	4580397948018	2	S	9ft	1410	193	18~70g	MAX PE 3	--	SIC-S/TI/K	DPS18	U	Spigot	EVA	99.8	2.3	14.1	575	S·D:4000~5000
	91BH	4580397948933	2	B	9ft 1in	1428	212	20~130g	MAX PE 5	--	SIC-S/TI/K	TCS18	D	Spigot	EVA	99.8	2.5	13.8	670	S·D:200~300
	110HH	4580397942153	2	S	11ft	1720	278	15~60g	MAX PE 3	--	SIC-S/TI/K	DPS20	D	Spigot	BRC	95.6	2.3	15.8	812	S·D:5000~6000
	110BHH	4580397942160	2	B	11ft	1720	277	15~70g	MAX PE 3	--	SIC-S/TI/K	TCS18	D	Spigot	BRC	95.5	2.4	15.7	847	S·D:200~300
	113HH ~4pcs	4580397948940	4	S	11ft 3in	900	320	MAX 70g	MAX PE 3	--	SIC-S/TI/K	DPS20	D	Spigot	BRC	99.8	2.5	16.9	675	S·D:5000~6000
	104F	4580397942177	2	S	10ft 4in	1610	219	10~38g	MAX PE 2	--	SIC-S/TI/K	DPS18	D	Spigot	EVA	99.8	2.1	15.8	625	S:4000~5000/D:L:T5000C~6000
Avarice P22	103M Nano	4580397942085	2	S	10ft 3in	1600	198	MAX 40g	MAX PE 1.5	--	SIC-S/TI/K	DPS18	D	Spigot	EVA	99.8	2.1	14.9	620	S:4000~5000/D:L:T5000C~6000
	110M Nano	4580397948162	2	S	11ft	1726	213	MAX 40g	MAX PE 2	--	SIC-S/TI/K	DPS18	D	Spigot	EVA	99.8	2.0	15.8	635	S:4000~5000/D:L:T5000C~6000
	106MH Nano	4580397942092	2	S	10ft 6in	1640	219	MAX 50g	MAX PE 2	--	SIC-S/TI/K	DPS20	D	Spigot	EVA	99.6	2.2	16.3	655	S:4000~5000/D:L:T5000C~6000
	110H Nano	4580397942108	2	S	11ft	1730	253	MAX 60g	MAX PE 2.5	--	SIC-S/TI/K	DPS20	D	Spigot	EVA	99.8	2.4	16.9	660	S:4000~5000/D:L:T5000C~6000
	RC-55 / S	4580397948216	2	S	5ft 5in	853	54	JIH 0.2~3g	PE 0.2~4 / FC-NY-3lb	--	TZ/TI/K	VSS16	U	Put over	EVA	91.1	1.3	6.5	290	S:1000~2000/D:L:T1000~2000
	RC-65 / S	4580397948223	2	S	6ft 5in	1004	61	JH 0.3~6g / Plug 1.8~4.5g	PE 0.2~4 / FC-NY-3lb	--	TZ/TI/K	VSS16	U	Put over	EVA	91.6	1.4	7.8	335	S:1000~2000/D:L:T1000~2000
	RC-75 / S	4580397948230	2	S	7ft 5in	1157	79	Rig 2~14g / Plug 2.5~11g	PE 0.3~0.8	--	TZ/TI/K	VSS16	U	Put over	EVA	99.8	1.5	10.0	385	S:2000~2500/D:L:T2000~2500
	RC-81 / S	4580397948247	2	S	8ft 1in	1265	86	2~17g	PE 0.4~0.8	--	TZ/TI/K	VSS16	U	Put over	EVA	97.4	1.5	10.5	395	S:2000~2500